

**ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казахский национальный исследовательский
технический университет им. К. И. Сатпаева

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Kazakh national research technical university
named after K. I. Satpayev

SERIES
OF GEOLOGY AND TECHNICAL SCIENCES

2 (434)

MARCH – APRIL 2019

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Бас редакторы
э. ф. д., профессор, КР ҮГА академигі
И.К. Бейсембетов
Бас редакторының орынбасары
Жолтаев Г.Ж. проф., геол.-мин. ф. докторы
Редакция ақысы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қыргызстан)
Беспаев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҮГА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрагат комитетінде 30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖҚ, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н а я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кожахметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сеитов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республикаинское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief
doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

Editorial board:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadzhikistan)
Gravis R.M. prof. (USA)
Yergaliев G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoyev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-namrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

N E W S

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 2, Number 434 (2019), 174 – 180

<https://doi.org/10.32014/2019.2518-170X.52>

UDK 663.3

A. L. Panasyuk¹, E. I. Kuzmina¹, O. S. Egorova¹, V. K. Semipyatny¹, D. E. Nurmukhanbetova²

¹All-Russian Scientific Research Institute of Brewing, Non-Alcoholic and Wine Industry – branch of the Gorbatoval's Federal Scientific Center of Food Systems of RAS, Moscow, Russia,

²Almaty Technological University, Almaty, Kazakhstan.

E-mail: alpanasyuk@mail.ru, labvin@mail.ru, olesyaeg@yandex.ru, semipyatniy@gmail.com, dinar2080@mail.ru

**ENSURING THE STABILITY OF WHITE GRAPE WINES TASTE
CHARACTERISTICS WITH USE OF PRODUCTS BASED
ON POLYVINYLPOLYPYRROLIDONE**

Abstract. The aim of the study was to establish the optimal modes of industrial forms application of PVPP preparations (Polyclar 10, Polyclar VT and Polyclar V) for white wines treatment. The samples of oxidized white grape wines were used to determine: the total content of phenolic substances and the relative optical density at a wavelength of 420 nm. To establish the effect of the drugs on the wine materials, a three-factor quadratic regression model of dependence of the content of phenolic substances on the dose of the preparation, temperature and time of exposure was constructed for Polyclar 10, Polyclar VT and Polyclar V according to the data obtained. The result of the regression analysis are the equations linking the content of phenolic substances in the product with time, temperature and doses of injected preparations. The analysis of the obtained results allowed to establish, that the use of preparations has a statistically significant effect on the decrease in the content of phenolic substances in wine material; an increase in the exposure time has a significant effect when extrapolating the obtained dependence by up to 100 min; a decrease in the content of phenolic substances is achieved over the entire range of studied temperatures, and in order to achieve optimal results, the dosage of preparations should be reduced with temperature increasing.

Key words: white grape wines, oxidative browning, condensed forms of phenolic compounds, polyvinylpoly-pyrrolidone.

In countries with favorable climatic conditions, one of the leading sectors of agriculture is viticulture, more than 80% of whose production is used to produce grape wines. In 2017, the world wine production amounted to 246 million hl, while Russia ranks 12th with a volume of about 5 million hl [1].

A steady trend is the increase in the proportion of high-quality wines (reserve, branded, protected geographical indications, etc.), to which they have special requirements for sensory characteristics [2-4]. If a few decades ago, the consumer gave preference to aged wines, now, great interest is taken to light wines, in particular white wines with pronounced aroma, delicate taste with no oxidation tones, associated with the presence of condensed polyphenol forms [5-7]. In the process of wine production and storage, their quality indicators may deteriorate [8, 9].

A similar challenge is in the brewing industry, where for many years preparations, based on polyvinylpolypyrrrolidone (PVPP) have been successfully used [10, 11]. There are preparations based on PVPP of various degrees of polymerization, proposed for white wines treatment, however, recommendations on the modes of their use are of a general nature [12, 13]. In addition, there are practically no scientific data on the effect of their use effectiveness, depending on the dosage, treatment duration, temperature and other factors.

In this regard, the purpose of this study was to find the optimal modes of PVPP preparations industrial forms application for the white wine treatment.

Studies, that previously were conducted at All-Russian Scientific Research Institute of Brewing, Beverage and Wine Industry, showed high efficiency of preventive treatment of grape must with new-generation preparations, based on PVPP (Polyclar 10, Polyclar V and Polyclar VT) in order to prevent oxidation of wines phenolic compounds [14, 15]. Therefore, in the present work, studies of these preparations were continued. For each preparation, in accordance with the recommendations of the manufacturer, three doses for wine treating were selected (minimum, maximum and average); treating temperature - 0 °C, 12.5 °C, 25 °C; treating time - 5 min; 27.5 minutes and 50 minutes.

In industrial samples of oxidized white grape wines, the total content of phenolic substances was determined according to the methods, recommended by the International Organisation of Vine and Wine (OIV), and the relative optical density at 420 nm using a photoelectric concentration colorimeter KFK-2. The research results are presented in tables 1-3.

Table 1 – Temperature at 25 °C

Preparation	Dose, g/dm ³	Time, min	D ₄₂₀	Total Phenolic Content, mg/dm ³
Control	–	–	0.33	740
Temperature 25 °C				
Polyclar 10	0.1	5	0.29	710
	0.7	5	0.20	560
	0.4	27.5	0.28	730
	0.1	50	0.31	580
	0.7	50	0.22	660
Polyclar VT	0.15	5	0.30	620
	0.7	5	0.24	730
	0.43	27.5	0.25	560
	0.15	50	0.30	720
	0.7	50	0.21	580
Polyclar V	0.1	5	0.32	650
	0.6	5	0.24	590
	0.35	27.5	0.26	580
	0.1	50	0.33	640
	0.6	50	0.23	590

Table 2 – Temperature at 12.5 °C

Preparation	Dose, g/dm ³	Time, min	D ₄₂₀	Total Phenolic Content, mg/dm ³
Control	–	–	0.33	740
Temperature 12.5 °C				
Polyclar 10	0.4	5	0.29	580
	0.4	50	0.29	590
	0.1	27.5	0.38	680
	0.7	27.5	0.26	540
Polyclar VT	0.43	5	0.31	600
	0.43	50	0.31	590
	0.15	27.5	0.40	630
	0.7	27.5	0.33	540
Polyclar V	0.35	5	0.31	580
	0.35	50	0.30	530
	0.1	27.5	0.40	650
	0.6	27.5	0.29	520

Table 3 – Temperature at 0 °C

Preparation	Dose, g/dm ³	Time, min	D ₄₂₀	Total Phenolic Content, mg/dm ³
Control	–	–	0.33	740
Temperature 0 °C				
Polyclar 10	0.1	5	0.34	550
	0.7	5	0.24	540
	0.4	27.5	0.26	540
	0.1	50	0.31	730
	0.7	50	0.22	590
Polyclar VT	0.15	5	0.37	650
	0.7	5	0.27	770
	0.43	27.5	0.27	630
	0.15	50	0.30	650
	0.7	50	0.24	580
Polyclar V	0.1	5	0.36	630
	0.6	5	0.27	560
	0.35	27.5	0.26	600
	0.1	50	0.30	560
	0.6	50	0.23	660

Analysis of the results showed, that the total content of phenolic substances in the samples, treated with the studied preparations, regularly decreases by 20-30%, compared with the control. The largest decrease in this indicator was observed in samples, obtained at a temperature of 12.5 °C, the smallest - at a temperature of 25 °C.

At the same time, when treating white grape wine at a temperature of 25 °C, the maximum decrease in the relative optical density at a wavelength of 420 nm, which characterizes the presence of polymerized phenolic compounds, was observed from 0.33 in control to 0.20-0.23 in test samples. And when treating at a temperature of 12.5 °C, this indicator decreases minimally.

The treatment at the temperature of 25 °C turned out to be the most effective, as it allowed the color to be corrected as much as possible, getting rid of oxidation tones, while retaining the fullness of taste of the test samples.

Regarding the duration of experimental samples contact with preparations and the doses of these preparations, the following pattern is noted here - the greatest effect was obtained when using the maximum dose of preparations with the minimum contact time.

In order to study the preparations effect on wine materials, was constructed a three-factor quadratic regression model [16] based on phenolic substances content on the dose of the preparation, temperature and time of exposure for Polyclar 10, Polyclar VT and Polyclar V according to the obtained data.

The sample of white wine at the zero point of control contained 740 mg/dm³ of phenolic substances, had a relative optical density indicator D₄₂₀ equal to 0.33. To construct the regression equations, were taken working intervals of exposure equal to 5–50 min for time and 0–25 °C for temperature.

The obtained experimental data were processed by the methods of mathematical statistics to achieve an acceptable level of significance [17-21], the uniformity of all experiments meets the Bartlett criterion with a confidence probability of 0.9. In the construction of dependencies, control values for zero dosage were also considered.

The result of the regression analysis are the equations, linking the content of phenolic substances in the product with time, temperature and doses of injected preparations:

$$f_{\text{pol10}}(d, t, T) = 723 - 52.9d + 3.13d^2 + 1.84t + 0.15dt - 0.034t^2 - 3.8T + 0.12dT - 0.06tT + 0.013dtT + 0.2T^2; \quad (1)$$

$$f_{\text{polVT}}(d, t, T) = 735 - 28.22d + 5.21d^2 - 3.53t - 0.6dt + 0.07t^2 - 6.8T - 0.24dT + 0.03tT + 0.24T^2; \quad (2)$$

$$f_{\text{polV}}(d, t, T) = 721 - 72.2d + 7.84d^2 + 1.5t - 0.28dt - 0.04t^2 - 2.54T + 0.03dT + 0.02tT + 0.01dtT + 0.1T^2; \quad (3)$$

where d – preparation dosage (g/dm^3), t – time (min), T – temperature ($^\circ\text{C}$). The functions correspond to the results for Polyclar 10, Polyclar VT and Polyclar V, respectively.

Due to the presence in the equations of three incoming factors, a visual interpretation of the resulting dependencies is possible with the transition to a two-factor hyperplane with fixation of the third (figure 1).




Figure 1 – The projection of the regression equation on the hyperplane with a fixed temperature parameter (preparation - Polyclar 10; $T = 12 \text{ } ^\circ\text{C}$)

Analysis of the results and further study of the equations on the influence of incoming factors made it possible to establish that:

- the preparations presence has a statistically significant effect on the reduction of phenolic substances content in wine materials. This is clearly demonstrated in figure 2;




Figure 2 – Dependence of phenolic substances content on the preparation dosage (temperature and time are fixed: $t = 50 \text{ min}$, $T = 12 \text{ } ^\circ\text{C}$)

- an increase in the exposure time has a significant effect when extrapolating the obtained dependence for a range up to 100 min;
- a decrease of phenolic substances content is achieved over the entire range of studied temperatures, while in order to achieve optimal results, with increasing temperature, the preparations dosage should be reduced;
- statistically, it is possible to distinguish the preparation Polyclar V as the most effective.

Recommended in terms of built regression models dosage regimes, exposure time at room temperature (20 °C) for all preparations: Polyclar 10 - dose 3.2 g/dm³, time 70 min; Polyclar VT - dose of 4.6 g/dm³, time 25 min; Polyclar V - dose of 4.6 g/dm³, time 25 min. The order and factors of influence can be varied in dependence of production needs, using data of the obtained equations.

Using the equations, the optimum temperature for wine materials treatment was calculated for the manufacturer's recommended minimum and maximum dosages for each of the preparation, as well as the recommended treating time for wine materials - 5 minutes. The calculated range of optimal treating temperatures was varied within fairly wide limits, from 6.6 to 17.2 °C. The technological requirements for the production premises of wineries consist in the creation of certain temperatures, humidity, etc. The temperature of the production premises depends on its functional purpose and type of wine. An important technological requirement is the constancy of temperature, temperature fluctuations are disrupting the normal course of wine materials clarification, and they adversely affect on the wine ripening. It is obvious, that for industry enterprises the wines treatment at calculated temperatures is not advisable.

In rooms, intended for wines aging and treatment, the temperature is maintained at 8-10 °C and does not allow it to rise above 15 °C. In the ground premises in the summer period, the wine is kept at a temperature of 16-20 °C. Therefore, using the obtained equations, optimal doses of preparations were calculated at a treatment temperature of 12 and 20 °C, as well as treatment times of 5, 30 and 60 minutes. The obtained calculated data are presented in table 4.

Table 4 – Recommended dosage and treatment time

Preparation	Temperature, °C	Time, min	Dose, g/dm ³
Polyclar 10	12	5	7.00
		30	6.60
		60	5.10
	20	5	7.00
		30	6.00
		60	3.95
Polyclar V	12	5	4.6
		30	4.8
		60	5.1
	20	5	3.45
		30	4.88
		60	6.00
	12	5	3.2
		30	4.7
		60	6.0
Polyclar VT	20	5	4.50
		30	4.66
		60	4.75

Studies have shown that the treatment of white grape wines with new generation products based on PVPP is effective for eliminating oxidative browning, as it helps to reduce the content of condensed forms of phenolic substances and allows you to get rid of oxidation tones in taste. Treatment of experimental data using mathematical statistics allows choose the optimal modes of wine treatment, depending on the physicochemical indicators of a particular wine, as well as the capabilities and needs of a particular production.

А. Л. Панасюк¹, Е. И. Кузьмина¹, О. С. Егорова¹, В. К. Семипятный¹, Д. Е. Нурмуханбетова²

¹Бұқілресейлік сыра қайнату, алкогольсіз және шарап өнеркәсібі ғылыми-зерттеу институты –
В. М. Горбатов атындағы «Азық-түлік өнімдерінің федералдық ғылыми орталығы»
Федералдық мемлекеттік бюджеттің ғылыми мекемесінің филиалы РГА, Мәскеу, Ресей,

²Алматы технологиялық университеті, Алматы, Қазақстан

ПВПП-ФА НЕГІЗДЕЛГЕН ПРЕПАРТАРДЫҢ ҚӨМЕГІМЕН АҚ ЖҰЗІМ ШАРАПТАРЫНЫң ДӘМДІК ҚАСИЕТТЕРІНІҢ ТҮРАҚТЫЛЫНЫҢ ҚАМТАМАСЫЗ ЕТУ

Аннотация. Зерттеудің мақсаты ақ шараптарды өндегуге арналған ПВПП препараттарының (Поликлар 10, Поликлар ВТ и Поликлар В) өнеркәсіптік түрлерін қолданудың оңтайлы режимдерін құру болып табылады. Тотықкан ақ жұзім шаралының үлгілерінен келесі көрсеткіштер анықталды: фенолдық заттардың жалпы мөлшері және 420 нм толқын ұзындығындағы салыстырмалы оптикалық тығыздық. Препараттардың шарап материалдарына әсерін анықтау үшін фенолдық заттардың құрамының препараттың дозасына тәуелділігі, температурасы мен уақытына байланысты үш факторлы регрессиялық модель Поликлар 10, Поликлар ВТ және Поликлар үшін құрастырылған. Регрессиялық талдаудың нәтижесі - өнімдегі фенолдық заттардың уақытын, температурасын және енгізілетін препараттардың дозаларын байланыстыратын теңдеулер. Алынған нәтижелерді талдау препараттарды қолдану фенолдық заттардың құрамында шарап материалының азауына статистикалық маңызды әсер ететінін анықтауга мүмкіндік берді; экспозиция уақытының үлгауы алынған тәуелділікті 100 минутка дейін экстраполяциялау кезінде айтарлықтай әсер етеді; фенолдық заттардың құрамының төмендеуі зерттелген температураардың бүкіл ауқымында қол жеткізіледі және оңтайлы нәтижелерге қол жеткізу үшін препараттың дозасын жогарылату керек.

Түйін сөздер: ақ жұзім шарабы; тотықтырушы қызару; фенолдық қосылыстардың конденсиленген формалары; поливинилполипирролидон.

А. Л. Панасюк¹, Е. И. Кузьмина¹, О. С. Егорова¹, В. К. Семипятный¹, Д. Е. Нурмуханбетова²

¹Всероссийский научно-исследовательский институт пивоваренной, безалкогольной и винодельческой промышленности – филиал ФГБНУ «ФНЦ пищевых систем им. В. М. Горбатова» РАН, Москва, Россия,

²Алматинский технологический университет, Алматы, Казахстан

ОБЕСПЕЧЕНИЕ СТАБИЛЬНОСТИ ВКУСОВЫХ ХАРАКТЕРИСТИК БЕЛЫХ ВИНОГРАДНЫХ ВИН С ПОМОЩЬЮ ПРЕПАРАТОВ НА ОСНОВЕ ПВПП

Аннотация. Целью исследования явилось установление оптимальных режимов применения промышленных форм препаратов ПВПП (Поликлар 10, Поликлар ВТ и Поликлар В) для обработки белых вин. В образцах окисленных белых виноградных вин определяли: общее содержание фенольных веществ и показатель относительной оптической плотности при длине волн 420 нм. Для установления влияния воздействия препаратов на виноматериал по полученным данным для Поликлар 10, Поликлар ВТ и Поликлар В была построена трехфакторная квадратичная регрессионная модель зависимости содержания фенольных веществ от дозы препарата, температуры и времени экспозиции. Результатом регрессионного анализа стали уравнения, связывающие содержание фенольных веществ в продукте со временем, температурой и дозами вводимых препаратов. Анализ полученных результатов позволил установить, что использование препаратов оказывает статистически значимое влияние на снижение содержания фенольных веществ в виноматериале; увеличение времени экспозиции имеет значимый эффект при экстраполяции полученной зависимости на диапазон до 100 мин; снижение содержания фенольных веществ достигается на всем диапазоне исследуемых температур, при этом для достижения оптимальных результатов, при повышении температуры следует снижать дозировку препаратов.

Ключевые слова: белые виноградные вина; окислительное покоричневение; конденсированные формы фенольных соединений; поливинилполипирролидон.

Information about authors:

Panasyuk Alexander Lvovich, Doctor of Technical Science, Professor, All-Russian Scientific Research Institute of Brewing, Non-Alcoholic and Wine Industry – branch of the Gorbatov's Federal Scientific Center of Food Systems of RAS, Vice-Director; alpanasyuk@mail.ru; <https://orcid.org/0000-0002-5502-7951>

Kuzmina Elena Ivanovna, Candidate of Technical Sciences; All-Russian Scientific Research Institute of Brewing, Non-Alcoholic and Wine Industry – branch of the Gorbatov's Federal Scientific Center of Food Systems of RAS, Head of the Laboratory of Grape and Fruit Technologi; labvin@yandex.ru; <https://orcid.org/0000-0001-7623-440X>

Egorova Olesya Sergeevna, Researcher, All-Russian Scientific Research Institute of Brewing, Non-Alcoholic and Wine Industry – branch of the Gorbatov's Federal Scientific Center of Food Systems of RAS; olesyaeg@yandex.ru; <https://orcid.org/0000-0003-0463-605X>

Semipyatny Vladislav Konstantinovich, Researcher, Candidate of Technical Sciences, All-Russian Scientific Research Institute of Brewing, Non-Alcoholic and Wine Industry – branch of the Gorbatov's Federal Scientific Center of Food Systems of RAS; semipyatniy@gmail.com; <https://orcid.org/0000-0003-1241-0026>

Nurmukhanbetova Dinara Erikovna, candidate of engineering sciences, acting associate professor, Almaty Technological University, Department of Food safety and quality; dinar2080@mail.ru; <https://orcid.org/0000-0002-8939-6325>

REFERENCES

- [1] Oganesyants L.A., Panasyuk A.L. (2018). Global trends in wine production and consumption [Mirovye tendencii v proizvodstve i potreblenii vina] // Beer and beverages [Pivo i napitki], 2018, 1:16-18. (In Rus.)
- [2] Perez-Prieto L.J., Lopez-Roca J.M., Gomez-Plaza E. (2003). Multivariate statistical analysis for the classification of oak-aged wines based on their chromatic characteristics // European food research and technology. 217:6:512-516. DOI 10.1007/s00217-003-0780-6. (In Eng.).
- [3] Santos-Buelga C., Freitas V.D. (2009). Influence of Phenolics on Wine Organoleptic Properties // In book: Wine chemistry and biochemistry. Springer Science+Business Media, LLC, 529-570. DOI 10.1007/978-0-387-74118-5_24. (In Eng.).
- [4] Müller M., Christoph N., Wachter H., Koehler H.-J., Winterhalter P. (2011). Analytical and Multivariate Statistical Methods for Differentiation of Wines Produced with Oak Chips and Barriques // In book: Progress in Authentication of Food and Wine. Washington, DC, American Chemical Society, 151-163. ISBN 13: 9780841226708. DOI 10.1021/bk-2011-1081.ch010. (In Eng.).
- [5] Esteruelas M., Kontoudakis N., Gil M., Fort M.F., Canals J.M., Zamora F. (2011). Phenolic compounds present in natural haze protein of sauvignon white wine // Food Research International. 44:1:77-83. DOI 10.1016/j.foodres.2010.11.010. (In Eng.).
- [6] Kontoudakis N., González E., Gil M., Esteruelas M., Fort F., Canals J.M., Zamora F. (2011). Influence of Wine pH on Changes in Color and Polyphenol Composition Induced by Micro-oxygenation // J. Agric. Food Chem. 59:5:1974-1984. DOI 10.1021/jf103038g. (In Eng.).
- [7] Fernández-Zurbano P., Ferreira V., Escudero A., Cacho J. (1998). Role of Hydroxycinnamic Acids and Flavanols in the Oxidation and Browning of White Wines // J. Agric. Food Chem. 46:12:4937-4944. DOI 10.1021/jf980491v. (In Eng.).
- [8] Zafrilla P., Morillas J., Mulero J., Cayuela J.M., Martínez-Cachón A., Pardo F. (2003). Changes during Storage in Conventional and Ecological Wine: Phenolic Content and Antioxidant Activity // J. Agric. Food Chem. 51:16:4694-4700. DOI 10.1021/jf021251p. (In Eng.).
- [9] Ageeva N.M., Lisovec U.A., Blozhko A.A. (2016). Biochemical processes occurring during batonage in the technology of white table wines [Biohimicheskie processy, protekayushchie pri batonazhe v tekhnologii belykh stolovykh vin] // Proceedings of higher educational institutions. Food technology [Izvestiya vysshikh uchebnykh zavedenij. Pishchevaya tekhnologiya]. 2-3:350-351:24-27. (In Rus.).
- [10] Dedegkaev A.T., Afonin D.V., Meledina T.V. (2006). The increase physico-chemical stability of beer when you use and silica gels and polyvinylpolypyrrolidone [Povyshenie fiziko-himicheskoy stabil'nosti piva pri ispol'zovanii silikageley i polivinilpolipirrolidona (PVPP)] // Beer and beverages [Pivo i napitki]. 2:26-28. (In Rus.).
- [11] Zaharchenko D.G. (2009). Formation of beer quality and development of ways to increase its durability in the production process [Formation of beer quality and development of ways to increase its durability in the production process] // Candidate's thesis. Kemerovo (In Rus.).
- [12] Siebert K.J., Lynn P.Y. (1997). Mechanisms of adsorbent action in beverage stabilization // Journal of agricultural and food chemistry. 45:11:4275-4280. DOI 10.1021/jf970430h.
- [13] Simone G., Verza, Cabral Pavei, George G. (2008). Ortega. Study of the Specificity of Cross-Povidone (PVPP) as binding agent in the quantification of polyphenolic compounds // Journal of the Brazilian Chemical Society. 8:19:1627-1633. DOI 10.1590/S0103-50532008000800025. (In Eng.).
- [14] Pocock K.F., Hayasaka Y., Jones P.R., Waters E.J., Alexander G.M. (2007). Sulfate - a candidate for the missing essential factor that is required for the formation of protein haze in white wine // J. Agric. Food Chem. 55:5:1799-1807. DOI 10.1021/jf062658n. (In Eng.).
- [15] Panasyuk A.L., Kuzmina E.I., Egorova O.S. (2017). The Use of Preparations Based on Polyvinylpolypyrrolidone (PVPP) to Improve the Red and Pink Wines Quality [Primenenie preparatov na osnove polivinilpolipirrolidona (PVPP) dlya povysheniya kachestva krasnykh i rozovyykh vin] // Beer and beverages [Pivo i napitki]. 4:18-21. (In Rus.).
- [16] Egorova O.S., Letfullina D.R. (2018). Wine Processing to Ensure Stability to Polyphenolic Opacities [Obrabotka vin s cel'yu obespecheniya stabil'nosti k polifenol'nym pomutneniyam] // Food Industry [Pishchevaya promyshlennost]. 6:40-42. (In Rus.).
- [17] Fetisov E.A., Semipyatny V.K., Petrov A.N., Galstyan A.G. (2015). Planning and Analysis of the Technological Experiments Results [Planirovaniye i analiz rezul'tatov-tehnologicheskikh eksperimentov]. Moscow, Publishing House of All-Russian Research Institute of Dairy Industry. 98 p. ISBN 978-5-906565-21-1.
- [18] Hill W.J., Demler W.R. (1970). More on Planning Experiments to increase Research Efficiency // Ind. Eng. Chem. 62:10:60-65. DOI 10.1021/ie50730a006.
- [19] Semipyatny V.K. (2014). Improvement of Dry Milk Products Recovery Technology [Sovershenstvovanie tekhnologii vosstanovleniya suhih molochnykh produktov] // Candidate's thesis. Moscow. (In Rus.).
- [20] Petrov A.N., Galstyan A.G., Radaeva I.A., Turovskaya S.N., Illarionova E.E., Semipyatny V.K., Khurshudyan S.A., DuBuske L.M., Krikunova L.N. (2017). Indicators of quality of canned milk: Russian and international priorities // Foods and Raw Materials. 5:2:151-161. (In Eng.).
- [21] Turovskaya S.N., Galstyan A.G., Radaeva I.A., Petrov A.N., Illarionova E.E., Ryabova A.E., Assembayeva E.K., Nurmukhanbetova D.E. (2018). Scientific and practical potential of dairy products for special purposes // News «Series of Geology and Technical Sciences». 2018. N 6. P. 16-22. ISSN 2224-5278. <https://doi.org/10.32014/2018.2518-170X.31>.

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://www.geolog-technical.kz/index.php/en/>

Верстка Д. Н. Калкабековой

Подписано в печать 12.04.2019.
Формат 70x881/8. Бумага офсетная. Печать – ризограф.
15,2 п.л. Тираж 300. Заказ 2.