

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ

Satbayev University

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ
НАУК РЕСПУБЛИКИ
КАЗАХСТАН
Satbayev University

N E W S

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF
KAZAKHSTAN
Satbayev University

SERIES

OF GEOLOGY AND TECHNICAL SCIENCES

2 (458)

MARCH – APRIL 2023

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Бас редактор

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қазақстан Республикасы Ұлттық Ғылым академиясының президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) **Н = 4**

Редакциялық алқа:

АБСАДЫКОВ Бахыт Нарикбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА жауапты хатшысы, А.Б. Бектұров атындағы химия ғылымдары институты (Алматы, Қазақстан) **Н = 5**

ӘБСАМЕТОВ Мәліс Құдысұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «У.М. Ахмедсафина атындағы гидрогеология және геоэкология институтының» директоры (Алматы, Қазақстан) **Н = 2**

ЖОЛТАЕВ Герой Жолтайұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, Қ.И. Сатпаев атындағы геология ғылымдары институтының директоры (Алматы, Қазақстан) **Н = 2**

СНОУ Дэниел, Ph.D, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры (Небраска штаты, АҚШ) **Н = 32**

ЗЕЛЬТМАН Реймар, Ph.D, табиғи тарих мұражайының Жер туралы ғылымдар бөлімінде петрология және пайдалы қазбалар кен орындары саласындағы зерттеулердің жетекшісі (Лондон, Англия) **Н = 37**

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры (Нанси, Франция) **Н = 15**

ШЕН Пин, Ph.D, Қытай геологиялық қоғамының тау геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі (Пекин, Қытай) **Н = 25**

ФИШЕР Аксель, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **Н = 6**

КОНТОРОВИЧ Алексей Эмильевич, геология-минералогия ғылымдарының докторы, профессор, РҒА академигі, А.А. Трофимука атындағы мұнай-газ геологиясы және геофизика институты (Новосибирск, Ресей) **Н = 19**

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь) **Н = 13**

КАТАЛИН Стефан, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **Н = 20**

СЕЙТМҰРАТОВА Элеонора Юсуповна, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, Қ.И. Сатпаев атындағы Геология ғылымдары институты зертханасының меңгерушісі (Алматы, Қазақстан) **Н = 11**

САҒЫНТАЕВ Жанай, Ph.D, қауымдастырылған профессор, Назарбаев университеті (Нұр-Сұлтан, Қазақстан) **Н = 11**

ФРАТТИНИ Паоло, Ph.D, Бикокк Милан университеті қауымдастырылған профессоры (Милан, Италия) **Н = 28**

«ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ39VPY00025420** мерзімдік басылым тіркеуіне қойылу туралы куәлік. Тақырыптық бағыты: *геология, мұнай және газды өңдеудің химиялық технологиялары, мұнай химиясы, металдарды алу және олардың қосындыларының технологиясы.* Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19 <http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2023

Типографияның мекен-жайы: «Аруна» ЖК, Алматы қ., Мұратбаев көш., 75.

Главный редактор

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) **Н = 4**

Редакционная коллегия:

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, ответственный секретарь НАН РК, Институт химических наук им. А.Б. Бектурова (Алматы, Казахстан) **Н = 5**

АБСАМЕТОВ Малис Кудысович, (заместитель главного редактора), доктор геологоминералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан) **Н = 2**

ЖОЛТАЕВ Герой Жолтаевич, (заместитель главного редактора), доктор геологоминералогических наук, профессор, директор Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **Н=2**

СНОУ Дэниел, Ph.D, ассоциированный профессор, директор Лаборатории водных наук университета Небраски (штат Небраска, США) **Н = 32**

ЗЕЛЬТМАН Реймар, Ph.D, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия) **Н = 37**

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция) **Н=15**

ШЕН Пин, Ph.D, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай) **Н = 25**

ФИШЕР Аксель, ассоциированный профессор, Ph.D, технический университет Дрезден (Дрезден, Берлин) **Н = 6**

КОНТОРОВИЧ Алексей Эмильевич, доктор геолого-минералогических наук, профессор, академик РАН, Институт нефтегазовой геологии и геофизики им. А.А. Трофимука СО РАН (Новосибирск, Россия) **Н = 19**

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) **Н = 13**

КАТАЛИН Стефан, Ph.D, ассоциированный профессор, Технический университет (Дрезден, Берлин) **Н = 20**

СЕЙТМУРАТОВА Элеонора Юсуповна, доктор геолого-минералогических наук, профессор, член-корреспондент НАН РК, заведующая лабораторией Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **Н=11**

САГИНТАЕВ Жанай, Ph.D, ассоциированный профессор, Назарбаев университет (Нурсултан, Казахстан) **Н = 11**

ФРАТТИНИ Паоло, Ph.D, ассоциированный профессор, Миланский университет Бикокк (Милан, Италия) **Н = 28**

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № **KZ39VPY00025420**, выданное 29.07.2020 г.

Тематическая направленность: *геология, химические технологии переработки нефти и газа, нефтехимия, технологии извлечения металлов и их соединений.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© Национальная академия наук Республики Казахстан, 2023

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editorial chief

ZHURINOV Murat Zhurinovich, doctor of chemistry, professor, academician of NAS RK, president of the National Academy of Sciences of the Republic of Kazakhstan, general director of JSC "Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky» (Almaty, Kazakhstan) **H = 4**

Editorial board:

ABSADYKOV Bakhyt Narikbaevich, doctor of technical sciences, professor, executive secretary of NAS RK, Bekturov Institute of chemical sciences (Almaty, Kazakhstan) **H = 5**

ABSAMETOV Malis Kudysovich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, academician of NAS RK, director of the Akhmedsafin Institute of hydrogeology and hydrophysics (Almaty, Kazakhstan) **H=2**

ZHOLTAEV Geroy Zholtayevich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, director of the institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=2**

SNOW Daniel, Ph.D, associate professor, director of the laboratory of water sciences, Nebraska University (Nebraska, USA) **H = 32**

ZELTMAN Reyman, Ph.D, head of research department in petrology and mineral deposits in the Earth sciences section of the museum of natural history (London, England) **H = 37**

PANFILOV Mikhail Borisovich, doctor of technical sciences, professor at the Nancy University (Nancy, France) **H=15**

SHEN Ping, Ph.D, deputy director of the Committee for Mining geology of the China geological Society, Fellow of the American association of economic geologists (Beijing, China) **H = 25**

FISCHER Axel, Ph.D, associate professor, Dresden University of technology (Dresden, Germany) **H = 6**

KONTOROVICH Aleksey Emilievich, doctor of geological and mineralogical sciences, professor, academician of RAS, Trofimuk Institute of petroleum geology and geophysics SB RAS (Novosibirsk, Russia) **H = 19**

AGABEKOV Vladimir Enokovich, doctor of chemistry, academician of NAS of Belarus, honorary director of the Institute of chemistry of new materials (Minsk, Belarus) **H = 13**

KATALIN Stephan, Ph.D, associate professor, Technical university (Dresden, Berlin) **H = 20**

SEITMURATOVA Eleonora Yusupovna, doctor of geological and mineralogical sciences, professor, corresponding member of NAS RK, head of the laboratory of the Institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=11**

SAGINTAYEV Zhanay, Ph.D, associate professor, Nazarbayev University (Nursultan, Kazakhstan) **H = 11**

FRATTINI Paolo, Ph.D, associate professor, university of Milano-Bicocca (Milan, Italy) **H = 28**

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *geology, chemical technologies for oil and gas processing, petrochemistry, technologies for extracting metals and their connections.*

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2023

Address of printing house: ST «Aruna», 75, Muratbayev str, Almaty.

NEWS of the National Academy of Sciences of the Republic of Kazakhstan
SERIES OF GEOLOGY AND TECHNICAL SCIENCES
ISSN 2224-5278
Volume 2, Number 458 (2023), 37–47
<https://doi.org/10.32014/2023.2518-170X.278>

© D.A. Davronbekov¹, X.F. Alimdjanov¹, K.S. Chezhimbayeva^{2*}, 2023

¹Tashkent University of Information Technologies named after Muhammad Al-Khwarizmi, Tashkent, Uzbekistan;

²Almaty University of Power Engineering and Telecommunications named after Gumarbek Daukeev, Almaty, Kazakhstan.

E-mail: k. chezhimbayeva@aes.kz

METHODS FOR REMOTE MONITORING OF BRIDGES UNDER THE INFLUENCE OF GROUNDWATER ON THEM

Davronbekov Dilmurod — Doctor of Technical Sciences, professor. Tashkent University of Information Technologies named after Muhammad Al-Khwarizmi. 100200, st. Amir Temur, 108, Uzbekistan, Tashkent
E-mail: d.davronbekov@tuit.uz, <https://orcid.org/0000-0003-1193-7918>;

Alimjanov Xayot — Head teacher, Tashkent University of Information Technologies named after Muhammad Al-Khwarizmi, 100200, st. Amir Temur, 108, Uzbekistan, Tashkent
E-mail: hayot.alimdjanov@gmail.com, <https://orcid.org/0000-0002-9004-9507>;

Chezhimbayeva Katipa — Candidate of technical sciences, associate professor. Almaty University of Power Engineering and Telecommunications named after Gumarbek Daukeev. 050013, st. Baytursynov, 126/1, Almaty, Kazakhstan
E-mail: k.chezhimbayeva@aes.kz, <https://orcid.org/0000-0002-1661-2226>.

Abstract. Today infrastructure cannot be imagined without roads and bridges. In the world, special attention is paid to their condition, which in turn is an extremely important factor in ensuring the safety of the civilian population and the entire infrastructure in general. One of the main reasons for the deterioration of the condition of bridges is that a huge number of them have stepped over the 50-year mark and no longer meet technical standards. The article presents the reasons for the weakening of the load-bearing structures of bridges, as well as the influence of groundwater or river water on these structures, which together can lead to multimillion-dollar costs or, even worse, to tragic consequences. Calculation methods were given to determine the settlements of structures, such as absolute or total settlement, average settlement, heel and horizontal displacement. Methods for organizing remote monitoring of the state of the position of the bearing structures of bridges are considered. One of the considered solutions is a bridge condition monitoring system using satellite systems, which can consist of several segments, such as the ground segment, consisting mainly of measurement sensors, the space segment responsible for the centralized collection of information from all sensors, and the ground segment responsible for processing the information received and alerting the relevant departments in case of emergency. Wireless sensor networks are considered as the second method of organizing monitoring, since today they are most used in various industries and have the prospect of further improvement.

Keywords: groundwater, deformation, bridges, remote monitoring, satellite systems, sensor networks

© Д.А. Давронбеков¹, Х.Ф. Алимджанов¹, К.С. Чежимбаева^{2*}, 2023

¹Мухаммед эл-Хорезми атындағы Ташкент ақпараттық технологиялар университеті, Ташкент, Өзбекстан;

²Ғұмарбек Даукеев атындағы Алматы энергетика және байланыс университеті, Алматы, Қазақстан.
E-mail: k. chezhimbayeva@aes.kz

КӨПІРЛЕРГЕ ЖЕР СУЛАРЫНЫҢ ӘСЕРІ КЕЗІНДЕ ҚАШЫҚТАН БАҚЫЛАУ ӘДІСТЕРІ

Давронбеков Дилмурод — техника ғылымдарының докторы, профессор. Мухаммед Эл-Хорезми атындағы Ташкент ақпараттық технологиялар университеті, 100200, көш. Әмір Темір, 108, Өзбекстан, Ташкент
E-mail: d.davronbekov@tuit.uz, <https://orcid.org/0000-0003-1193-7918>;

Алимджанов Хайот — Мухаммед Эл-Хорезми атындағы Ташкент ақпараттық технологиялар университетінің аға оқытушысы, 100200, көш. Әмір Темір, 108, Өзбекстан, Ташкент
E-mail: hayot.alimdjanov@gmail.com, <https://orcid.org/0000-0002-9004-9507>;

Чежимбаева Катипа — техника ғылымдарының кандидаты, профессор. Ғұмарбек Даукеев атындағы Алматы энергетика және байланыс университеті, 050013, көш. Байтұрсынов, 126/1, Алматы, Қазақстан
E-mail: k.chezhimbayeva@aes.kz, <https://orcid.org/0000-0002-1661-2226>.

Аңдатпа. Бүгінгі таңда инфрақұрылымды жолдар мен көпірлерсіз елестету мүмкін емес. Әлемде олардың жағдайына ерекше назар аударылады, бұл өз кезегінде бейбіт тұрғындардың және тұтастай алғанда бүкіл инфрақұрылымның қауіпсіздігін қамтамасыз етудің аса маңызды факторы болып табылады. Көпірлердің жай-күйінің нашарлауының басты себептерінің бірі — олардың көп бөлігінің 50 жылдық межеден асып, техникалық талаптарға сай келмеуі. Мақалада көпірлердің жүк көтергіш құрылымдарының әлсіреу себептері, сондай-ақ бұл құрылыстарға жер асты немесе өзен суларының әсер етуі, олар бірге миллиондаған долларлық шығындарға немесе одан да сорақысы қайғылы зардаптарға әкелуі мүмкін. Абсолютті немесе толық шөгу, орташа шөгу, өкшелі және көлденең жылжу сияқты құрылымдардың қоныстарын анықтау үшін есептеу әдістері берілді. Көпірлердің тірек конструкцияларының жай-күйін қашықтықтан бақылауды ұйымдастыру әдістері қарастырылған. Қарастырылған шешімдердің бірі жерсеріктік жүйелерді пайдаланатын көпір жағдайын бақылау жүйесі болып табылады, ол негізінен өлшеу сенсорларынан тұратын жер сегменті, барлық сенсорлардан ақпаратты орталықтандырылған жинауға жауапты ғарыш сегменті және алынған ақпаратты өңдеуге және төтенше жағдайда тиісті бөлімдерге хабарлауға жауапты жердегі сегмент. Сымсыз сенсорлық желілер мониторингті ұйымдастырудың екінші әдісі ретінде қарастырылады, өйткені бүгінгі күні олар әртүрлі салаларда кеңінен қолданылады және одан әрі жетілдіру перспективасына ие.

Түйін сөздер: жер асты сулары, деформация, көпірлер, қашықтықтан бақылау, спутниктік жүйелер, сенсорлық желілер

© Д.А. Давронбеков¹, Х.Ф. Алимджанов¹, К.С. Чежимбаева^{2*}, 2023

¹Ташкентский университет информационных технологий имени Мухаммада Аль-Хорезми, Ташкент, Узбекистан;

²Алматинский университет энергетики и связи имени Гумарбека Даукеева, Алматы, Казахстан.
E-mail: k.chezhimbayeva@aes.kz

МЕТОДЫ ДИСТАНЦИОННОГО МОНИТОРИНГА МОСТОВ ПРИ ВЛИЯНИИ НА НИХ ГРУНТОВЫХ ВОД

Давронбеков Дилмурод — доктор технических наук, профессор. Ташкентский университет информационных технологий имени Мухаммада Ал-Хоразми, 100200, ул. Амир Темур, 108 Узбекистан, Ташкент

E-mail: d.davronbekov@tuit.uz, <https://orcid.org/0000-0003-1193-7918>;

Алимджанов Хайот — старший преподаватель. Ташкентский университет информационных технологий имени Мухаммада Ал-Хоразми, 100200, ул. Амир Темур, 108 лет, Узбекистан, г. Ташкент

E-mail: hayot.alimdjnov@gmail.com, <https://orcid.org/0000-0002-9004-9507>;

Чежимбаева Катипа — кандидат технических наук, профессор. Алматинский университет энергетики и связи имени Гумарбека Даукеева, 050013, ул. Байтурсынова, 126/1, Алматы, Казахстан

E-mail: k.chezhimbayeva@aes.kz, <https://orcid.org/0000-0002-1661-2226>.

Аннотация. Сегодня инфраструктуру невозможно представить без дорог и мостов. В мире особое внимание уделяется их состоянию, что в свою очередь является крайне важным фактором в обеспечении безопасности гражданского населения и всей инфраструктуры в целом. Одной из основных причин ухудшения состояния мостов является то, что огромное их количество перешагнули за 50-летний рубеж и уже не соответствует техническим нормам. В статье приведены причины ослабления несущих конструкций мостов, а также влияние грунтовых вод или речных вод на эти конструкции, что в совокупности могут принести к многомиллионным затратам или что еще хуже — к трагическим последствиям. Были приведены методы расчета для определения осадков сооружений, такие как абсолютная или полная осадка, средняя осадка, крен и горизонтальное смещение. Рассмотрены методы организации дистанционного мониторинга за состоянием положения несущих конструкций мостов. Одной из рассмотренных решений является система мониторинга за состоянием мостов с использованием спутниковых систем, которая может состоять из нескольких сегментов, таких как наземный сегмент, состоящих в основном из датчиков измерения, космический сегмент, отвечающий за централизованный сбор информации со всех датчиков, и наземный сегмент, отвечающий за обработку полученной информации и оповещению соответствующих ведомств в случае чрезвычайных ситуациях. Вторым методом организации мониторинга рассмотрены беспроводные сенсорные сети, так как на сегодняшнее время они имеют наибольшее применение в различных отраслях и имеют перспективу к дальнейшему усовершенствованию.

Ключевые слова: грунтовая вода, деформация, мосты, дистанционный мониторинг, спутниковые системы, сенсорные сети

Introduction

Over the past decade, the number of bridge collapses has become more frequent in the world (most of them are road bridges) or emergency conditions have been registered. One of the main reasons is that a huge number of these bridges have stepped over the 50-year mark and no longer meet technical standards. Most of the structures have worked out their service life and their load-bearing structures have already weakened. In addition, many bridges were built using outdated technologies of the times, which are not designed for modern realities.

However, there is another reason and this is the influence of natural, namely climatic and geological factors, because it is no secret to anyone that climate change in recent decades has caused dozens, if not hundreds of destruction of various structures (buildings, bridges, etc.), for the restoration of which a huge

In some cases, it is impossible to avoid damage or destruction, for example in cases of large earthquakes, avalanches or other natural disasters on a huge scale. However, there are cases when it is possible to avoid destruction or high costs for restoring damage if seasonal climatic features of the hydrogeological state of the area, such as groundwater, are taken into account during construction (Prudhomme et al., 2017: 16).

Main part. Groundwater is the gravitational groundwater of the first permanent aquifer from the Earth's surface, located on a regional aquiclude (Figure 1).

They mainly appear due to infiltration (i.e. seepage) in the form of precipitation from the earth's atmosphere into the waters of irrigation canals, reservoirs, lakes and rivers. In various regions of canals and rivers, groundwater will be filled with ascending waters of deeper horizons due to condensation of water vapor or with waters from artesian basins (Frappart et al., 2018).




Figure 1 - Location of ground and artesian waters (Davronbekov et al., 2020).

With a high level of groundwater, flooding of the territory occurs, which causes a certain degree of difficulty in the construction and operation of buildings and structures, which can lead to deformations in structures (Figure 2) and neglect of these problems can lead to deformations in the future.




Figure 2 - Causes of structural deformations

In general case, the term deformation is understood as a change in the shape of the object of observation. In geodetic practice, it is customary to consider deformation as a change in the position of an object relative to some initial position. In most cases, the following types of deformations are determined:

- vertical movements (precipitation, subsidence, rises);
- horizontal movements (shifts);
- banks.

Draft - displacement of the structure in the vertical plane; subsidence - a fast-flowing settlement of a structure with a radical change in the structure of porous and loose soils; shear - displacement of the structure in the horizontal plane; roll - uneven draft of the structure. To determine the deformations, first fix the points in the characteristic places of the structure (Davronbekov et al., 2020 :4).

Calculation methods

for determining the settlement of structures:

The absolute or total draft S is the difference between the absolute heights (marks) of the initial and current cycle of observations, determined relative to the starting point:

$$S = H_{\text{int}} - H_{\text{cur}}, \quad (1)$$

The average draft S_{ave} of the entire structure or its individual parts is calculated as the arithmetic mean of the sum of the draft of all n of its points, i.e.

$$S_{\text{ave}} = \frac{\sum_{i=1}^n S}{n}, \quad (2)$$

Where, S – is the draft of individual grades; n - is the number of brands.

Simultaneously with the average draft, for the sake of completeness of the general characteristics, the largest S_{max} and the smallest S_{min} draft of the points of the structures are indicated.

The unevenness of the draft can be determined by the difference in draft ΔS of any two points 1 and 2, i.e.

$$\Delta S_{1,2} = S_2 - S_1, \quad (3)$$

The roll or inclination of the structure is defined as the difference between the settlement of two points located on opposite edges of the structure, or its parts along a selected axis. The slope in the direction of the longitudinal axis is called a blockage, and in the direction of the transverse axis – a skew.

The amount of roll related to the distance l between two points 1 and 2 is called the relative roll K , which is calculated by the formula:

$$K = \frac{S_2 - S_1}{l}, \quad (4)$$

The horizontal displacement q of a single point of the structure is characterized by the difference of its coordinates x_{current} , y_{current} and x_{initial} , y_{initial} , obtained in the current and initial cycles of observations.

The position of the coordinate axes, as a rule, coincides with the main axes of the structure. Displacements are calculated in the general case by the formulas:

$$q_x = x_{\text{cur}} - x_{\text{int}}; \quad q_y = y_{\text{cur}} - y_{\text{int}}, \quad (5)$$

Similarly, you can calculate the offsets between the previous and subsequent cycles of observations. Horizontal displacements are also determined along one of the coordinate axes.

Ground waters, at a certain concentration, form an aggressive environment, since they are weak solutions of various chemicals, in relation to the materials of structures (Figure 3).



Figure 3 - Impact of rivers and groundwater on bridge supports

All over the world - bridges are the most important part of the entire infrastructure of the country, and special attention is paid to their construction, as well as monitoring their condition, the systems for organizing the construction and operation of bridges, overpasses and other artificial structures, overpasses and other artificial structures, and the development of transport infrastructure are being improved and improve the efficiency of their operation. But, despite all these efforts, today the condition of the bridges requires special attention.

The analysis of literary sources showed that it is necessary to make the necessary decision as soon as possible to improve the existing methods for diagnosing the condition of bridges (Tidriri et al., 2016: 23).



Figure 4 - An example of a collapsed bridge

Determining the technical condition of reinforced concrete structures is a complex and urgent task. This is due to the presence of uncontrolled factors and parameters that affect the joint work of concrete and reinforcement and their physical and mechanical characteristics. Most of the parameters are estimated from indirect data, since the removal of fragments of reinforcement and concrete leads to a decrease in the bearing capacity of the structure (Stepanov et al., 2012: 5).

The main means of increasing the efficiency of the use of systems for operational monitoring of objects is to ensure timely and maximally automated receipt of comprehensive information on the dynamics of the development of potentially hazardous processes through an integrated approach to the use of traditional measurement methods (stress-strain state of structural elements) (Alimdzhанov et al., 2021: 6).

One of the solutions is to create a unified monitoring system using wireless technologies. Consider some options for these systems.

First. System for monitoring the condition of road bridges using satellite systems. This monitoring system consists of a set of equipment (Figure 5.), which can be conditionally divided into three segments:

1. Ground segment of measuring devices. It, in turn, also consists of several parts:

- Measuring devices and sensors. Their main task is to directly measure the condition of bridges. In terms of functionality, they can measure various parameters, such as deformation of the reinforcement of load-bearing supports, pressure in the soil under the supports, displacement sensors between spans or joints, and you can also add humidity and temperature sensors.

- Transmission part. Responsible for transmitting data to the satellite system. Here you can use two methods of transmission, directly from the sensors themselves, by installing transmitting devices on them, or create a centralized data transmission node (transmitting segment) to collect data from all sensors at the facility and send it to the satellites with one signal. The first method can be used if the number of sensors on the object is small or one and the sensor measures only one parameter, and the second method is more efficient to use when many measuring devices are installed on the object and they perform different measurements.




Figure 5 - Monitoring system for the state of road bridges using satellite communication systems. 1 - Ground segment of measuring devices, 2 - Space segment, 3 - Ground segment of remote monitoring of the state of road bridges.

2. Space segment, responsible for receiving data from measuring devices or from a centralized data transmission node and transmitting this data to the ground segment of remote monitoring of the state of road bridges.

3. Ground segment of remote monitoring of the state of road bridges, consisting of a software and hardware complex for processing information transmitted from all measuring devices.

This monitoring method allows real-time tracking of changes in the parameters of the state of road bridges and timely warning of changes, which in turn will help to quickly respond in case of emergency due to changes in the permissible parameters of the structure and take the necessary measures to ensure the safety of the civilian population or timely repair of this facility (Alimdzhanoov et al., 2022).

Second. Wireless sensor networks (WSN), consisting of sensors, elements and radio communication nodes for the purpose of observing, monitoring and responding to a specific process.

Wireless sensor networks (Figure 6) consist of nodes, which in turn also consist of various sensors, microcontrollers and radio transmitters. These devices have various applications and can be used in any field (Kogelman et al., 2020).

The data from the sensors received at the main station are analyzed and processed. The main characteristics of WSNs are: energy cost management, node failure capability, node mobility, node heterogeneity, scalability for large-scale deployment, ability to withstand harsh environmental conditions, and ease of use. These features provide a wide range of applications for sensor networks (Mike et al., 2019).




Figure 6 - Architecture of a simple wireless sensor network

To date, WSN nodes provide a long operating time - several years (up to 10 years). However, when planning a network for a long period, it is impossible to be absolutely sure that its structure will not change in the future. The main reason for the loss of functionality is the loss of network connectivity (Sedalishchev et

al., 2012: 3). Network connectivity characterizes the possibility of delivering data from the source node to the recipient. Therefore, it is necessary to develop WSN models that allow estimating the connectivity of the network (or the potential for its provision) (Buzyukov et al., 2017: 8).




Figure 7 - Fields of application of WSN

The main areas of application of the WSN can be classified as shown in Figure 7, and the goals of the WSN are given in table 1.

Table 1 - Scope and tasks of sensors in WSN

Application area	A task
Environmental monitoring	Environmental Monitoring and Disaster Warning
Security and surveillance	Perimeter control and intruder detection, as well as tracking various unfixed vehicles.
smart building	Ensuring the safety of civilian facilities using energy-saving elements.
Health Monitoring	Monitoring the physical condition of the observed in real time and warning of possible health risks.
Vehicle Tracking	Monitoring traffic on busy roads, identifying and monitoring parking spaces, monitoring the location of vehicles.
Animal Tracking	Optimized monitoring of animal rearing conditions. Health and location monitoring.
Agriculture	Monitoring the cultivation of crops by providing a suitable environment by observing parameters such as pressure and temperature.

Analysis of literary sources shows (Davronbekov et al., 2021). that wireless sensor networks as a whole are an important technology for the twenty-first century. Recent developments in engineering, communications, and networking have led to new designs for sensors, information technology, and wireless systems.




Figure 8 - Using WSN to organize remote monitoring of bridges

The principle of organizing a wireless bridge monitoring system using sensor networks is as follows:

Sensors are installed on certain sections of the bridge. The data received from the sensors is transmitted to the data processing center, where a specially developed program will check the received data for changes from the initial parameters, which in the case of monitoring the bridge is a displacement between the plates that are located on the load-bearing beams of the structure and transmit any changes to the relevant services, authorities or directly to the heads of departments responsible for the operation and maintenance of these facilities (Khizirova et al., 2021: 4).




Figure 9 - Graph of energy efficiency of WSN nodes with increasing distance to the base station (Baskakov et al., 2010: 4)

Such advanced sensors can be used as a bridge between the physical world and the digital world. Sensors are used in many devices, industries, machines and environments to help avoid infrastructure failures, accidents, conservation of natural resources, wildlife conservation, productivity, safety, etc.

Another major advantage of wireless networks is the energy-efficient elements of the system. They can provide long-term operation due to the service life of the power supply, which, depending on the distance, can reach several years of operation (Figure 9) without replacing power supplies.

To ensure the safety of the civilian population, the following are proposed:

- it is necessary first of all to consider the existing methods for diagnosing and monitoring the state of objects in an emergency or pre-emergency state.
- it is necessary to create a single center for monitoring the state of road facilities using modern measuring devices, as well as use wireless or satellite technologies to detect accidents in a timely manner to prevent emergencies with subsequent deaths among the population or damage to them or state property, which will lead to multiple costs.

Conclusion

1. In conclusion, we can say that, despite the existing norms for the construction of various structures and laws to improve the construction system of road bridges, overpasses and other artificial structures, today thousands of bridges are in emergency or unusable condition due to the influence of natural, including groundwater or river water, as well as non-compliance with these rules and regulations during their construction or operation.

2. The proposed systems for monitoring the state of road bridges using satellite communication systems or wireless sensor networks will provide timely information on the state of structures and help detect deformations in the observed objects.

3. The use of wireless sensor networks will enable the location of measuring sensors in hard-to-reach places, where it is difficult or expensive to pull ordinary wired solutions. They also allow rapid and rapid deployment and maintenance of wireless monitoring systems;

REFERENCES

- Roverato M. et al., 2020. Factors contributing to volcano lateral collapse // *Volcanic Debris Avalanches*. – Springer, Cham, 2020. – Pp. 91–119.
- Duvat V.K.E.A., 2019. global assessment of atoll island planform changes over the past decades // *Wiley Interdisciplinary Reviews: Climate Change*. – 2019. – T. 10. – №. 1. e557 p.
- Kron W., Löw P., Kundzewicz Z.W., 2019. Changes in risk of extreme weather events in Europe // *Environmental Science & Policy*. – 2019. – T. 100. – Pp. 74–83.
- Figueira R.B., 2017. Electrochemical sensors for monitoring the corrosion conditions of reinforced concrete structures: A review // *Applied Sciences*. – 2017. – T. 7. – №. 11. – P. 1157.
- Filkov A.I. et al., 2020. Impact of Australia's catastrophic 2019/20 bushfire season on communities and environment. Retrospective analysis and current trends // *Journal of Safety Science and Resilience*. – 2020. – T. 1. – №. 1. – Pp. 44–56.
- Bruno J.F., Côté I.M., Toth L.T., 2019. Climate change, coral loss, and the curious case of the parrotfish paradigm: Why don't marine protected areas improve reef resilience? // *Annual review of marine science*. – 2019. – T. 11. – Pp. 307–334.
- Byun K., Chiu C.M., Hamlet A.F., 2019. Effects of 21st century climate change on seasonal flow regimes and hydrologic extremes over the Midwest and Great Lakes region of the US // *Science of the Total Environment*. – 2019. – T. 650. – Pp. 1261–1277.
- Krysanova V. et al., 2020. How evaluation of global hydrological models can help to improve credibility of river discharge projections under climate change // *Climatic Change*. – 2020. – T. 163. – №. 3. – Pp. 1353–1377.
- Prudhomme C. et al. Hydrological Outlook UK: an operational streamflow and groundwater level forecasting system at monthly to seasonal time scales // *Hydrological Sciences Journal*. – 2017. – T. 62. – №. 16. – C. 2753–2768.
- Frappart F., Ramillien G., 2016. Monitoring groundwater storage changes using the Gravity Recovery and Climate Experiment (GRACE) satellite mission: A review // *Remote Sensing*. – 2018. – T. 10. – №. 6. – P. 829.
- Tidiri K. et al., 2016. Bridging data-driven and model-based approaches for process fault diagnosis and health monitoring: A review of researches and future challenges // *Annual Reviews in Control*. – 2016. – T. 42. – Pp. 63–81.
- L.G. Kogelman, 2020. Overview of the use of wireless sensor networks URL: http://www.penzgtu.ru/fileadmin/filemounts/confcit/articles/spring_2020/13.pdf
- Mike., 2019. Что такое беспроводная сенсорная сеть (WSN): структура, классификация, топологии / 2019. URL: <http://digitrode.ru/articles/2015-chto-takoe-besprovodnaya-sensornaya-set-wsn-struktura-klassifikaciya-topologii.html>
- Sedalishchev V.N., Udartseva O.V. The use of wireless sensor networks for systemic monitoring of pesticides in the biosphere // *Fundamental research*. – 2012. – №. 3–3. – Pp. 657–659; URL: <http://www.fundamental-research.ru/ru/article/view?id=29777> (date of access: 01/22/2021).
- Buzukov L.B., Okuneva D.V., Paramonov A.I., 2017 Problems of building wireless sensor networks // *Proceedings of educational institutions of communication*. 2017. V. 3. №. 1. Pp. 5–12. URL: <https://cyberleninka.ru/article/n/problemy-postroeniya-besprovodnyh-sensornyh-setey>.
- Davronbekov D., Norqobilov S., Alimdjanov X., 2021. Features of the use of wireless touch technology in the prevention of emergencies // *InterConf*. – 2021.
- Davronbekov D., Alimdjanov X., Isroilov J., Norkobilov S. & Axmedov B., 2021. Analysis of Features of Wireless Sensor Networks. *InterConf*. https://kosmokit.ru/palmeta_zemlya/podzemnye_vody.html.
- Sergei Baskakov, 2010. Estimation of power consumption of wireless nodes in MeshLogic networks// *components of non-standardized technologies / wireless technologies №1*. 2010. Pp.28–31.

Khizirova M.A., Chezhimbayeva K.S., Mukhamejanova A.D., Manbetova Z.D., Ongar B., 2021. Using of virtual private network technology for signal transmission in corporate networks. News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences, 2021, 3(447). Pp. 100–103.

CONTENTS

A.E. Abetov, Sh.B. Yessirkepova, J. Curto Ma REMOTE SENSING AT THE STUDY OF THE THERMAL FIELD OF THE SOUTH USTYURT REGION TO FIND HYDROCARBON DEPOSITS.....	6
K.I. Akhmetov, G.M. Yessilkanov, A.Zh. Kassanova, A.V. Ubaskin, T.Zh. Abylkhassanov HYDROGEOCHEMICAL FEATURES OF THE WATER OF SALINE LAKES IN PAVLODAR REGION.....	17
S.V. Gladyshev, K.Sh. Akhmetova, L.M. Imangalieva, A.K. Kasymzhanova, N.K. Akhmadieva STUDY OF PURIFICATION OF COPPER ELECTROREFINING SOLUTION BY FLOW CENTRIFUGATION.....	26
D.A. Davronbekov, X.F. Alimdjanov, K.S. Chezhibayeva METHODS FOR REMOTE MONITORING OF BRIDGES UNDER THE INFLUENCE OF GROUNDWATER ON THEM.....	37
ZH.E. Daribayev, A.N. Kutzhanova, G.I. Issayev, I.G. Ikramov, D.U. Seksenova ASSESSMENT OF ENVIRONMENTAL DAMAGE OF NON-FERROUS METALLURGY WASTE TO THE ENVIRONMENT.....	48
K.R. Dzhabagieva, G.V. Degtyarev, A.M. Baytelieva, S.M. Laiyk, R.A. Pernebayeva FINITE ELEMENT STUDIES OF FLOW PROCESSES IN HYDROCYCLONES AND LOSS OF HEAD-ON FLOW MIXING.....	57
R.I. Yegemberdiev, I.N. Stolpovskikh, A.D. Kolga IMPROVEMENT OF THE SYSTEM OF EXPLOSIONS OF RING HOLES DURING THE DEVELOPMENT OF LOW-POWER ORE DEPOSITS.....	68
A.A. Yerzhan, P.V. Boikachev, S. Virko, Z.D. Manbetova, P.A. Dunayev A NEW METHOD OF MATCHING THE SYNTHESIS OF MATCHING DEVICES BASED ON MODIFIED APPROXIMATION IN TELECOMMUNICATION DEVICES.....	77
N.Zh. Zholamanov, S.M. Koibakov, S.T. Abildayev, G.A. Sarbassova, M.T. Omarbekova RECOMMENDATIONS FOR THE USE AND DESIGN OF FISH PROTECTION AND FISH PASSING STRUCTURES UNDER GEOLOGICAL CONDITIONS.....	85
L.Z. Issayeva, E. Slaby, S.K. Assubayeva, M.K. Kembayev, K.S. Togizov THE THREE-DIMENSIONAL MODEL OF THE AKBULAK RARE EARTH DEPOSIT (NORTHERN KAZAKHSTAN).....	96
A.A. Kabdushev, F.A. Agzamov, B.Zh. Manapbaev, D.N. Delikesheva, D.R. Korgasbekov STUDYING THE EFFECT OF REINFORCEMENT ON THE PROPERTIES OF PLUGGING MATERIALS WITH EXPANDING ADDITIVES.....	108
Y.M. Kalybekova, A.K. Zauirbek, N.N. Balgabayev, T.S. Ishangalyev, Y.K. Auelbek, A.V. Cravchuk IMPROVEMENT OF THE WATER DISTRIBUTION MANAGEMENT SCHEME ON IRRIGATION SYSTEMS USING HYDROLOGICAL INFORMATION.....	118
N.Zh. Karsakova, K.T. Sherov, B.N. Absadykov, M.R. Sikhimbayev, G.M. Tussupbekova THE ISSUES OF IMPROVING THE TECHNOLOGY FOR MACHINING THE LARGE DIAMETER HOLES OF THE LARGE-SCALE PARTS OF THE TECHNOLOGICAL EQUIPMENT.....	126
R.A. Kozbagarov, M.S. Zhiyenkozhaev, N.S. Kamzanov³, S.G. Tsygankov, A.S. Baikenzhayeva DESIGN OF HYDRAULIC EXCAVATOR WORKING MEMBERS FOR DEVELOPMENT OF MUDSLIDES..	134
E.I. Kuldeyev, M.B. Nurpeissova, Z.A. Yestemesov, A.A. Ashimova, A.V. Barvinov OBTAINING AGLOPORITE FROM ASH OF EKIBASTUZ COAL SELECTED FROM ASH DUMP OF CRPP-3 OF ALMATY CITY.....	142

A.S. Madibekov, L.T. Ismukhanova, A.O. Zhadi, B.M. Sultanbekova, E.D. Zhaparkulova MICROPLASTICS IN THE AQUATIC ENVIRONMENT: OVERVIEW OF THE PROBLEM AND CURRENT RESEARCH AREAS.....	149
Y.G. Neshina, A.D. Mekhtiyev, V.V. Yugay, A.D. Alkina, P.Sh. Madi DEVELOPING A SENSOR FOR CONTROLLING THE PIT WALL DISPLACEMENT.....	160
M.B. Nurpeissova, Z.A. Yestemesov, A.A. Bek, V.S. Kim, G.K. Syndyrbekova MAIN CHARACTERISTICS OF FLY ASH FROM EKIBASTUZ SRPP-2.....	168
N.D. Spatayev, G.S. Sattarova, A.D. Nurgaliyeva, L. Kh. Balabas, F.K. Batessova ENSURING HEALTHY AND SAFE WORKING CONDITIONS IN BREAKAGE FACE WITH DIRECT-FLOW VENTILATION SCHEME.....	177
V.M. Shevko, A.M. Nurpeissova, D.K. Aitkylov, A.A. Joldassov THERMODYNAMIC PREDICTION AND EXPERIMENTAL PRODUCTION OF SILICON ALLOYS FROM TAILINGS LEACHING OF OXIDIZED COPPER ORE ALMALY.....	188

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>, that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE, and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

**www.nauka-nanrk.kz
<http://www.geolog-technical.kz/index.php/en/>
ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)**

Заместитель директор отдела издания научных журналов НАН РК *Р. Жәліқызы*

Редакторы: *М.С. Ахметова, Д.С. Аленов*

Верстка на компьютере *Г.Д. Жадыранова*

Подписано в печать 14.04.2023.

Формат 70x90^{1/16}. Бумага офсетная. Печать – ризограф.

20,0 п.л. Тираж 300. Заказ 1.