

**ISSN 2518-170X (Online)
ISSN 2224-5278 (Print)**

«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ФЫЛЫМ АКАДЕМИЯСЫ» РҚБ
«ХАЛЫҚ» ЖҚ

ХАБАРЛАРЫ

ИЗВЕСТИЯ

РОО «НАЦИОНАЛЬНОЙ
АКАДЕМИИ НАУК РЕСПУБЛИКИ
КАЗАХСТАН»
ЧФ «Халық»

N E W S

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF
KAZAKHSTAN
«Halyk» Private Foundation

**SERIES
OF GEOLOGY AND TECHNICAL SCIENCES**

4 (460)
JULY – AUGUST 2023

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

В 2016 году для развития и улучшения качества жизни казахстанцев был создан частный Благотворительный фонд «Халық». За годы своей деятельности на реализацию благотворительных проектов в областях образования и науки, социальной защиты, культуры, здравоохранения и спорта, Фонд выделил более 45 миллиардов тенге.

Особое внимание Благотворительный фонд «Халық» уделяет образовательным программам, считая это направление одним из ключевых в своей деятельности. Оказывая поддержку отечественному образованию, Фонд вносит свой посильный вклад в развитие качественного образования в Казахстане. Тем самым способствуя росту числа людей, способных менять жизнь в стране к лучшему – профессионалов в различных сферах, потенциальных лидеров и «великих умов». Одной из значимых инициатив фонда «Халық» в образовательной сфере стал проект Ozgeris powered by Halyk Fund – первый в стране бизнес-инкубатор для учащихся 9-11 классов, который помогает развивать необходимые в современном мире предпринимательские навыки. Так, на содействие малому бизнесу школьников было выделено более 200 грантов. Для поддержки талантливых и мотивированных детей Фонд неоднократно выделял гранты на обучение в Международной школе «Мирас» и в Astana IT University, а также помог казахстанским школьникам принять участие в престижном конкурсе «USTEM Robotics» в США. Авторские работы в рамках проекта «Тәлімгер», которому Фонд оказал поддержку, легли в основу учебной программы, учебников и учебно-методических книг по предмету «Основы предпринимательства и бизнеса», преподаваемого в 10-11 классах казахстанских школ и колледжей.

Помимо помощи школьникам, учащимся колледжей и студентам Фонд считает важным внести свой вклад в повышение квалификации педагогов, совершенствование их знаний и навыков, поскольку именно они являются проводниками знаний будущих поколений казахстанцев. При поддержке Фонда «Халық» в южной столице был организован ежегодный городской конкурс педагогов «Almaty Digital Ustaz».

Важной инициативой стал реализуемый проект по обучению основам финансовой грамотности преподавателей из восьми областей Казахстана, что должно оказать существенное влияние на воспитание финансовой грамотности и предпринимательского мышления у нового поколения граждан страны.

Необходимую помощь Фонд «Халық» оказывает и тем, кто особенно остро в ней нуждается. В рамках социальной защиты населения активно проводится работа по поддержке детей, оставшихся без родителей, детей и взрослых из социально уязвимых слоев населения, людей с ограниченными

возможностями, а также обеспечению нуждающихся социальным жильем, строительству социально важных объектов, таких как детские сады, детские площадки и физкультурно-оздоровительные комплексы.

В копилку добрых дел Фонда «Халык» можно добавить оказание помощи детскому спорту, куда относится поддержка в развитии детского футбола и карате в нашей стране. Жизненно важную помощь Благотворительный фонд «Халык» оказал нашим соотечественникам во время недавней пандемии COVID-19. Тогда, в разгар тяжелой борьбы с коронавирусной инфекцией Фонд выделил свыше 11 миллиардов тенге на приобретение необходимого медицинского оборудования и дорогостоящих медицинских препаратов, автомобилей скорой медицинской помощи и средств защиты, адресную материальную помощь социально уязвимым слоям населения и денежные выплаты медицинским работникам.

В 2023 году наряду с другими проектами, нацеленными на повышение благосостояния казахстанских граждан Фонд решил уделить особое внимание науке, поскольку она является частью общественной культуры, а уровень ее развития определяет уровень развития государства.

Поддержка Фондом выпуска журналов Национальной Академии наук Республики Казахстан, которые входят в международные фонды Scopus и Wos и в которых публикуются статьи отечественных ученых, докторантов и магистрантов, а также научных сотрудников высших учебных заведений и научно-исследовательских институтов нашей страны является не менее значимым вкладом Фонда в развитие казахстанского общества.

С уважением, Благотворительный Фонд «Халык»!

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Үлттық гылым ақадемиясы «ҚР ҰҒА Хабарлары. Геология және техникалық гылымдар сериясы» гылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрi the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық гылымдар сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық гылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издавателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Бас редактор

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, КР ҰҒА академигі, Қазақстан Республикасы Үлттық Ғылым академиясының президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) **H = 4**

Ғылыми хатшы

АБСАДЫКОВ Бахыт Нарикбайұлы, техника ғылымдарының докторы, профессор, КР ҰҒА жауапты хатшысы, А.Б. Бектұров атындағы химия ғылымдары институты (Алматы, Қазақстан) **H = 5**

Редакциялық алқа:

ӘБСАМЕТОВ Мәліс Құдысұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, КР ҰҒА академигі, «У.М. Ахмедсафина атындағы гидрогеология және геоэкология институтының» директоры (Алматы, Қазақстан) **H = 2**

ЖОЛТАЕВ Герой Жолтайұлы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, К.И. Сатпаев тындағы геология ғылымдары институтының директоры (Алматы, Қазақстан) **H=2**

СНОУ Дэниел, Ph.D., қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры (Небраска штаты, АҚШ) **H = 32**

ЗЕЛЬТМАН Реймар, Ph.D., табиғи тарих мұражайының Жер туралы ғылымдар бөлімінде петрология және пайдалы қазбалар кен орындары саласындағы зерттеулердің жетекшісі (Лондон, Англия) **H = 37**

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры (Нанси, Франция) **H=15**

ШЕН Пин, Ph.D., Қытай геологиялық қоғамының тау геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастырының мүшесі (Пекин, Қытай) **H = 25**

ФИШЕР Аксель, Ph.D., Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **H = 6**

КОНТОРОВИЧ Алексей Эмильевич, геология-минералогия ғылымдарының докторы, профессор, РГА академигі, А.А. Трофимука атындағы мұнай-газ геологиясы және геофизика институты (Новосибирск, Ресей) **H = 19**

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жана материалдар химиясы институтының құрметті директоры (Минск, Беларусь) **H = 13**

КАТАЛИН Стефан, Ph.D., Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) **H = 20**

СЕЙТМУРАТОВА Элеонора Юсуповна, геология-минералогия ғылымдарының докторы, профессор, КР ҰҒА корреспондент-мүшесі, К.И. Сатпаев атындағы Геология ғылымдары институты зертханасының ментерушісі (Алматы, Қазақстан) **H=11**

САҒЫНТАЕВ Жанай, Ph.D., қауымдастырылған профессор, Назарбаев университеті (Нұр-Сұлтан, Қазақстан) **H = 11**

ФРАТТИНИ Паоло, Ph.D., Бикокк Милан университеті қауымдастырылған профессоры (Милан, Италия) **H = 28**

«КР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Қазақстан Республикасының Үлттық ғылым академиясы» РКБ (Алматы қ.).
Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № KZ39VPY00025420 мерзімдік басылым тіркеуіне койылу туралы куәлік.
Такырыптық бағыты: *геология, мұнай және газды өндегудің химиялық технологиялары, мұнай химиясы, металдарды алу және олардың қосындыларының технологиясы*.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Үлттық ғылым академиясы, 2023

Типографияның мекен-жайы: «Аруна» ЖҚ, Алматы қ., Мұратбаев көш., 75.

Главный редактор

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) **H = 4**

Ученый секретарь

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, ответственный секретарь НАН РК, Институт химических наук им. А.Б. Бектурова (Алматы, Казахстан) **H = 5**

Редакционная коллегия:

АБСАМЕТОВ Малис Кудысович, (заместитель главного редактора), доктор геологоминералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геэкологии им. У.М. Ахмедсафина (Алматы, Казахстан) **H = 2**

ЖОЛТАЕВ Герой Жолтаевич, (заместитель главного редактора), доктор геологоминералогических наук, профессор, директор Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **H=2**

СНОУ Дэниел, Ph.D, ассоциированный профессор, директор Лаборатории водных наук университета Небраски (штат Небраска, США) **H = 32**

ЗЕЛЬТМАН Реймар, Ph.D, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия) **H = 37**

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция) **H=15**

ШЕНПИН, Ph.D, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай) **H = 25**

ФИШЕР Аксель, ассоциированный профессор, Ph.D, технический университет Дрезден (Дрезден, Берлин) **H = 6**

КОНТОРОВИЧ Алексей Эмильевич, доктор геолого-минералогических наук, профессор, академик РАН, Институт нефтегазовой геологии и геофизики им. А.А. Трофимука СО РАН (Новосибирск, Россия) **H = 19**

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) **H = 13**

КАТАЛИН Стефан, Ph.D, ассоциированный профессор, Технический университет (Дрезден, Берлин) **H = 20**

СЕЙТМУРАТОВА Элеонора Юсуповна, доктор геолого-минералогических наук, профессор, член-корреспондент НАН РК, заведующая лаборатории Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) **H=11**

САГИНТАЕВ Жанай, Ph.D, ассоциированный профессор, Назарбаев университет (Нурсултан, Казахстан) **H = 11**

ФРАТТИНИ Паоло, Ph.D, ассоциированный профессор, Миланский университет Бикокк (Милан, Италия) **H = 28**

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республикаансое общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ39VPY00025420, выданное 29.07.2020 г.

Тематическая направленность: *геология, химические технологии переработки нефти и газа, нефтехимия, технологии извлечения металлов и их соединений.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© Национальная академия наук Республики Казахстан, 2023

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editorial chief

ZHURINOV Murat Zhurinovich, doctor of chemistry, professor, academician of NAS RK, president of the National Academy of Sciences of the Republic of Kazakhstan, general director of JSC "Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky" (Almaty, Kazakhstan) **H = 4**

Scientific secretary

ABSADYKOV Bakhyt Narikbaevich, doctor of technical sciences, professor, executive secretary of NAS RK, Bekturov Institute of chemical sciences (Almaty, Kazakhstan) **H = 5**

E d i t o r i a l b o a r d:

ABSAMETOV Malis Kudysovich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, academician of NAS RK, director of the Akhmedsafin Institute of hydrogeology and hydrophysics (Almaty, Kazakhstan) **H=2**

ZHOLTAEV Geroy Zhaltaevich, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, director of the institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=2**

SNOW Daniel, Ph.D, associate professor, director of the laboratory of water sciences, Nebraska University (Nebraska, USA) **H = 32**

ZELTMAN Reymar, Ph.D, head of research department in petrology and mineral deposits in the Earth sciences section of the museum of natural history (London, England) **H = 37**

PANFILOV Mikhail Borisovich, doctor of technical sciences, professor at the Nancy University (Nancy, France) **H=15**

SHEN Ping, Ph.D, deputy director of the Committee for Mining geology of the China geological Society, Fellow of the American association of economic geologists (Beijing, China) **H = 25**

FISCHER Axel, Ph.D, associate professor, Dresden University of technology (Dresden, Germany) **H = 6**

KONTOROVICH Aleksey Emilievich, doctor of geological and mineralogical sciences, professor, academician of RAS, Trofimuk Institute of petroleum geology and geophysics SB RAS (Novosibirsk, Russia) **H = 19**

AGABEKOV Vladimir Enokovich, doctor of chemistry, academician of NAS of Belarus, honorary director of the Institute of chemistry of new materials (Minsk, Belarus) **H = 13**

KATALIN Stephan, Ph.D, associate professor, Technical university (Dresden, Berlin) **H = 20**

SEITMURATOVA Eleonora Yusupovna, doctor of geological and mineralogical sciences, professor, corresponding member of NAS RK, head of the laboratory of the Institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) **H=11**

SAGINTAYEV Zhanay, Ph.D, associate professor, Nazarbayev University (Nursultan, Kazakhstan) **H = 11**

FRATTINI Paolo, Ph.D, associate professor, university of Milano-Bicocca (Milan, Italy) **H = 28**

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan No. **KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *geology, chemical technologies for oil and gas processing, petrochemistry, technologies for extracting metals and their connections.*

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19

<http://www.geolog-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2023

Address of printing house: ST «Aruna», 75, Muratbayev str, Almaty.

NEWS of the National Academy of Sciences of the Republic of Kazakhstan

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224–5278

Volume 4. Number 460 (2023), 198–207

<https://doi.org/10.32014/2023.2518-170X.322>

UDC 378.147:5

© Y. Sarybayev*, B. Beisenov, K. Yelemessov, R. Tagauova, R. Zhalkyzzy, 2023

Satbayev University, Almaty, Kazakhstan.

E-mail.ru: sarybaev.erjan@gmail.com

MODERNIZATION OF CRUSHING AND MILLING EQUIPMENT USING PNEUMATIC CHAMBER STARTING-AUXILIARY DRIVES

Yerzhan Sarybayev — master of technical science, Senior Lecturer of the Satbayev University, 22A Satbayev street, Almaty, Kazakhstan

E-mail.ru: sarybaev.erjan@gmail.com, <https://orcid.org/0000-0001-6665-4558>;

Bauyrzhan Beisenov — Candidate of technical science, Associate Professor of the Satbayev University, 22A Satbayev street, Almaty, Kazakhstan

E-mail.ru: b.beisenov@satbayev.university, <https://orcid.org/0000-0002-6501-6746>;

Kassym Yelemessov — Candidate of technical science, Director of Institute of Energy and Mechanical Engineering, Satbayev University, 22A Satbayev street, Almaty, Kazakhstan

E-mail.ru: k.yelemessov@satbayev.university, <https://orcid.org/0000-0001-6168-2787>;

Raikhan Tagauova — Lecturer of the Satbayev University, 22A Satbayev street, Almaty, Kazakhstan

E-mail.ru: r.tagauova@satbayev.university, <https://orcid.org/0000-0003-4887-2994>.

Zhalikzyz Raushan — Satbayev University. «National Academy of Sciences of the Republic of Kazakhstan

E-mail: rosh85@mail.ru. ORCID ID: <https://orcid.org/0000-0003-2349-3162>.

Abstract. At the enterprises of the mining and metallurgical complex, there is a problem of starting equipment with a heavy rotor. The article is devoted to the analysis of the causes of heavy start-up due to high impulse currents, and related problems of ore-grinding units, such as failure of the electric motor, increased operating costs for electricity, etc. The keys are proposed to solve not only these problems, but also the problems associated with reducing downtime when replacing the lining. The possibilities of a pneumatic chamber ratchet drive as an auxiliary starting drive of ore-grinding units are discussed. A pneumatic chamber ratchet drive was developed and studies were carried out, according to the results of which the possibility of using it as an auxiliary starting drive of ore-grinding units was determined.

Keywords: ball mill, relining, impulse currents, backlash, auxiliary, pneumatic chamber, ratchet

Acknowledgments: The study was carried out with the financial support of the Ministry of Internal Affairs of the Republic of Kazakhstan under grant BR18574141 "Comprehensive multi-purpose program to improve energy efficiency and resource conservation in energy and mechanical engineering for the industry of Kazakhstan".

© Е. Сарыбаев*, Б. Бейсенов, К. Елемесов, Р. Тагауова , Р. Жәлиқызы, 2023
Сәтбаев Университеті, Алматы, Қазақстан.
E-mail.ru: sarybaev.erjan@gmail.com

ПНЕВМОКАМЕРАЛЫҚ ІСКЕ ҚОСУ-ҚӨМЕКШІ ЖЕТЕКТЕРДІ ПАЙДАЛАНА ОТЫРЫП, ҰСАҚТАУ-ҰНТАҚТАУ ЖАБДЫҒЫН ЖАҢҒЫРТУ

Сарыбаев Ержан Ергалыевич — техника ғылымдарының магистрі, аға оқытушы, Сәтбаев университеті, Сәтбаев көшесі 22 А, Алматы, Қазақстан

E-mail.ru: sarybaev.erjan@gmail.com, <https://orcid.org/0000-0001-6665-4558>;

Бейсенов Бауржан Саккоулы — техника ғылымдарының кандидаты, Қауымдастырылған профессор, Сәтбаев университеті, Сәтбаев көшесі 22 А, Алматы, Қазақстан

E-mail.ru: b.beisenov@satbayev.university, <https://orcid.org/0000-0002-6501-6746>;

Елемесов Қасым Контлеуев — техника ғылымдарының кандидаты, Энергетика және машинажасау институтының директоры, Сәтбаев университеті, Сәтбаев көшесі 22 А, Алматы, Қазақстан

E-mail.ru: k.yelemessov@satbayev.university, <https://orcid.org/0000-0001-6168-2787>;

Тагауова Райхан Завитбаевна — оқытушы, Сәтбаев университеті, Сәтбаев көшесі 22 А, Алматы, Қазақстан

E-mail.ru: r.tagauova@satbayev.university, <https://orcid.org/0000-0003-4887-2994>;

Рашан Жәлиқызы — Сәтбаев университеті, Сәтбаев көшесі 22 А, Алматы, Қазақстан

E-mail: rosh85@mail.ru, ORCID ID: <https://orcid.org/0000-0003-2349-3162>.

Аннотация. Тау-кен металлургия кешенінің кәсіпорындарында ауыр роторлы жабдықты іске қосу проблемалары бар. Мақала ауыр іске қосу себептерін және жогары іске қосу токтарын және электр қозғалтқышының істен шығуы, электр энергиясының пайдалану шығындарының жоғарылауы және т.б. сияқты рудалық агрегаттардың байланысты мәселелерін талдауга арналған. Пневмокамералық қырылдақты жетегінің кен ұнтақтау агрегаттарының қосалқы іске қосу жетегі ретіндегі мүмкіндіктері талқыланды. Пневмокамералық қырылдақты жетегі әзірленді және зерттеулер жүргілді, оның нәтижелері бойынша оны кен ұсактау агрегаттарының қосалқы іске қосу жетегі ретінде пайдалану мүмкіндігі анықталды.

Түйін сөздер. шарлы диірмен, қаптаманы ауыстыру, іске қосу тогы, люфт, қомекші, пневмокамералы, қырылдақты

© Е. Сарыбаев*, Б. Бейсенов, К. Елемесов, Р. Тагауова, Р. Жәлиқызы, 2023
Satbayev University, Алматы, Қазақстан.
E-mail.ru: sarybaev.erjan@gmail.com

МОДЕРНИЗАЦИЯ ДРОБИЛЬНО-РАЗМОЛЬНОГО ОБОРУДОВАНИЯ С ИСПОЛЬЗОВАНИЕМ ПНЕВМОКАМЕРНЫХ ПУСКО- ВСПОМОГАТЕЛЬНЫХ ПРИВОДОВ

Сарыбаев Ержан Ергалыевич — магистр технических наук, старший преподаватель, Satbayev University, улица Сатпаева 22 А, Алматы, Казахстан

E-mail.ru: sarybaev.erjan@gmail.com, <https://orcid.org/0000-0001-6665-4558>;

Бейсенов Бауржан Саккоулы — кандидат технических наук, ассоциированный профессор, Satbayev University, улица Сатпаева 22 А, Алматы, Казахстан

E-mail.ru: b.beisenov@satbayev.university, <https://orcid.org/0000-0002-6501-6746>;

Елемесов Касым Коптлеуев — кандидат технических наук, директор института Энергетики и машиностроения, Satbayev University, улица Сатпаева 22 А, Алматы, Казахстан

E-mail.ru: k.yelemessov@satbayev.university, <https://orcid.org/0000-0001-6168-2787>;

Тагауова Райхан Завитбаевна — преподаватель, Satbayev University, улица Сатпаева 22 А, Алматы, Казахстан

E-mail.ru: r.tagauova@satbayev.university, <https://orcid.org/0000-0003-4887-2994>.

Раушан Жәлиқызы — Satbayev University, улица Сатпаева 22 А, Алматы, Казахстан

E-mail: rosh85@mail.ru, ORCID ID: <https://orcid.org/0000-0003-2349-3162>.

Аннотация. На предприятиях горнometаллургического комплекса существует проблема пуска оборудования с тяжелым ротором. Статья посвящена анализу причин тяжелого пуска из-за высоких пусковых токов, и связанных с этим проблем рудоразмольных агрегатов, таких как выход из строя электродвигателя, повышенные эксплуатационные затраты на электроэнергию и т.д. Предложены ключи для решения не только этих проблем, но и проблемы, связанные с сокращением простоя при замене футеровки. Обсуждены возможности пневмокамерного храпового привода в качестве вспомогательного пускового привода рудоразмольных агрегатов. Был разработан пневмокамерный храповой привод и проведены исследования, по результатам которых определена возможность использования его в качестве вспомогательного пускового привода рудоразмольных агрегатов.

Ключевые слова: шаровая мельница, замена футеровки, пусковой ток, люфт, вспомогательный, пневмокамерный, храповой

Благодарности. Исследование выполнено при финансовой поддержке МВОН РК по гранту BR18574141 «Комплексная многоцелевая программа по повышению энергоэффективности и ресурсосбережению в энергетике и машиностроении для промышленности Казахстана».

Introduction

The enterprises of the mining and metallurgical complex (MMC) operate a significant number of technological machines with a heavy rotor. Because of their large inertial mass, the most unfavorable operating modes are starting modes, in which the loads

on the starting devices are repeatedly exceeded, and this reduces their resource and leads to frequent failures [2, 8, 12]. The relevance of research in this direction lies in the optimization of the starting modes of drum mills and the use of original auxiliary devices with a high torque, which will significantly reduce the load on the main standard drive devices of heavy rotary equipment at starting modes [1, 9].

The article provides an analysis of heavy start-up and the related problems of ore grinding units, keys are proposed for solving not only this problem, but also the problems associated with reducing downtime during relining. The possibilities of a pneumatic chamber ratchet drive as an auxiliary starting drive for ore-grinding units are discussed. However, it turned out that today only electromechanical equipment is used in production, including as an auxiliary starting drive for various rotary equipment. A significant part of scientific research carried out in recent years in the world was mainly aimed at wider application of the capabilities of a variable frequency drive (VFD) [11], optimization of start-up parameters [1-6] and modernization of the auxiliary electromechanical drive [19, 23].

Pneumatic drives were previously used by the Institute of Mining named after A.A. Skochinsky (Lyubertsy, RF), their research is devoted to the introduction of pneumatic drives into equipment and machines of the underground cycle, for the modernization of mine excavation machines [7]. However, to date, none of the research projects, there is data on the introduction of pneumatic drives as an auxiliary starting device for machines with a heavy rotor [5, 6].

The article substantiates an approach for using a pneumatic drive in the start (acceleration) mode. The criterion is the choice of clearances and the reduction of static friction forces. As a result of preliminary studies, the design of the auxiliary starting device is presented, which is distinguished by its simplicity of design and the possibility of manufacturing by the repair-mechanical base (RMB) of the enterprise.

Methodology (Model)

The auxiliary drive, which can be electric, hydraulic or pneumatic, is designed to ensure the rotation of the rotor when starting the equipment or when a low number of revolutions is required (during repair work and work related to relining) [14-16]. Due to the difficult start-up conditions and the accompanying frequent repairs of the mill, the operating organization, even in the absence of raw materials, prefers not to stop them, so they work without load for a long time. Electricity consumption in such a mode of unproductive work can exceed the cost of introducing new technical solutions within 1–2 years. At high drive powers of a ball ore-grinding mill (Figure-1 BMOG, power from 400 kW and more) with low speed (13 rpm), the engine design reaches enormous dimensions. The starting currents can be several times higher than the nominal ones required in normal stable operation, and the starting time is quite long, as a result of which the drive cannot withstand a large number of starts, and also there are significant voltage drops in the supply network. Considering that at large enterprises (mining and processing enterprises) the number of such mills reaches many tens, it is easy to imagine problems with the supply network at the enterprise and the total cost of repairs to mill drives caused by direct starts.





Fig. 1 - General view of a ball mill for ore grinding (BMOG)

Thus, you can make sure of the relevance of using an auxiliary starting device, which, moreover, can be used during the repair work of rotary equipment. Since the BMOG is operated in hydrometallurgical shops, it is advisable to use pneumatic drives.

As part of the research carried out at the Department of Technological Machines, Transport and Logistics, a pneumatic chamber drive (Figure-2) was developed on the basis of a rubber-cord chamber system [13, 18-21].



1, 2-rubber-cord casings (chambers); 3-ratchet wheel; 4, 5-pushers; 6-drive shaft; 7-air distributor (valve); 8,9-lines for supplying compressed air to the chambers; 10,11-pneumatic switches; 12,13-levers, 14-detent.

Fig. 2-Pneumatic chamber drive and simplified control diagram

The pneumatic chamber drive consists of the rubber-cord casings 1,2 installed under the levers 12, 13, the ratchet wheel 3 and 2 pushers 4,5 mounted on the necks of rods fixed on the blades mounted on one drive shaft 6. Continuous rotation of the shaft was mounted on the ratchet wheels 3 are provided with the air distributor 7 connected by pipelines 8 and 9 with cavities of rubber-cord casings. The valve of the air distributor 7 is driven by compressed air supplied from pneumatic limit switches 10 and 11 installed on the opposite side of the rubber-cord casings. In order to prevent excessive saturation of the rubber-cord casing with compressed air, we regulate the compressed air pressure in them separately from the control system, since 0.15 MPa is enough to fill the rubber-cord casing in our case, and a little more to switch the air distributors (the same as in the workshop pneumatic line 0.35 MPa).

The principle of operation of rubber-cord casings is the same as the developed pneumatic chamber systems of the Institute of Mining named by A.A. Skochinsky.

The pneumatic chamber drive works as follows: when pressure was applied to the rubber-cord casing (chambers) 1 through the spool air distributor 7 and pipeline 8, the lever 12, was mounted on the drive shaft 6 under which the rubber-cord casing 1 was installed, rotates the shaft 6 with the fixed on it with a ratchet wheel 3 due to a pusher 4 engaged with the teeth of the ratchet wheel. At the end of the stroke, the detent 14, was installed on the opposite side of the support sleeve of the lever 12, presses on the roller of the pneumatic switch 10. In this case, the pipeline was connected to the cavity of the spool air distributor 7, the air distributor spool was moved by connecting the pressure line 9 to the chamber 2, and the rubber-cord casing 1 was connected with the atmosphere, which leads to its emptying.

Thus, with alternate filling of rubber-cord casings (chambers) 1 and 2, the shaft turns in the same direction, providing rotation of the rotary equipment.

From this it follows that the rubber-cord chamber system, at a pressure in the pneumatic lines of up to 0.15 MPa, due to the area of the supporting surface of the wedge pneumatic chambers, makes it possible to develop significant torques on the drive shaft.

Before each start, it may be necessary to return the pushers to their original position, but there are options for installing a system for returning the pushers to the working position using small pneumatic cylinders or torsion springs.

Results

The data obtained in preliminary studies that were carried out on the model of the ratchet drive showed that thanks to this design of the pneumatic drive, it is possible to develop the necessary forces to rotate the low-speed rotary equipment. To carry out research in full size, a semi-industrial sample of a ratchet drive was made.

For installation as an auxiliary drive in the composition of the mill unit, some changes were made to the design of the ratchet drive (by means of steel threaded nozzles — to the inlet 1/2 ", to the outlet to 3/4"), pneumatically operated valves were installed, in which the springs were dismantled, and the cavities were connected to the corresponding lines. Thus, the drive control system was separated from the air supply system directly to the chambers from the compressed air source (to ensure maximum flow). The same

solution reduced the loss of compressed air (to control the pneumatic valves, nozzles with a diameter of 8 mm were used). Figure 3 shows an element-by-element diagram of the ratchet drive control [17].




Fig.3 - Element diagram of pneumatic chamber drive control

As mentioned earlier, for heavy start-up conditions (and for bulky equipment), the ratchet drive must be provided with sufficient force to propel this type of equipment. This implies that, in the foreground, the torque developed by the ratchet drive is highlighted, which should provide both the rotation of the drum during repair work, and the choice of backlash and even a slower rotation when starting the mill [10].

To determine the torque, it is necessary to calculate the moment of resistance to rotation of the mill:

$$M_{\text{comp}} = M_{\text{tp}} + M_{\text{uh}};$$

From the beginning, we calculate M_{tr} - the moment from friction in the support bearings, Nm;

$$M_{\text{tp}} = 0,5 \cdot f \cdot P \cdot d_n^2 \cdot l_n = 0,5 \cdot 0,1 \cdot 432\,900 \cdot 0,9^2 \cdot 1,1 = 192\,857 \text{ H} \cdot \text{m};$$

where f is the coefficient of sliding friction on babbitt, $f = 0.04 \div 0.1$;
 P - specific pressure in the bearing, Pa;

$$P = \frac{0,5 \cdot F}{d_n \cdot l_n} = \frac{0,5 \cdot 800\,000}{(0,3 \cdot 2,8) \cdot (0,25 \cdot 4,4)} = 432\,900 \frac{\text{H}}{\text{m}^2};$$

d_n and l_n – diameter and length of the journal bearing, ($d_p = 0,3 D$; $l_p = 0,25L$), m;
 D - diameter of the mill drum, 2.8 m;

F - weight of the drum of mills most common at MMC, 80 tons.

The next indicator Min is the moment from the inertial forces during the start-up of the mill drive, it is approximately 40 % of the moment of friction forces, Nm.

$$\begin{aligned} M_{\text{in}} &= 0,4 \cdot 192\,857 = 77\,142 \text{ H} \cdot \text{m}. \\ M_{\text{comp}} &= M_{\text{tp}} + M_{\text{in}} = 192\,857 + 77\,142 = 269\,900 \text{ H} \cdot \text{m}. \end{aligned}$$

Then, taking into account the gear ratio of the open gear transmission $i = 10$, we determine the torque on the drive shaft of the auxiliary drive, usually installed on the opposite side of the synchronous motor, should be at least 26.9 kN · m.

The ratchet drive on the basis of a rubber-cord chamber system, developed within the framework of Scientific Research Work (SRW) carried out at the department, allows, at a pressure in pneumatic lines of 0.35 MPa and an area of the bearing surface of wedge pneumatic chambers $S = axb = 50 \times 100 = 5000 \text{ cm}^2$, to develop torques on the drive shaft up to 105 kN m (Fig. 2). It follows from this that 0.15 MPa is sufficient to drive the mill drum. Considering the bearing surface area of the wedge air bladders, it is reasonable to assume that the compressed air pressure can vary by up to 10%.

Taking into account the problems associated with the operational reliability of the mill units, it can be concluded that a ratchet drive can be used as an auxiliary drive, which would significantly reduce the starting currents on the main drive and downtime during relining.

Conclusion

A significant part of scientific research carried out in recent years in the world is mainly aimed at wider application of the capabilities of a variable frequency drive (VFD), optimization of start-up parameters and modernization of an auxiliary electromechanical drive. The analysis of the proposed technical solutions showed their high relevance, but the complexity of the frequency control system and the exponential law, which is subject to the failures of elements of this kind of drives, limit the scope of their application at small ore processing enterprises. Upgrading a standard electromechanical drive may not be worth the investment.

In this research, the possibilities of using a pneumatic chamber ratchet drive as a starting-auxiliary drive for ore-grinding units are considered. A design of an auxiliary starting device is proposed, which is distinguished by its simplicity of design and the possibility of manufacturing it by the repair and mechanical base (RMB) of the enterprise. The research results confirm the possibility of using this design. In addition, in the proposed model, in contrast to the already known auxiliary drives, the energy of compressed air will be used. Thus, this advantage greatly facilitates the process of its implementation, since in all shops of mining and metallurgical enterprises there is a distribution of highways with compressed air.

In particular, this is the first, as far as we know, research on the study of pneumatic chamber drives for their use as a starting and auxiliary drive for ore grinding units.

The results of the study provide evidence of the operability of the developed and investigated design of the auxiliary starting drive, as which a pneumatic chamber ratchet drive was used. However, there are some limitations worth noting. Although our research was carried out on a laboratory model, semi-industrial tests of this design were not carried out. Future work, therefore, should include industrial tests designed to assess the reliability and operability of the structure, directly on ore-grinding units, for example, ball mills.

REFERENCES

Antonenko A., Togizov K. & Khodzhimuratova A. (2020). Local criteria in search for karst mineralization in the Achisai ore district (South Kazakhstan). International Multidisciplinary Scientific Geoconference SGEM, (20). Pp. 147–153, <https://doi.org/10.5593/sgem2020/1.1/s01.019>

Alfred Rufer. A high efficiency pneumatic drive system using vane-type semi-rotary actuators. Electronics and Energetics Vol. 34, № 3. September 2021. Pp. 415–433. <https://doi.org/10.2298/FUEE2103415R>

M.I. Altshuller. Experience in development and implementation of soft-start systems for high-voltage AC motors / Exposition Neft-Gas, Republic of Tatarstan, 2009. - Pp. 32–36.

Control system of pneumatic rotary chamber proizvoduct. B.S. Beisenov, E.E. Sarybayev, S.J. Seyit. Proceedings of the International Scientific and Practical Conference "RATIONAL USE OF MINERAL AND TECHNOLOGICAL MARKETS IN THE CONDITIONS OF INDUSTRY 4.0". Year: 2019. Pp. 392–396. UDC 622.1/2 (063) BBC 33.12. ISBN 978-601-323-168-6

Features of application of pneumatic chamber cushions for low-speed drives of technological machines. R.M. Zhelomanov, B.S. Beisenov, E.E. Sarybayev. Proceedings of the International Scientific and Practical Conference "RATIONAL USE OF MINERAL AND TECHNOLOGICAL MARKETS IN INDUSTRY 4.0". Year: 2019. Pp. 396–400. UDC 622.1/2 (063) BBC 33.12. ISBN 978-601-323-168-6.

Innovation Patent № 31421 "Ratchet Drive", 2014.

Innovation Patent № 29513 "Ratchet Reversible Actuator", 2014.

Innovation Patent № 99205 "Pneumatic reciprocating actuator", 2017.

Innovation Patent № 34086 "Pneumatic motor with friction-clutch", 2019

<https://triolcorp.ru/blog/post/modernizatsiya-drobilno-razmолнogo-oborudovaniya-obogatitelnykh-fabrik-s-primeneniem-chastotno-reguliruemogo-privoda-triol>

Kenzhetaev Zh., Togizov K., Abdraimova M. & Nurbekova M. (2022). Selecting the rational parameters for restoring filtration characteristics of ores during borehole mining of uranium deposits. Mining of Mineral Deposits, 16(3). Pp. 1–10. <https://doi.org/10.33271/mining16.03.001>

Kenzhetaev Z.S., Kuandykov T.A., Togizov K.S., Abdraimova M.R., Nurbekova M.A. (2022). Selection of rational parameters for opening and drilling of technological wells underground uranium leaching, News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences, 3(453). Pp.115–127. DOI:10.32014/2022.2518-170X.184 (in Eng.).

Krasnikov Yu.D., Chizhikov A.V., Lyuberman B.D., Shafarenko V.G. (1989). Methodology for calculating the parameters of mining machines with pneumoballoon drive. – M.: IGD im. A.A. Skochinsky, 1989

Lelikov O.P. (2007). Osnovy rascheta i proektirovaniye detal' i uzdakh mashin [Basics of calculation and design of parts and units of machines]. - M.: Mashinostroenie, 2007. - 464 p.

Łukasz Magdziak, Ireneusz Malujda, Dominik Wilczyński, Dominik Wojtkowiak (2017). Concept of improving positioning of pneumatic drive as drive of manipulator. XXI International Slovak-Polish Conference "Machine Modeling and Simulations 2016", Procedia Engineering 177 (2017). Pp. 331–338

Low-speed actuator based on pneumatic cylinders. L.A. Krupnik, K.K. Elemesov, B.S. Beisenov, E.E. Sarybayev. Gornyi Zhurnal. №10, 2018. Language: Russian. Number: 10. Year: 2018. Pp.: 40–43. MRSTI: 55.03.43

Mining Journal of Kazakhstan №.3, 2016. P.131, Modernisation of metallurgical equipment drives using reciprocating pneumatic power modules, B.S. Beisenov.

Mashrapova M.A., Zholtayev G.Z., Abdeli D.Z., Ozdoev S.M., Togizov K.S. (2021). Improvement of hydraulic facing method to increase wells productivity, News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences, 4(448): 124–129. DOI:10.32014/2021.2518-170X.90 (in Eng.).

Povetkin V.V., Altynov Zh.L., Nurymov E.K., Bukaeva A.Z., Isaeva I.N. (2016). Methods for evaluating complex systems from the standpoint of reliability / Collection of articles of the scientific information center "Knowledge" based on materials of the XII International correspondence scientific and practical conference "Development of science in the XXI century", 2 hours - Kharkov, 2016. - Pp. 74–80

Ristivojevic M., Lazovic T., Vencl A. (2013). Studying the load carrying capacity of spur gear tooth flanks // Mechanizm and machine Teory, 2013. Vol. 59. Pp. 125–137.

Yu.A. Burian, M.V. Silkov. (2017). Dynamics of vibration isolation system with rubber-cordpneumatic spring with damping throttle. Mechanical Science and Technology Update, 2017 *J. Phys.: Conf. Ser.* 858 012007. DOI 10.1088/1742-6596/858/1/012007

Use of air bellows for low-speed drive mechanisms. L. Krupnik, K. Yelemessov, B. Beisenov, D. Baskanbayeva, E.Sarybaev. (2018). International Journal of Scientific & Engineering Research. Volume 9. Issue 11. November-2018. Pp. 1106–1112. ISSN 2229-5518. 4,4

Vestnik KazNTU №5, 2014. Pp.103–109, Research of possibilities of power flexible shells with reciprocating motion in actuators with rotary motion of working body of metallurgical machines", B.S. Beisenov, A. Imankulov, E.E. Sarybayev, Z. Yerlanuly.

CONTENT**A.E. Abetov, D.B. Mukanov**HISTORY OF THE GEOLOGICAL EVOLUTION OF THE SOUTH TURGAY
BASIN IN THE PRE-CRETACEOUS.....6**N.N. Balgabayev, T.Sh. Ustabaev, G.E. Telgaraeva, B.D. Ismailov, S.Zh. Akhatova**
HYDROGEOLOGICAL CONDITIONS AND WATER SUPPLY SEASONAL
PASSION AREAS.....24**I.K. Beisembetov, T.T. Bekibayev, U.K. Zhabasbayev, B.K. Kenzhaliyev,
H. Retnawati, G.I. Ramazanova**
DIGITALIZATION OF THE ASTRAKHAN-MANGYSHLAK MAIN
WATER PIPELINE.....33**A. Bektemirov, Zh. Berdeno, Zh. Inkarova, B. Doskenova, A. Dunets**
STRUCTURAL ANALYSIS OF THE GEOSYSTEMS OF THE TOBOL
RIVER BASIN WITHIN THE KOSTANAY REGION.....45**A. Bolatova, V. Krysanova, A. Lobanova, S. Dolgikh, M. Tursumbayeva, K. Bolatov**
MODELLING RIVER DISCHARGE FOR THE OBA AND ULBI RIVER
BASINS USING THE SWIM MODEL.....56**S.Zh. Galiyev, D.A. Galiyev, A.T. Tekenova, N.E. Axanaliyev, O.G. Khayitov**
ENERGY EFFICIENCY AND ENVIRONMENTAL FRIENDLINESS OF
FUNCTIONING OF GEOTECHNOLOGICAL COMPLEXES AT QUARRIES:
DIRECTIONS AND WAYS OF MANAGEMENT.....74**A.T. Ibrayev, D.A. Aitimova**
MODELING AND IMPROVEMENT OF RADIO FREQUENCY MASS
SPECTROMETERS FOR THE ANALYSIS OF THE COMPOSITION
OF MINERALS AND THE ENVIRONMENT.....84**A.A. Kabdushev, F.A. Agzamov, B.Zh. Manapbayev, D.N. Delikesheva,
D.R. Korgasbekov**
RESEARCH AND DEVELOPMENT OF CEMENTS WITH DIFFERENTIAL
PROPERTIES FOR COMPLETING GAS WELLS.....97**S.M. Koibakov, B.E. Zhigitbayeva, S.T. Abildaev, M.I. Kassabekov,
Zh.E. Yeskermessov**
RESEARCH DEVICES FROM MOVABLE, FLEXIBLE ELEMENTS
AND BLOCKS IN GEOLOGICAL CONDITIONS.....109

M.A. Mizernaya, K.T. Zikirova, Z.I. Chernenko O.N. Kuzmina, T.A. Oitzeva SCIENTIFIC RATIONALE FOR ASSESSMENT OF INVESTMENT POTENTIAL OF RUDNY ALTAI POLYMETALLIC DEPOSITS.....	130
G. Moldabayeva, M. Braun, M. Pokhilyuk, N. Buktukov, A. Bakesheva DIGITAL MODELING OF INCREASING THE EFFICIENCY OF WATER INSULATION IN THE BOTTOM-HOLE ZONE OF A WELL WITH VARIOUS INJECTION AGENTS.....	145
Zh.S. Mustafayev, B.T. Kenzhaliyeva, G.T. Daldabayeva, E.N. Alimbayev HYDROCHEMICAL EXPLORATION AND ECOLOGICAL STATE OF THE TERRITORY IN THE LOWER DOWN OF THE SYRDARYA RIVER.....	157
T.A. Oitseva, M.A. Mizernaya, O.N. Kuzmina, G.B. Orazbekova FORECASTING RARE METAL PEGMATITE DEPOSITS OF THE KALBA REGION.....	176
T.K. Salikhov, T.S. Salikhova, I.M. Tolegenov, B.U. Sharipova, G.A. Kapbasova STUDY OF THE VEGETATION COVER OF ECOSYSTEMS OF THE CHINGIRLAU DISTRICT OF THE WEST KAZAKHSTAN REGION BASED ON THE USE OF GIS TECHNOLOGIES.....	187
Y. Sarybayev, B. Beisenov, K. Yelemessov, R. Tagauova, R. Zhalikyzy MODERNIZATION OF CRUSHING AND MILLING EQUIPMENT USING NEUMATIC CHAMBER STARTING-AUXILIARY DRIVES.....	198
E.V. Sotnikov, O.L. Miroshnichenko, L.Y. Trushel, Sh.I. Gabdulina, Ye.Zh. Murtazin FORECASTING THE FLOODING PROCESSES OF URBAN AREAS BY METHODS OF MATHEMATICAL MODELING BY THE EXAMPLE OF PAVLODAR (KAZAKHSTAN).....	208
J.B. Toshov, K.T. Sherov, B.N. Absadykov, R.U. Djuraev, M.R. Sikhimbayev EFFICIENCY OF DRILLING WELLS WITH AIR PURGE BASED ON THE USE OF A VORTEX TUBE.....	225
A. Shakenov, R. Yegemberdiev, A. Kolga, I. Stolpovskih MONITORING THE CONDITION OF MINE HAUL ROADS USING DIGITAL SYSTEMS.....	236
Y.Y. Shmoncheva, S.G. Novruzova, G.V. Jabbarova STUDY OF THE EFFECT OF DRILLING FLUIDS ON SAMPLES OF SALT-BEARING ROCKS.....	249

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

<http://www.geolog-technical.kz/index.php/en/>

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Подписано в печать 16.08.2023.

Формат 70x90^{1/16}. Бумага офсетная. Печать – ризограф.
20,0 п.л. Тираж 300. Заказ 4.