

ISSN 2518-170X (Online),  
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ  
Satbayev University

# Х А Б А Р Л А Р Ы

---

---

**ИЗВЕСТИЯ**

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Satbayev University

**N E W S**

OF THE ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN  
Satbayev University

**SERIES  
OF GEOLOGY AND TECHNICAL SCIENCES**

**3 (447)**

**MAY – JUNE 2021**

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

---

---

*NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.*

*Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.*

*НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.*

### Бас редактор

**ЖҰРЫНОВ Мұрат Жұрынұлы**, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қазақстан Республикасы Ұлттық Ғылым академиясының президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан) Н = 4

### Редакциялық алқа:

**ӘБСАМЕТОВ Мәліс Құдысұлы** (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, «У.М. Ахмедсафина атындағы гидрогеология және геоэкология институтының» директоры (Алматы, Қазақстан) Н = 2

**ЖОЛТАЕВ Герой Жолтайұлы** (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, Қ.И. Сатпаев атындағы геология ғылымдары институтының директоры (Алматы, Қазақстан) Н=2

**СНОУ Дэниел**, Ph.D, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры (Небраска штаты, АҚШ) Н = 32

**ЗЕЛЬТМАН Реймар**, Ph.D, табиғи тарих мұражайының Жер туралы ғылымдар бөлімінде петрология және пайдалы қазбалар кен орындары саласындағы зерттеулердің жетекшісі (Лондон, Англия) Н = 37

**ПАНФИЛОВ Михаил Борисович**, техника ғылымдарының докторы, Нанси университетінің профессоры (Нанси, Франция) Н=15

**ШЕН Пин**, Ph.D, Қытай геологиялық қоғамының тау геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі (Пекин, Қытай) Н = 25

**ФИШЕР Аксель**, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) Н = 6

**КОНТОРОВИЧ Алексей Эмильевич**, геология-минералогия ғылымдарының докторы, профессор, РФА академигі, А.А. Трофимука атындағы мұнай-газ геологиясы және геофизика институты (Новосибирск, Ресей) Н = 19

**АБСАДЫКОВ Бахыт Нарикбайұлы**, техника ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, А.Б. Бектұров атындағы химия ғылымдары институты (Алматы, Қазақстан) Н = 5

**АГАБЕКОВ Владимир Енокович**, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры (Минск, Беларусь) Н = 13

**КАТАЛИН Стефан**, Ph.D, Дрезден техникалық университетінің қауымдастырылған профессоры (Дрезден, Берлин) Н = 20

**СЕЙТМҰРАТОВА Элеонора Юсуповна**, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент-мүшесі, Қ.И. Сатпаев атындағы Геология ғылымдары институты зертханасының меңгерушісі (Алматы, Қазақстан) Н=11

**САҒЫНТАЕВ Жанай**, Ph.D, қауымдастырылған профессор, Назарбаев университеті (Нұр-Сұлтан, Қазақстан) Н = 11

**ФРАТТИНИ Паоло**, Ph.D, Бикокк Милан университеті қауымдастырылған профессоры (Милан, Италия) Н = 28

«ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы».

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ39VPU00025420** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *геология және техникалық ғылымдар бойынша мақалалар жариялау.*

Мерзімділігі: жылына 6 рет.

Тиражы: 211 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19, 272-13-18  
<http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2021

Типографияның мекен-жайы: «Аруна» ЖК, Алматы қ., Мурағбаева көш., 75.

### Главный редактор

**ЖУРИНОВ Мурат Журинович**, доктор химических наук, профессор, академик НАН РК, президент Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан) Н = 4

### Редакционная коллегия:

**АБСАМЕТОВ Малис Кудысович**, (заместитель главного редактора), доктор геолого-минералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан) Н = 2

**ЖОЛТАЕВ Герой Жолтаевич**, (заместитель главного редактора), доктор геолого-минералогических наук, профессор, директор Института геологических наук им. К.И.Сатпаева (Алматы, Казахстан) Н=2

**СНОУ Дэниел**, Ph.D, ассоциированный профессор, директор Лаборатории водных наук университета Небраски (штат Небраска, США) Н = 32

**ЗЕЛЬТМАН Реймар**, Ph.D, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия) Н = 37

**ПАНФИЛОВ Михаил Борисович**, доктор технических наук, профессор Университета Нанси (Нанси, Франция) Н=15

**ШЕН Пин**, Ph.D, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай) Н = 25

**ФИШЕР Аксель**, ассоциированный профессор, Ph.D, технический университет Дрезден (Дрезден, Берлин) Н = 6

**КОНТОРОВИЧ Алексей Эмильевич**, доктор геолого-минералогических наук, профессор, академик РАН, Институт нефтегазовой геологии и геофизики им. А.А. Трофимука СО РАН (Новосибирск, Россия) Н = 19

**АБСАДЫКОВ Бахыт Нарикбаевич**, доктор технических наук, профессор, член-корреспондент НАН РК, Институт химических наук им. А.Б. Бектурова (Алматы, Казахстан) Н = 5

**АГАБЕКОВ Владимир Енокович**, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь) Н = 13

**КАТАЛИН Стефан**, Ph.D, ассоциированный профессор, Технический университет (Дрезден, Берлин) Н = 20

**СЕЙТМУРАТОВА Элеонора Юсуповна**, доктор геолого-минералогических наук, профессор, член-корреспондент НАН РК, заведующая лабораторией Института геологических наук им. К.И. Сатпаева (Алматы, Казахстан) Н=11

**САГИНТАЕВ Жанай**, Ph.D, ассоциированный профессор, Назарбаев университет (Нурсултан, Казахстан) Н = 11

**ФРАТТИНИ Паоло**, Ph.D, ассоциированный профессор, Миланский университет Бикокк (Милан, Италия) Н = 28

**«Известия НАН РК. Серия геологии и технических наук».**

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ39VPY00025420, выданное 29.07.2020 г.

Тематическая направленность: *публикация статей по геологии и техническим наукам.*

Периодичность: 6 раз в год.

Тираж: 211 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, оф. 219, тел.: 272-13-19, 272-13-18

<http://www.geolog-technical.kz/index.php/en/>

---

© Национальная академия наук Республики Казахстан, 2021

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

### Editor in chief

**ZHURINOV Murat Zhurinovich**, doctor of chemistry, professor, academician of NAS RK, president of the National Academy of Sciences of the Republic of Kazakhstan, general director of JSC “Institute of fuel, catalysis and electrochemistry named after D.V. Sokolsky» (Almaty, Kazakhstan) H = 4

### Editorial board:

**ABSAMETOV Malis Kudysovich**, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, academician of NAS RK, director of the Akhmedsafin Institute of hydrogeology and hydrophysics (Almaty, Kazakhstan) H = 2

**ZHOLTAEV Geroy Zholtaevich**, (deputy editor-in-chief), doctor of geological and mineralogical sciences, professor, director of the institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) H=2

**SNOW Daniel**, Ph.D, associate professor, director of the laboratory of water sciences, Nebraska University (Nebraska, USA) H = 32

**Zeltman Reyman**, Ph.D, head of research department in petrology and mineral deposits in the Earth sciences section of the museum of natural history (London, England) H = 37

**PANFILOV Mikhail Borisovich**, doctor of technical sciences, professor at the Nancy University (Nancy, France) H=15

**SHEN Ping**, Ph.D, deputy director of the Committee for Mining geology of the China geological Society, Fellow of the American association of economic geologists (Beijing, China) H = 25

**FISCHER Axel**, Ph.D, associate professor, Dresden University of technology (Dresden, Germany) H = 6

**KONTOROVICH Aleksey Emilievich**, doctor of geological and mineralogical sciences, professor, academician of RAS, Trofimuk Institute of petroleum geology and geophysics SB RAS (Novosibirsk, Russia) H = 19

**ABSADYKOV Bakhyt Narikbaevich**, doctor of technical sciences, professor, corresponding member of NAS RK, Bekturov Institute of chemical sciences (Almaty, Kazakhstan) H = 5

**AGABEKOV Vladimir Enokovich**, doctor of chemistry, academician of NAS of Belarus, honorary director of the Institute of chemistry of new materials (Minsk, Belarus) H = 13

**KATALIN Stephan**, Ph.D, associate professor, Technical university (Dresden, Berlin) H = 20

**SEITMURATOVA Eleonora Yusupovna**, doctor of geological and mineralogical sciences, professor, corresponding member of NAS RK, head of the laboratory of the Institute of geological sciences named after K.I. Satpayev (Almaty, Kazakhstan) H=11

**SAGINTAYEV Zhanay**, Ph.D, associate professor, Nazarbayev University (Nursultan, Kazakhstan) H = 11

**FRATTINI Paolo**, Ph.D, associate professor, university of Milano-Bicocca (Milan, Italy) H = 28

**News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.**

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *publication of papers on geology and technical sciences.*

Periodicity: 6 times a year.

Circulation: 211 copies.

*Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19, 272-13-18,*

*<http://www.geolog-technical.kz/index.php/en/>*

---

© National Academy of Sciences of the Republic of Kazakhstan, 2021

Address of printing house: ST «Aruna», 75, Muratbayev str, Almaty.



## NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF  
KAZAKHSTAN SERIES OF GEOLOGY AND TECHNICAL SCIENCES  
ISSN 2224-5278

Volume 3, Number 447 (2021), 129-136

<https://doi.org/10.32014/2021.2518-170X.74>

UDC 621.928

D. Chyrkun<sup>1</sup>, A. Levdanskiy<sup>1</sup>, S. Yarmolik<sup>1</sup>, V. Golubev<sup>2</sup>, D. Zhumadullayev<sup>2</sup>

<sup>1</sup>Belorussian State Technological University, Minsk, Belarus

<sup>2</sup>M.Auezov South Kazakhstan University, Shymkent, Kazakhstan

E-mail: nii\_mm@mail.ru

## INTEGRATED STUDY OF THE EFFICIENCY OF GRINDING MATERIAL IN AN IMPACT-CENTRIFUGAL MILL

**Abstract.** The analysis of existing methods of air classification of crushed bulk materials is carried out, priority directions of their development and improvement are identified, the hardware design of these methods and the main approaches to the calculation of air classifiers are studied. The conclusion is made about a rather isolated motion of particles in the working volume of the classifier at optimal performance. The prospects of dry separation methods and the progressiveness of creating multistage gravitational classifiers have been established. Theoretical studies of the separation process in a gravity classifier with overflow shelves have been carried out. The regularities of the process of separation of bulk materials in air classifiers have been established, reliable methods have been developed for calculating their technological and design parameters in order to create highly efficient and productive industrial plants. Theoretical dependencies and differential equations are obtained, which characterize the influence on the separation mechanism of technological and design parameters of the classifier. The results of solving the equations of motion made it possible to determine the main design parameters of the apparatus based on the technological requirements for productivity and the dispersed composition of the final products. On the basis of theoretical research, analytical relationships and differential equations have been developed that describe the separation process in a gravity classifier with overflow shelves. The use of these equations made it possible to simulate the air flow in the classifier, to obtain a field of air flow velocities for any design and technological parameters. This, in turn, shows the direction of movement of particles of different sizes or densities and makes it possible to estimate the boundary size of separation, and also allows you to study the interaction of the air flow with the material being separated in a wide range of technological and design parameters of the classifier, and, ultimately, to determine the boundary size separation and particle size range of the resulting fractions of the finished product. The relationship between technological and design parameters of the apparatus is theoretically determined.

**Key words:** material, crushing, particle, classification, device, fraction, hydrodynamics, gravitation, flowability, flow.

**1. Introduction.** Modern production places high demands on the quality of powdered materials, at the same time the imperfection of crushing processes does not always allow to obtain a product with desired properties. Therefore, in technological processes for preparation of bulk materials, especially in crushing systems, special devices are often needed – classifiers or separators. The main purpose of the classifier is to divide the material passing through it into two or more fractions with the predominant content in each fraction of particles of the required size or density range.

More progressive are dry methods of separation, carried out, most often, in devices with air flows or, if necessary, flows of inert, flue or other gases. The tendency of transition to the dry methods of production in many branches of domestic and foreign industry shows the promise of air classification.


To obtain dry powders of a given granulometric

composition with a particle size of about 1 mm or less, the air classification is the main of all known sorting methods. Currently, various designs of air classifiers are exploited in industry, however most of them are characterized by low efficiency and low, about 60 – 70%, degree of extraction of the target product from polydisperse powder. The low degree of extraction of the target product often adversely affects other technological processes. For example, when crushing the material in mills operating in a closed cycle, due to the low efficiency of the classifier, the finished product is sent to grinding again, which leads to decrease in productivity and high energy consumption of the mill unit.

Therefore, the establishment of regularities in the process of separation of bulk materials in the air classifiers, the development of reliable methods for calculating their technological and design parameters in order to create highly efficient and productive

industrial installations is a very urgent task for many industries.

2. Literature data analysis and problem definition. Currently, the most common are air gravitational classifiers with transfer shelves (Fig. 1, a) and Zigzag classifiers (Fig. 1, b) [1, 2].



a – classifier with transfer shelves;  
b – Zigzag classifier.

Fig. 1. Schemes of multistage gravitational classifiers

Many researchers were engaged in the creation of multistage gravitational classifiers, the literature presents experimental data and results of industrial operation of many structures of this type, indicating their high efficiency [1-6]. At the same time, the results of theoretical studies do not allow to fully calculate such devices. As a rule, calculation methods are tied to a specific technological process or a product of the same type [4, 5]. This hinders the introduction of cascade and shelf classifiers in other technologies and indicates the relevance of research in this direction.

Deterministic and stochastic models are among the main approaches to modeling and calculating the aerodynamic classification.

The stochastic models are based on the use of probability theory to calculate the dynamics of material flow. The most significant results in this direction were obtained by M.D. Barsky [1] and S.G. Ushakov [6] in the study of gravitational and centrifugal classifiers. By now, the stochastic models were further developed in the works of many scientists [5, 7, 8], and various approaches to modeling the classification of disperse systems were developed. One of the promising approaches is an approach based on the theory of Markov chains, which was used in the works of Yu.I. Makarov [9-11], and is now widely used in modeling many physicochemical processes [7]. The main advantage of the stochastic models is to obtain formulas for constructing a separation curve (Tromp curve), which reflects the probability of a particle of a certain size falling into a large or small product and is the main technological

characteristic of the classifier [1].

The deterministic models are based on differential equations of the granular medium motion in a carrying flow. Some researchers consider this direction unpromising due to the many assumptions made in modeling [7]. The most significant of them are that, firstly, the particle moves under the action of not only deterministic, but also numerous random forces (collision, turbulence, etc.), which are difficult to take into account even in a generalized form, and secondly, the constraint of particle motion is not taken into account [7]. However, many believe that these assumptions are not critical in creating engineering methods for calculating real structures, when the model is presented not only with requirements for accuracy and reliability, but also for availability of use for a wide range of specialists of the relevant profile [4, 5, 12-14]. For example, experimental data indicate an effective classification with a mass ratio of solid and gas phase of approximately 1:1 [2]. Taking into account the difference in densities, it can be concluded that particles are quite separate in the working volume of the classifier with optimal performance. In addition, the deterministic models allow, based on the analysis of the results of solving the equations of motion, to determine many design parameters of the devices, based on the technological requirements for performance and dispersion composition of the final products. Therefore, methods of deterministic modeling are common and evolving at present, the same approach was used in the theoretical study of the multistage shelf classifier design.

**3. Research objectives and tasks.** The objective of the work is to study the process of fractionation of crushed material in the gravitational classifier.

To achieve this objective, it is necessary to solve the following tasks:

- simulate the motion of a continuous carrying medium in the device;
- investigate the interaction of the air flow with particles of the material to be separated;
- based on the obtained data, determine the patterns of motion of these particles and the possibility of their falling into a small or large fraction.

4. Methods of modeling the process of fractionation of crushed material in the gravitational classifier. To model the motion of air in the classifier, the Navier – Stokes equation was used for viscous media, which is written in the vector form as

$$\rho \, dc/dt = M \cdot \text{grad}p + \mu \Delta c, \tag{1}$$

where  $\rho$  – density of the medium, kg/m<sup>3</sup>;  $c$  – velocity vector;  $M$  – vector of bulk forces;  $p$  – pressure, Pa;  $\mu$  – dynamic viscosity, Pa · s;  $\Delta$  – Laplace operator.

The Navier – Stokes equation was supplemented with the flow continuity equation

$$\partial\rho/\partial t + \text{div}(\rho\vec{c}) = 0, \quad (2)$$

and the equation of state

$$\rho = pM/RT, \quad (3)$$

where  $M$  – molar gas mass, g/mole;  $R$  – universal gas constant;  $T$  – absolute temperature,  $K$ .

Since direct numerical simulation in solving equations (1) - (3) requires substantial time resources in calculating turbulent flows, there was used the standard turbulence model  $k-\varepsilon$  [15-17]. Here, the Navier – Stokes equation is transformed into a form in which the influence of the average velocity fluctuation (in the form of turbulent kinetic energy) and the process of reducing this fluctuation due to viscosity (dissipation) are added.

In the adopted model, the viscous shear stress tensor is defined as [18–19]

$$\tau_{ij} = \mu \left( \frac{\partial u_i}{\partial x_j} + \frac{\partial u_j}{\partial x_i} - \frac{2}{3} \frac{\partial u_k}{\partial x_k} \delta_{ij} \right) - \frac{2}{3} \rho k \delta_{ij}, \quad (4)$$

where  $\mu$  – dynamic viscosity,  $\text{Pa} \cdot \text{s}$ ;  $u$  – velocity,  $\text{m/s}$ ;  $x$  – coordinate,  $\text{m}$ ;  $\delta$  – Kronecker delta function;  $k$  – turbulent kinetic energy.

The dynamic viscosity  $\mu$  is calculated as the sum of the coefficients of dynamic viscosity  $\mu_l$  and turbulent viscosity  $\mu_t$ .

The coefficient of turbulent viscosity is calculated by the dependence [10]

$$\mu_t = f_\mu \frac{C_\mu \rho k^2}{\varepsilon}, \quad (5)$$

where  $f_\mu$ ,  $C_\mu$  – coefficients;  $\varepsilon$  – turbulence energy dissipation.

$C_\mu$  coefficient is recommended to be taken equal to 0.9 [18].  $f_\mu$  coefficient is found by the formula

$$f_\mu = \left( 1 - e^{-0,025R_y} \right)^2 \left( 1 + \frac{20,5}{R_T} \right), \quad (6)$$

where  $R_y$ ,  $R_T$  – variables defined by the expressions

$$R_y = \frac{\rho \sqrt{k} y}{\mu_l}, \quad R_T = \frac{\rho k^2}{\mu_l \varepsilon}, \quad (7)$$

where  $y$  – distance from the local averaged flow volume to the wall of the computational domain,  $\text{m}$ .

The turbulent kinetic energy  $k$  and the dissipation of this energy  $\varepsilon$  are found by solving two equations:

$$\frac{\partial \rho k}{\partial t} + \frac{\partial}{\partial x_k} (\rho u_k k) = \frac{\partial}{\partial x_k} \left( \left( \mu_l + \frac{\mu_t}{\sigma_k} \right) \frac{\partial k}{\partial x_k} \right) + S_k, \quad (8)$$

$$\frac{\partial \rho \varepsilon}{\partial t} + \frac{\partial}{\partial x_k} (\rho u_k \varepsilon) = \frac{\partial}{\partial x_k} \left( \left( \mu_l + \frac{\mu_t}{\sigma_\varepsilon} \right) \frac{\partial \varepsilon}{\partial x_k} \right) + S_\varepsilon, \quad (9)$$

where  $S_k$ ,  $S_\varepsilon$  – characteristics of the kinetic energy pulsations and dissipation of this energy, calculated by the expressions:

$$S_k = \tau_{ij} \frac{\partial u_i}{\partial x_j} - \rho \varepsilon - \mu_l \left( \frac{g_i \partial \rho}{\sigma_B \rho \partial x_i} \right), \quad (10)$$

$$S_\varepsilon = C_{\varepsilon 1} \frac{\varepsilon}{k} \left( f_1 \tau_{ij} \frac{\partial u_i}{\partial x_j} + \mu_l C_B \left( \frac{g_i \partial \rho}{\sigma_B \rho \partial x_i} \right) \right) - C_{\varepsilon 2} f_2 \frac{\rho \varepsilon^2}{k}, \quad (11)$$

where  $C_{\varepsilon 1} = 1,44$ ,  $C_{\varepsilon 2} = 1,92$ ,  $\sigma_\varepsilon = 1,3$ ,  $\sigma_k = 1$  – empiric coefficients;  $f_1$ ,  $f_2$  – variables depending on the coefficients of dynamic and turbulent viscosity, determined by the following formulas:

$$f_1 = 1 + \left( \frac{0,05}{f_\mu} \right)^3, \quad f_2 = 1 - e^{-R_T^2}. \quad (12)$$

Using the above equations allows to simulate the air flow in the classifier, to obtain the air flow velocity field with any design and technological parameters.

5. The results of computer experiment based on mathematical models. The equations obtained were solved using computational hydrodynamics in the SWFlowSimulation software [18]. One of the typical air flow patterns is shown in Fig. 2.


To study the motion of particles of the material along inclined shelf of the classifier, a design scheme was drawn up (Fig. 3).

The following basic forces act on the particle moving along the inclined shelf.

The force of gravity

$$G = mg, \quad (13)$$

where  $m$  – mass of the particle,  $\text{kg}$ ;  $g$  – free fall acceleration,  $\text{m/s}^2$ .



a) – air velocity per classifier section 2 m/s;  
b) – air velocity per classifier section 5 m/s

Fig. 2. Air flow velocity profiles in the shelf classifier






Fig. 3. Scheme of forces acting on the particle located on the inclined shelf classifier

The force of friction

$$F_{tp} = fN, \quad (14)$$

where  $f$  - coefficient of friction of the particles on the blade surface;  $N$  - supporting force,  $H$ .

The supporting force  $N$  is equal in our case, based on the condition of non-motion with respect to the axis  $y$  (Fig. 4), to the expression

$$N = G \cos \beta. \quad (15)$$

The force of aerodynamic resistance to the motion of the particle from the medium is determined by the dependence

$$F_{bc} = \xi S \frac{v_{rel}^2}{2} \rho g, \quad (16)$$

where  $\xi$  - aerodynamic resistance coefficient;  $S$  - midsection of the particle,  $m^2$ ;  $v_{rel}$  - relative velocity (ambient velocity of the particle with the flow),  $m/s$ ;  $\rho g$  - gas (air) density,  $kg/m^3$ .

The relative velocity  $v_{rel}$  can be found as the difference between the velocities of the particle along the inclined shelf and the air flow (Fig. 4):

$$v_{rel} = \frac{dx}{dt} - W_x, \quad (17)$$

where  $W_x$  - air velocity around the particle,  $m/s$ .

In the turbulent flow regime, the gas velocities profile in the channels with a sufficiently high accuracy is described by the dependence

$$\frac{W_x}{W_{max}} = \left( \frac{y}{R} \right)^{\frac{1}{7}}, \quad (18)$$

where  $W_{max}$  - maximum velocity on the channel axis,  $m/s$ ;  $y$  - current coordinate (Fig. 2),  $m$ ;  $R$  - conditional radius of the channel,  $m$ .

The maximum velocity along the channel axis, i.e. with  $y=R$  is determined by the expression

$$W_{av} = 0,85W_{max}, \quad (19)$$

where  $W_{av}$  - average gas velocity along the channel section,  $m/s$ , is calculated as the ratio of the

gas flow to the cross sectional area of the channel.


Thus, the equation for the particle motion along the inclined shelf surface relative to the axis  $x$  can be written as

$$\frac{d^2x}{dt^2} = g(1 - f \cos \beta) - \xi S \frac{v_{rel}^2}{2m} \rho g. \quad (20)$$

The equation (20) was solved by the numerical method in the mathematical package Matlab 6.0 [20]. The obtained data on the velocity of the material particles' falling from the inclined shelf, depending on their properties, size, shelf length, were used as initial conditions for subsequent equations of motion.

At the second stage of calculations using the scheme shown in Fig. 4, the material particles' motion in the upward air flow was considered.

The material's particle after its separation from the inclined shelf is affected by two main forces: the force of gravity, constant in magnitude and direction, and the air resistance force.



a - air motion scheme; b - scheme of forces acting on the material particle  
Fig. 4. Motion of the material particles and air flow in the classifier's space

In the course of the air motion between the inclined shelves, two characteristic sections can be distinguished: section I, limited with BCDE contour, where the average velocity and direction of the air motion are constant (Fig. 4, a); and section II, limited with ABC contour, where the air flow turns around 90° (Fig. 4, a) and during this turn the average air velocity constantly changes, since the free section area changes.

Note that in the classifier construction under the study, the working columns have a square shape, and the inclined shelves overlap a half of the cross section. Such a design allows to obtain the highest quality separation, as evidenced by the experimental studies [1].

In the fixed coordinate system  $Oxy$ , the equations of the particle motion can be written as

$$\begin{aligned} m \frac{d^2x}{dt^2} &= (F_{bc})_x, \\ m \frac{d^2y}{dt^2} &= (F_{bc})_y - m \cdot g, \end{aligned} \quad (21)$$

where  $(F_{bc})_x, (F_{bc})_y$  – projections of the air resistance force on the coordinate axis.

The projections of the air resistance force on the coordinate axis are determined from the expressions

$$\begin{aligned}(F_{bc})_x &= \xi S \frac{(v_{rel})_x v_{rel}}{2} \rho_g, \\ (F_{bc})_y &= \xi S \frac{(v_{rel})_y v_{rel}}{2} \cdot \rho_g. \quad (22)\end{aligned}$$

Based on this equation of motion, the material particles in section I (Fig. 3, a) will be written as

$$\begin{aligned}\frac{d^2 x}{dt^2} &= \xi S \frac{(v_{rel})_x v_{rel}}{2m} \rho_e, \\ \frac{d^2 y}{dt^2} &= \xi S \frac{(v_{rel})_y v_{rel}}{2m} \cdot \rho_e - g. \quad (23)\end{aligned}$$

The projections of the relative velocity with (9) will be equal

$$\begin{aligned}(v_{rel})_x &= \frac{2Q \sin \gamma \cos \gamma}{b_c^2} \frac{dx}{dt}, \\ (v_{rel})_y &= \frac{2Q \sin^2 \gamma}{b_c^2} \frac{dy}{dt}. \quad (24)\end{aligned}$$

The full magnitude of the relative velocity

$$v_{rel} = \sqrt{\left(\frac{2Q \sin \gamma \cos \gamma}{b_c^2} \frac{dx}{dt}\right)^2 + \left(\frac{2Q \sin^2 \gamma}{b_c^2} \frac{dy}{dt}\right)^2} \quad (25)$$

If the material particle is carried away by the air flow to section II (ABC contour, Fig. 5, a), then its motion is calculated using the same differential equations (23), which are supplemented by the dependence, taking into account the flow turn

$$\alpha = \arctg\left(\frac{y}{x}\right) \quad (26)$$

The empiric relationship was used to calculate the aerodynamic resistance coefficient  $\xi$  over the entire range of Reynolds numbers [10]

$$\xi = 0,386 \cdot 1,325 (lg Re_{\square}^2 - 3,87)^2. \quad (27)$$

The solution of the obtained equations by the numerical methods using previously established data on the distribution of the air flow velocities allows to simulate the material particles' motion in the classifier's working area with its various technological and design parameters. This, in turn, shows direction of motion of particles of different size or density and makes it possible to estimate the boundary size of the separation.

**6. Discussion of the research results.** Based on the performed modeling, it was possible to determine the zigzagging of air motion in the classifier, which allows to make a conclusion about a diverse cross-flow classification. In addition, it was found that, unlike the average flow velocity, its value in the core of the flow is several times higher, and, consequently, a higher intensity of impact on the incoming material.

The initial polydisperse material is fed, as a rule, into the middle part of the classifier to the supply

shelf. In this case, the material particles move along the inclined shelf, then fall into the upward air flow and, depending on various factors, either fall onto the underlying shelf or are carried up with the air. Thus, the material particles' motion was studied in two stages: at the first, the material particles' motion along the inclined shelf was studied, and at the second, the particles' motion in the air flow before contact with the next shelf (according to the scheme in Fig. 1, a). The results of the first stage of research were the initial conditions for the next stage and so on up to the border of the classifier's working area.

The results of the study of the air flow interaction with the material particles to be divided and determination of the regularity of motion of these particles possibly falling into the fine or coarse fraction, carried out by the calculation hydrodynamics methods, based on the results obtained on the distribution of the air flow velocities, allowed to simulate the particles' motion in the classifier taking into account various technological and design parameters. The data obtained allow to determine the direction of motion of particles of both different size and density, which, in turn, makes it possible to estimate the boundary size of the separation.

It should be noted that the research results will also be valid for Zigzag type classifiers, since the mechanism of motion of the upward air flow and its interaction with the material particles is similar to that observed in classifiers with the transfer shelves.

**6. Conclusions.** 1. The study of the process of fractionation of the crushed material in the gravitational classifier using the simulation method allows to describe the air flow in the classifier using equations, to obtain the air flow velocity field for any design and technological parameters.

2. In the course of the research, the equations of the material particles' motion in the air classifier with the transfer shelves were developed, which solution using computer numerical methods allows to investigate the interaction of the air flow with the material to be divided in a wide range of technological and design parameters of the classifier, and, ultimately, to determine the boundary size of the separation and the particle size range of the finished product's resulting fractions.

3. The modeling showed that in the classifier the air moves in a zigzag manner, therefore, there is a multiple cross flow classification. The velocity in the core of the flow can be many times higher than the average flow velocity, which allows to intensively affect the source material.

4. Solving the obtained equations of the material particle's motion in the classifier and the aerodynamic resistance coefficient by the numerical methods using the obtained data on the distribution of the air flow velocities, allows to simulate the material particles' motion in the working area of the classifier with its various technological and design parameters. The information obtained makes it possible to determine the direction of motion of particles of different size or density, as well as to estimate the boundary size of the separation.

**Д. Чиркун<sup>1</sup>, А. Левданский<sup>1</sup>, С. Ярмолик<sup>1</sup>, В. Голубев<sup>2</sup>, Д. Жумадуллаев<sup>2</sup>**

<sup>1</sup>Беларусь мемлекеттік технологиялық университет, Минск, Беларусь

<sup>2</sup>М. Әуезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан

E.mail: nii\_mm@mail.ru

### **ГРАВИТАЦИЯЛЫҚ ЖІКТЕУІШТЕ ҰСАҚТАЛҒАН МАТЕРИАЛДЫ ФРАКЦИЯЛАУ ПРОЦЕСІН МОДЕЛЬДЕУ**

**Аннотация.** Ұсақталған сусымалы материалдарды әуеде жіктеудің қолданыстағы әдістеріне талдау жасалады, оларды дамыту мен жетілдірудің басым бағыттары анықталады, осы әдістердің аппараттық рәсімделуі және ауа жіктеуіштерін есептеудің негізгі тәсілдері зерттеледі. Қорытынды оңтайлы өнімділік кезінде жіктеуіштің жұмыс көлеміндегі бөлшектердің жеткілікті оқшауланған қозғалысы туралы жасалады. Құрғақ бөлу әдістерінің болашағы және көп сатылы гравитациялық жіктеуіштерді құрудың прогрессивтілігі анықталды. Толтырғыштары бар гравитациялық жіктеуіштерді бөлу процесінің теориялық зерттеулері жүргізілді. Ауаның жіктеуіштерінде сусымалы материалдарды бөлу процесінің заңдылықтары анықталды, жоғары тиімді және өнімді өндірістік кәсіпорындар құру үшін олардың технологиялық және жобалық параметрлерін есептеудің сенімді әдістері жасалды. Жіктеуіштің технологиялық және есептік параметрлерінің бөлу механизміне әсерін сипаттайтын теориялық тәуелділіктер мен дифференциалдық теңдеулер алынады. Қозғалыс теңдеулерін шешу нәтижелері өнімділікке технологиялық талаптарға және соңғы өнімдердің дисперсті құрамына сүйене отырып, аппараттың негізгі құрылымдық параметрлерін анықтауға мүмкіндік берді. Теориялық зерттеулер негізінде толып жатқан сөрелер мен ауырлық күшін жіктеуіште бөлу процесін сипаттайтын аналитикалық байланыстар мен дифференциалдық теңдеулер жасалды. Осы теңдеулерді қолдану жіктеуіштегі ауа ағынын модельдеуге, кез-келген жобалық және технологиялық параметрлерге ауа ағынының жылдамдықтарының өрісін алуға мүмкіндік берді. Бұл өз кезегінде әртүрлі көлемдегі немесе тығыздықтағы бөлшектердің қозғалу бағытын көрсетеді және бөлінудің шекара өлшемін бағалауға мүмкіндік береді, сонымен қатар ауа ағынының кең ауқымында бөлініп жатқан материал мен өзара әрекеттесуін зерттеуге мүмкіндік береді. Аппараттың технологиялық және жобалық параметрлерінің ара қатынасы теориялық тұрғыдан анықталған.

Түйін сөздер: материал, ұсақтау, бөлшек, жіктеу, аппарат, фракция, гидродинамика, ауырлық күші, ағындылық, ағын.

УДК 621.928

**Д. Чиркун<sup>1</sup>, А. Левданский<sup>1</sup>, С. Ярмолик<sup>1</sup>, В. Голубев<sup>2</sup>, Д. Жумадуллаев<sup>2</sup>**

<sup>1</sup>Белорусский государственный технологический университет, Минск, Беларусь

<sup>2</sup>Южно-Казахстанский университет им. М. Ауэзова, Шымкент, Казахстан

E.mail: nii\_mm@mail.ru

### **МОДЕЛИРОВАНИЕ ПРОЦЕССА ФРАКЦИОНИРОВАНИЯ ИЗМЕЛЬЧЕННОГО МАТЕРИАЛА В ГРАВИТАЦИОННОМ КЛАССИФИКАТОРЕ**

**Аннотация.** Проведен анализ существующих способов воздушной классификации измельченных сыпучих материалов, выявлены приоритетные направления их развития и совершенствования, изучено аппаратное оформление этих способов и основные подходы к расчетам воздушных классификаторов. Сделан вывод о достаточно обособленном движении частиц в рабочем объеме классификатора при оптимальной производительности. Установлена перспективность сухих способов разделения и прогрессивность создания многокаскадных гравитационных классификаторов. Выполнены теоретические исследования процесса разделения в гравитационном классификаторе с пересыпными полками. Установлены закономерности процесса разделения сыпучих материалов в воздушных классификаторах, разработаны надежные методики расчета их технологических и конструктивных параметров с целью создания высокоэффективных и производительных промышленных установок. Получены теоретические зависимости и дифференциальные уравнения, характеризующие влияние на механизм разделения технологических и конструктивных параметров классификатора. Результаты решения уравнений движения позволили определить основные конструктивные параметры аппаратов исходя из технологических требований к производительности и дисперсному составу конечных продуктов. На основании теоретических исследований разработаны аналитические зависимости и дифференциальные уравнения, описывающие процесс разделения в гравитационном классификаторе

с пересыпными полками. Использование данных уравнений позволило смоделировать течение воздуха в классификаторе, получить поле скоростей воздушного потока при любых конструктивных и технологических параметрах. Это, в свою очередь, показывает направление движения частиц различного размера или плотности и дает возможность оценить граничный размер разделения, а также позволяет исследовать взаимодействие воздушного потока с разделяемым материалом в широком диапазоне технологических и конструктивных параметров классификатора, и, в конечном итоге, определить граничный размер разделения и диапазон размеров частиц получаемых фракций готового продукта. Теоретически определена взаимосвязь технологических и конструктивных параметров аппарата.

**Ключевые слова:** материал, измельчение, частица, классификация, аппарат, фракция, гидродинамика, гравитация, сыпучесть, поток.

#### **Information about authors:**

Chirkun Dmitry Ivanovich - Candidate of Technical Sciences, Lecturer of the Department "Processes and Apparatuses of Chemical Production", Belorussian State Technological University, e-mail: alex\_levdansky@mail.ru Orcid:0000-0003-0195-2575

Leudanski Aliaksandr Eduardovich - Doctor of Technical Sciences, Associate Professor of the Department "Processes and Apparatuses of Chemical Production", Belorussian State Technological University, e-mail: alex\_levdansky@mail.ru Orcid: 0000-0003-2684-7771

Yarmolik Sergey Vasilievich - senior lecturer of the department "Mechanics and construction", Belorussian State Technological University, e-mail: sv.ya@tut.by Orcid: 0000-0002-3582-3328

Golubev Vladimir Grigorevich - Doctor of Technical Sciences, Professor of the Department of Oil and gas business, M.Auezov South Kazakhstan University, e-mail: golubev\_50@mail.ru. Orcid: 0000-0001-7370-3872

Zhumadullayev Daulet Koshkarovich - PhD, senior teacher of the Department of Technological Machines and Equipment, M.Auezov South Kazakhstan University, e-mail: daulet\_ospl@mail.ru. Orcid: 0000-0002-6552-2817

#### **REFERENCES**

- [1] Barsky M.D., Revnivtsev V.I., Sokolkin Yu.V. Gravitational classification of granular materials. M.: Nedra, 1974. 232p.
- [2] Mizonov V.E., Ushakov S.G. Aerodynamic classification of powders. M.: Chemistry, 1989. 158 p.
- [3] Gortinsky, V.V. Separation processes at grain processing enterprises / V.V. Gortinsky, A.B. Demsky, M.A. Boriskin. – M.: Kolos, 1980. – 325 p.
- [4] Tyutyunin, V.V. Dynamics of mineral particles in a centrifugal field with gravitational enrichment: abstract of dis. ... cand. tech. sciences: 25.00.13 / V.V. Tyutyunin; Irkutsk State Technical University, 2009. – 20p.
- [5] Kirsanov, V.A. Scientific bases and principles for improvement of processes and devices for cascade pneumatic classification of bulk materials: abstract of dis. ... cand. tech. sciences: 05.17.08 / V.A. Kirsanov; Ivanovo State Chemical-Technological University, Ivanovo, 2005. – 36 p.
- [6] Ushakov, S.G. Inertial separation of dust / S.G. Ushakov, N.I. Zverev. – M.: Energy, 1974. – 168 p.
- [7] Kalinin, S.G. Development of methods for calculating the separation ability of aerodynamic classifiers of powders: abstract of dis. ... cand. tech. sciences: 05.17.08 / S.G. Kalinin; Ivanovo State Chemical-Technological University, Ivanovo, 2008. – 17 p.
- [8] Chyrkun D. I., Leudanski A. E., Volnenko A. A., Sarsenbekuly D. Study of the particle dynamics in impact-centrifugal mills // News of the National Academy of Sciences of the Republic of Kazakhstan. Series chemistry and technology. – 2018. Vol. 5, № 431. – P. 92-101. <https://doi.org/10.32014/2018.2518-1491.12>
- [9] Makarov, Yu.I. Apparatus for mixing bulk materials / Yu.I. Makarov. – M.: Mechanical engineering, 1973. – 251 p.
- [10] Berthiaux H., Dodds J.A. Modelling Classifier Networks by Markov Chains // Powder Technology. – 1999. – 105. – P. 266-273.
- [11] Mathematical model of gravitational classification based on the theory of Markov chains / V.P. Zhukov, V.E. Mizonov, H. Berthiaux, and others. // Bulletin of universities. Chemistry and chemical technology. – 2004. – V. 47, issue 1. – P. 125-127.
- [11] Egorov, O.A. Classification of bulk materials in apparatus with transfer shelves and process modeling: abstract of dis. ... cand. tech. sciences: 05.17.08 / O.A. Egorov; St. Petersburg State Technical University. – St. Petersburg, 2000. – 17 p.



- [11] Egorov, O.A. Classification of bulk materials in apparatus with transfer shelves and process modeling: abstract of dis. ... cand. tech. sciences: 05.17.08 / O.A. Egorov; St. Petersburg State Technical University. – St. Petersburg, 2000. – 17 p.
- [12] Shishkin S.F. Intensification of the process of gravitational pneumatic classification: Dis. ... cand. tech. sciences. Sverdlovsk, 1983. – 211 p.
- [13] Govorov A.V. Cascade and combined processes of fractionation of bulk materials: Dis. ... cand. tech. sciences. Sverdlovsk, 1986. – 284 p.
- [14] Avramenko M.I. On the  $k$ - $\epsilon$  turbulence model. Snezhinsk: Publishing house of RFNC – All-Russian Scientific Research Institute of Technical Physics, 2005. – 76 p.
- [16] Bashkin V.A., Egorov I.V. Numerical modeling of the dynamics of a viscous perfect gas. – M.: Fizmatlit, 2012. – 367 p.
- [17] Fundamental problems of modeling turbulent and two-phase flows. V. 2. Numerical modeling. – M.: Science, 2010. – 365 p.
- [18] Alyamovsky A.A. Solid Works 2007/2008. Computer modeling in engineering practice. St. Petersburg: BHV-Petersburg, 2008. – 1040 p.
- [19] Alyamovsky, A.A. Engineering calculations in SolidWorks Simulation / A.A. Alyamovsky. – 2nd edition. – Moscow: DMK Press, 2015. – 464 p.
- [20] Dyakonov, V.P. MATLAB. Full tutorial. – M.: DMK Press, 2012. – 768 p.



---



---

**МАЗМУНЫ-СОДЕРЖАНИЕ-CONTENTS**

Abishova A.S., Bokanova A.A., Kamardin A.I., Mataev U.M. , Meshcheryakova T.Y. DEVELOPMENT OF OPTIMAL CONDITIONS FOR OBTAINING OZONE FOR DECONTAMINATION OF WAREHOUSE AIR.....	6
Абсаметов Д.М., Рабат О.Ж., Байнатов Ж.Б., Жатканбаева Э.А., Тавшавадзе Б.Т. МЕТОДЫ РАСЧЕТА НАДЕЖНОСТИ КОНСТРУКЦИИ ОГРАЖДЕНИЯ ПОЛОС ВСТРЕЧНЫХ ДВИЖЕНИЙ ТРАНСПОРТА.....	12
N. Dolzhenko, E Mailyanova, I.Assilbekova, Z.Konakbay DESIGN FEATURES OF MODERN FLIGHT SIMULATION DEVICES, MOBILITY SYSTEMS AND VISUALIZATION SYSTEMS.....	17
Donenbaev B.S., Sherov K.T., Sikhimbayev M.R., Absadykov B.N., Karsakova N.Zh. USING ANSYS WB FOR OPTIMIZING PARAMETERS OF A TOOL FOR ROTARY FRICTION BORING.....	22
Dzhalalov G.I., Kunayeva G.E. Moldabayev G.Zh. FLUID INFLUX TO A BATTERY OF INCOMPLETE HORIZONTALLY BRANCHED WELLS IN DEFORMED FORMATION.....	29
Elman Kh. Iskandarov IMPROVING THE EFFICIENCY OF THE FUNCTIONING OF GAS PIPELINES, TAKING INTO ACCOUNT THE STRUCTURAL FEATURES OF GAS FLOWS.....	34
Zhantayev Zh.Sh., Zholtayev G.Zh., Iskakov B., Gaipova A. GEOMECHANICAL MODELING OF STRUCTURES OIL AND GAS FIELDS.....	40
Faiz N.S., Satayev M.I., Azimov A.M., Shapalov Sh.K., Turguldinova S.A. LOCAL MONITORING OF THE ENVIRONMENTAL SITUATION IN RESIDENTIAL AREAS WITH HIGH LEVELS OF ELECTROMAGNETIC RADIATION.....	46
Fitryane Lihawa, Ahmad Zainuri, Indriati Martha Patuti, Aang Panji Permana, I Gusti N.Y. Pradana THE ANALYSIS OF SLIDING SURFACE IN ALO WATERSHED, GORONTALO DISTRICT, INDONESIA.....	53
Kaliyeva N.A., Akbassova A.D., Ali Ozler Mehmet, Sainova G.A. ASSESSMENT OF LAND RESOURCE POTENTIAL AND SOLID WASTE RECYCLING METHODS.....	59
Kanayev A.T., Jaxymbetova M.A., Kossanova I.M. QUANTITATIVE ASSESSMENT OF THE YIELD STRESS OF FERRITE-PEARLITIC STEELS BY STRUCTURE PARAMETERS.....	65
Kostenko V., Zavialova O., Pozdieiev S., Kostenko T., Vinyukov A. SUBSTANTIATION OF DESIGN PARAMETERS OF COAL DUST EXPLOSION CONTAINMENT SYSTEM.....	72
Космбаева Г.Т., Аубакиров Е.А., Тастанова Л.К., Орынбасар Р.О., Уразаков К.Р. СИСТЕМЫ ОЦЕНКИ И УПРАВЛЕНИЯ РЕСУРСАМИ УГЛЕВОДОРОДОВ (PRMS).....	80
Kozbagarov R.A., Kamzanov N.S., Akhmetova Sh.D., Zhussupov K.A., Dainova Zh.Kh. IMPROVING THE METHODS OF MILLING GAUGE ON HIGHWAYS.....	87

Kozykeyeva A.T., Mustafayev Zh.S., Tastemirova B.E., Jozef Mosiej SPECIFIC FEATURES OF FLOW FORMATION AND WATER USE IN THE CATCHMENT AREAS IN THE TOBOL RIVER BASIN.....	94
Khizirova M.A., Chezhimbayeva K.S., Mukhamejanova A.D., Manbetova Zh.D., Ongar B. USING OF VIRTUAL PRIVATE NETWORK TECHNOLOGY FOR SIGNAL TRANSMISSION IN CORPORATE NETWORKS.....	100
Marynych I., Serdiuk O., Ruban S., Makarenko O. PRESENTATION OF CRUSHING AND GRINDING COMPLEX AS SYSTEM WITH DISTRIBUTED PARAMETERS FOR ADAPTIVE CONTROL OF ORE DRESSING PROCESSES.....	104
Novruzova S.G., Fariz Fikret Ahmed, E.V. Gadashova CAUSES AND ANALYSIS OF WATER ENCROACHMENT OF SOME OFFSHORE FIELDS PRODUCTS OF AZERBAIJAN.....	112
Rakhadilov B.K., Buitkenov D.B., Kowalewski P., Stepanova O.A., Kakimzhanov D. MODIFICATION OF COATINGS BASED ON Al <sub>2</sub> O <sub>3</sub> WITH CONCENTRATED ENERGY FLOWS.....	118
Tergemes K.T., Karassayeva A. R., Sagyndikova A. Zh, Orzhanova Zh.K., Shuvalova E STABILITY OF ANONLINEAR SYSTEM «FREQUENCY CONVERTER-ASYNCHRONOUS MOTOR».....	124
Chyrkun D., Levdanskiy A., Yarmolik S., Golubev V., Zhumadullayev D. INTEGRATED STUDY OF THE EFFICIENCY OF GRINDING MATERIAL IN AN IMPACT-CENTRIFUGAL MILL.....	129

---

---

**Publication Ethics and Publication Malpractice  
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

**[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)**

**<http://www.geolog-technical.kz/index.php/en/>**

**ISSN 2518-170X (Online),  
ISSN 2224-5278 (Print)**

Редакторы: *М. С. Ахметова, Р. Ж. Мрзабаева, Д. С. Аленов*  
Верстка на компьютере *В.С. Зикирбаева*

Подписано в печать 15.06.2021.  
Формат 60x881/8. Бумага офсетная. Печать – ризограф.  
4,6 п.л. Тираж 211. Заказ 3.

---

*Национальная академия наук РК  
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19*