

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

ГЕОЛОГИЯ ЖӘНЕ ТЕХНИКАЛЫҚ ҒЫЛЫМДАР
СЕРИЯСЫ



СЕРИЯ
ГЕОЛОГИИ И ТЕХНИЧЕСКИХ НАУК



SERIES
OF GEOLOGY AND TECHNICAL SCIENCES

6 (420)

ҚАРАША – ЖЕЛТОҚСАН 2016 ж.
НОЯБРЬ – ДЕКАБРЬ 2016 г.
NOVEMBER – DECEMBER 2016

ЖУРНАЛ 1940 ЖЫЛДАН ШЫҒА БАСТАҒАН
ЖУРНАЛ ИЗДАЕТСЯ С 1940 г.
THE JOURNAL WAS FOUNDED IN 1940.

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR

АЛМАТЫ, ҚР ҰҒА
АЛМАТЫ, НАН РК
ALMATY, NAS RK

Б а с р е д а к т о р ы

э. ғ. д., профессор, ҚР ҰҒА корреспондент-мүшесі

И.К. Бейсембетов

Р е д а к ц и я а л қ а с ы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., корр.-мүшесі (Қазақстан)
Абсадықов Б.Н. проф., корр.-мүшесі (Қазақстан)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қырғыстан)
Беспаев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., корр.-мүшесі (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.Х. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Кенжалиев Б.К. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Өмірсеріков М.Ш. проф., корр.-мүшесі (Қазақстан), бас ред. орынбасары
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2016

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор
д. э. н., профессор, член-корреспондент НАН РК
И. К. Бейсембетов

Редакционная коллегия:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., чл.-корр. (Казахстан)
Абсадыков Б.Н. проф., чл.-корр. (Казахстан)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., чл.-корр. (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.Х. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кенжалиев Б.К. проф. (Казахстан)
Кожаметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Омирсериков М.Ш. проф., чл.-корр. (Казахстан), зам. гл. ред.
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сеитов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2016

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, corresponding member of NAS RK

I. K. Beisembetov

E d i t o r i a l b o a r d:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., corr. member. (Kazakhstan)
Absadykov B.N. prof., corr. member. (Kazakhstan)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., corr. member. (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadjikistan)
Gravis R.M. prof. (USA)
Yergaliev G.Kh. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kenzhaliyev B.K. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Omiserikov M.Sh. prof., corr. member. (Kazakhstan), deputy editor in chief.
Ozdoyev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,

<http://nauka-nanrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2016

Editorial address: Institute of Geological Sciences named after K.I. Satpayev

69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

22 ноября 2016 года руководство Национальной Академии Наук РК, члены редакционной коллегии, авторы статей и читатели **журнала «Известия НАН РК. Серия геологии и технических наук»** были участниками значимого и радостного события – вручения вице-президентом корпорации Elsevier Джином Усси президенту Национальной Академии Наук РК М. Ж. Журинову сертификата корпорации Elsevier, подтверждающего включение нашего журнала в базу данных **Scopus**.

База данных **Scopus** является крупнейшей в Море универсальной реферативной базой данных с возможностями отслеживания научной цитируемости публикаций.

Включение нашего журнала в список **Scopus** свидетельствует о том, что он отвечает всем необходимым для этого критериям.

Научная общественность с особым удовлетворением отмечает, что первым казахстанским журналом, достигшим мирового уровня, стал журнал **«Известия НАН РК, серия геологии и технических наук»**, который начал издаваться в далеком 1940 году, а членами редакционной коллегии его были выдающиеся ученые геологи первого поколения казахстанской науки – К. И. Сатпаев, Н. Г. Кассин, И. И. Бок, Р. А. Борукаев, Е. Д. Шлыгин, Г. Ц. Медоев, У. М. Ахмедсафин и др.

Состоявшееся объективное признание высокого качества научной продукции нашего журнала вселяет надежду на дальнейший подъем нашей науки.



NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 6, Number 420 (2016), 95 – 101

UDK 665.6/7+ 691.322 + 625.7

N. A. Bektenov, E. E. Ergozhin, K. A. Sadykov, A. K. Baydullayeva

A. B. Bekturov Institute of Chemical Sciences JSC, Almaty, Kazakhstan.

E-mail: bekten_1954@list.ru

HIGH POTENTIAL CONSTRUCTION MATERIALS BASED ON PETROLEUM WASTES

Abstract. This article presents the description of production processes of soil-concrete mixtures using petroleum wastes (petroleum-contaminated soils). Physicochemical and mechanical properties of petroleum-contaminated soils and soil-concrete samples have been researched. These products can be used for construction of bottom and top beds of highway and airport foundations as well as for ground stabilization.

Key words: soil-concrete, petroleum wastes, petroleum-contaminated soils (PCS), road construction.

1. Introduction. The problem of disposal of petroleum wastes accumulated as a result of activities of oil and gas enterprises has become very important these days first of all because of increased production volumes of petroleum industry. Development of effective ways of utilization will make possible conversion of hazardous wastes into valuable and safe products. It is a known fact that the drilling of oil wells leads to a severe contamination of soil and ground water with drill cuttings containing hydrocarbons, heavy metals and polymers, and that spilling of oil during production is associated with negative occurrences leading to devastation of soil and petroleum contamination of massive land areas. Oil wastes and petroleum-contaminated soils cause significant damage to environment [1, 2].

The most promising way to solve these problems is development of new technologies able to reclaim environment by using wastes to enhance quality of construction products. The wastes contain water and components that can increase the quality or partially replace expensive bitumen in asphalt concrete. Petroleum-contaminated soil may be considered as non-expensive road construction material that can be used for construction of frost blankets of roads and sidewalks as well as soil stabilizer in oil pipeline construction.

Research literature these days pays considerable attention to the issue of the use of local raw materials in production of new versions of concrete and soil-concrete. It is a known fact that cheap material leads to a cheaper end product. In our research, according to the present requirements, use of local Kazakhstani raw materials and wastes in production of soil-concrete and cement concrete is very important matter. The research utilized petroleum-contaminated soil obtained from Zhanauzen oilfields, marble cuttings from Mangistau region, different slags, brick pieces, asbestos wastes, pieces of glass and industrial wastes from Khromtau in Aktobe region[3-5].

The purpose of the research is development of technology of production of soil-concrete mixtures based on available and affordable raw materials – petroleum industry wastes, examination of physicochemical properties to define the most promising areas of their practical use.

2. Materials and Methods. Soil-concrete was prepared in the following way: petroleum-contaminated soil 30-55% by mass was mixed with Portland cement (15% by mass), sand 25% by mass, lime 5% by mass, industrial-construction wastes 30% by mass (tiles, shells, bricks, marble) in a mixer. Then water was added and the mixture was mixed to make homogenous grout.

Then mixture was poured into a mould and compacted with a metal stick or vibrator, which can be used when the mixture had a liquid or semi-liquid consistency.

Q-1000/D MOM (Budapest) derivatograph designed by F. Paulik, J. Paulik and L. Erdey was used for thermal analysis of the tested sample. The data was collected in air environment at 20-1000°C, with dynamic heating mode ($dT/dt = 10$ degrees/min), calibration standard sample – heat-treated Al_2O_3 , weight of the sample – 100 mg, balance sensitivity – 500 μV . Measuring sensitivity of the instrument systems: DTA = 250 μV , DTG = 500 μV , T = 500 μV .

3. Results and Discussion. We researched the composition and structure of raw material (petroleum-contaminated soil) to be used for production of soil-concrete.

Physicochemical properties of petroleum-contaminated soil obtained from Zhanauzen were determined by the way of IR spectroscopy (Figure 1). 1250 cm^{-1} shows the presence of organic-silicon compounds $Si(CH_3)_3$.




Figure 1 – IR spectrum, Zhanauzen petroleum-contaminated soil

There are also absorption bands at 2952, 2891, 2859, 1459 cm^{-1} , associated with alkyl substituent's and CH_3 , CH_2 groups. Frequencies in the range of 3000 and 3022 cm^{-1} are typical for rich amines and amine salts ($-NH_4^+$). The bands at 3646.2 3573.0 cm^{-1} , are associated with free hydroxyl groups. Absorption spectrum at 1674 cm^{-1} is the same for α , β -unsaturated ketones.

There is absorption band spectrum at 1083.1 cm^{-1} , typical for sulphates (asymmetric valence vibrations). At the frequency of 1604 cm^{-1} there is a presence of $-COO^-$ carboxylates (asymmetric and symmetric valence vibrations C-O), at 1459 cm^{-1} – carbonates, at 1250 cm^{-1} – nitrites (NO_2), at 975 cm^{-1} – silicates and at 1016, 1083 cm^{-1} – phosphates and sulphates. In the range of 2859 cm^{-1} and 3060 cm^{-1} is typical for unsaturated alkenes and aromatic compounds (valence vibrations of methyl group). The bands in the range of 541, 605 cm^{-1} , relevant to the valence vibration of C-S link, which can point to the presence of sulfoxides and mercaptans and respective derivatives.

X-ray diffraction analysis of Zhanauzen petroleum-contaminated soil showed different minerals besides organic substances. Interpretation of X-ray diffraction analysis with the use of international reference materials showed such basic minerals as feldspars, serpentines, calcites.

Figure 2 shows that Zhanauzen petroleum-contaminated soil contains 30% of carbon atoms, 65% of oxygen atoms, mineral substance include 0.25-1.51% of magnesium, calcium, aluminum, silicon as salts and oxides.




Figure 2 – X-ray diffraction analysis and chemical composition of Zhanauzen petroleum-contaminated soil

Several samples of soil-concrete were prepared with the use of different construction wastes. Zhanauzen petroleum-contaminated soil was used along with construction wastes such as tiles, slags, bricks, shells, asbestos and glass pieces. Use of these materials in concrete production reduces the costs and helps in saving natural resources. The use and utilization of these wastes helps environmental protection. These concrete products can be used in road construction (sidewalks, highway beds) and in civil engineering.

Electron-microscopic analysis of the samples of soil-concrete was done with a scanning electron microscope (JEOL JSM – 6390 LV, JED 2300) and structural image was received at 10, 100 и 500 μm .

Figure 3 shows microstructure of the soil-concrete received with a scanning electronic microscope. It is possible to track the morphology of the soil-concrete surface using these pictures with different magnification of concrete particles.

Processing of the data defines the following:

1. Size of the particles from 20 to 400 μm
2. Particle structure – porous
3. Chemical composition, % by mass: carbon - 7.55; oxygen - 29.64; calcium-43.56; sodium - 0.33, aluminum - 2.15, magnesium - 0.70, sulphur - 2.99, silicon - 13.09 and small amount of phosphorous.

In the sample, in which the shells were used, the isolated isometric, sometimes oval pores were found (Figure 3). There are also few oval-shaped big pores (up to 40 μm) and isometric pores of “channel” type. It would seem that these pores are responsible for water adsorption.

Like all of tested soil-concrete samples, the sample with added glass pieces (Figure 4) has porous uneven structure with scarce inclusions of filler particles. Virtually ideal spherical shape of glass particles can be seen, which has a positive impact on physical and mechanical properties of composites. Glass pieces and fragments of big spheres can be also seen. Amorphous nature of glass bound by cement grout with mineral material provides strong structure resulting in better mechanical properties of soil-concrete.

In the samples with added ash and slag wastes, narrow slot-like pores as well as groups of connected irregular pores were found (Figure 5). There is also small quantity of isometric closed pores but they are relatively insignificant for the general structure porosity. Slot-like pores normally are bent, crescent-shaped but some straight pores can also be seen. Availability of small cells in the structure provides good insulating properties of concrete.

X-ray diffraction analysis of soil-concrete sample (Table 1) was done on D8 Advance (Bruker), $\alpha\text{-Cu}$, 40 kv tube voltage, 40 mA current. EVA software was used for processing of diffraction patterns and calculation of planar spacing. Search/match software was used for interpretation and phase searching based on PDF-2 powder diffractometric Database. The following minerals were defined.




Figure 3 – Electronic image and elemental composition of soil-concrete with added shells




Figure 4 – Electronic image and elemental composition of soil-concrete with added glass pieces




Figure 5 – Electronic image and elemental composition of soil-concrete with added ashes and slag wastes from Almaty Heat Power Plant

Table 1 – X-ray analysis of soil-concrete with petroleum-contaminated soil

№	Compound Name	Chemical formula	S-Q
1	Calcite	CaCO_3	31.6
2	Microcline	KAlSi_3O_8	20.2
3	Quartz, syn	SiO_2	13
4	Albite, ordered	$\text{NaAlSi}_3\text{O}_8$	12.7
5	Calcium Silicate	Ca_3SiO_5	12.1
6	Anhydrite	CaSO_4	4.7
7	Ettringite	$\text{Ca}_6(\text{Al}(\text{OH})_6)_2(\text{SO}_4)_3(\text{H}_2\text{O})_{26}$	1.7
8	Portlandite, syn	$\text{Ca}(\text{OH})_2$	1.7
9	Akermanite, magnesian, syn	$\text{Ca}_2(\text{Mg}_{0.75}\text{Al}_{0.25})(\text{Si}_{1.75}\text{Al}_{0.25}\text{O}_7)$	1.3
10	Lizardite-1M	$\text{Mg}_3(\text{Si}_2\text{O}_5(\text{OH})_4)$	1

Differential thermal and thermal gravimetric analysis resulted in definition of sample thermal behavior and it's elemental composition (Figure 6). Thermal chemistry parameters of the tested sample showed approximate resemblance to the composition and thermal chemical properties of standard concretes.

Interpretation of differential thermal and thermal gravimetric curves of tested sample showed (directly and indirectly) presence of siliceous rocks (quartz, feldspar, potassium feldspar), carbonate minerals (as calcite (14.7%) and magnesite (<1%) with the traces of iron oxides and calcite. Several links of molecular (H_2O) and hydroxyl (OH) water were found among above formations. As well as carbon dioxide in gaseous state resulting from dissociation of CaCO_3 .




Figure 6 – Thermogram of soil-concrete sample

Most of molecular and hydroxyl water ($\sim 90\%$) was added during the mixing of soil-concrete, and only a little portion of hydrates ($<10\%$) was the part of the components structure. The most illustrative fact proving water presence in the sample body would be prominent endothermic peaks on DTA and DTG curves found at 90 and 400°C , related to the discharge of $\Delta m_1 = 1.75(\text{H}_2\text{O})$ and $\Delta m_3 = 0.2(\text{OH})$ %, respectively.

Same curves in other temperature ranges do not provide adequate data on the presence of water in the system. Only thermal gravimetric curve (TG) at 220-375 and $430-575^{\circ}\text{C}$ recorded slight weight loss associated with the change of mass by $\Delta m_2 = 0.4(\text{OH})$ and $\Delta m_4 = 1/2 \cdot 0.5 (\text{OH})$ %.

The most intensive thermal reactions out of all registered during the test is the one in high temperature range. It was a result of calcium carbonate dissociation into CaO and CO_2 . At the range of $675-800^{\circ}\text{C}$ the system has the weight loss of $\Delta m_4 = 9.45\%$ in the form of CO_2 , leaving prominent peaks on DTA and DTG curves at 780°C . In accordance with stoichiometry of CaCO_3 and amount of lost carbon dioxide, the content of calcite in the sample is 14.7%.

There is also some (0.5%) magnesite found due to slight dip of DTG curve at $430-575^{\circ}\text{C}$. In this temperature range, the weight loss is 0.5%, 0.25% of which is due to CO_2 .

Presence of quartz and Si, Ca, Mg, Fe oxides was defined by blurred peak of polymorphic transformation $\alpha\text{-SiO}_2$ into β -version and by residual principle of decomposition products.

The test data (Table 2) showed good compressive strength of water saturated samples aged for 28 days equal to 5.52-3.05 MPa, tensile bending strength of 2.25-3.05 MPa.

Table 2 – Specification of soil-concrete based on petroleum-contaminated soil (PCS)

Composition, %									Compressive strength of water saturated samples aged for 28 days, MPa	Tensile bending strength of water saturated samples aged for 28 days, MPa
PCS	Cement	Sand	Lime	Shells	Slag	Bricks	Glass	Tiles		
55	15	25	5	–	–	–	–	–	5.52	2.65
30	15	25	–	30	–	–	–	–	7.45	3.02
30	15	25	–	–	30	–	–	–	7.43	2.98
30	15	25	–	–	–	30	–	–	6.66	2.36
30	15	25	–	–	–	–	30	–	7.12	2.25
30	15	25	–	–	–	–	–	30	7.83	3.05

4. Conclusion. Based on the above figures, one can conclude that soil-concrete mixtures have wide potential use. They can be used for bottom and top layers of highway and airport pavements, soil reinforcement during the construction of pipelines. Stabilization of industrial wastes with the help of cementing material increases opportunities of the use of soil-concrete, allowing vast stocks of widespread environment-threatening wastes to be utilized.

The work was designed by the Committee of Science of Kazakhstan.

The work was done by The Ministry of education and science of the Republic Kazakhstan project No. 1447/ГФ4 "Development of technology for dirt - asphalt mix for road construction" for the 2015–2016 year.

REFERENCES

- [1] Zhubandykova Zh.U. Development of the method of remediation of petroleum-contaminated soils using solar energy. Almaty, 2009. 150 p. (in Russ.).
- [2] Mansurov Z.A., Ongarbaev E.K., Tuleutaev B.K. Contamination of soil by crude oil and drilling muds. Use of wastes by production of road construction materials. Chemistry and technology of fuels and oils. 2001. Vol. 37, N 6. P. 441-443 (in Eng.).
- [3] Brekhman A.I., Khabibullina E.N., Ilyina O.N., Fomin A.Y., Trifonov A.A. Use of oil sludge in road construction in the Republic of Tatarstan. Collection of research papers "Today's scientific and technical problems in the field of civil engineering". Kazan: KazGASU, 2007. P. 161-162 (in Russ.).
- [4] Ahmet Tuncan, Mustafa Tuncan, Hakan Koyuncu. Use of petroleum-contaminated drilling wastes as sub-base material for road construction. Waste Management and Research. 2000. Vol. 18. P. 489-505 (in Eng.).
- [5] Mogawer W.S., Stuart K.D. Effects of fillers on properties of stone matrix asphalt mixtures. TRB. 1996. N 1530. P. 86-94 (in Eng.).

Н. А. Бектенов, Е. Е. Ергожин, К. А. Садыков, А. К. Байдуллаева

АО «Институт химических наук им. А. Б. Бектурова», Алматы, Казахстан

СПОСОБ ПОЛУЧЕНИЯ ПЕРСПЕКТИВНЫХ БЕТОННЫХ МАТЕРИАЛОВ НА ОСНОВЕ НЕФТЯНЫХ ОТХОДОВ

Аннотация. Описаны способы получения грунтобетонной смеси из нефтяных (замазученный грунт) и строительных отходов. Изучены физико-химические и механические свойства грунтобетонных образцов. Найден оптимальный состав грунтобетонной смеси и возможность применения ее в дорожном строительстве.

Ключевые слова: грунтобетон, нефтяные отходы, замазученный грунт (ЗМ), дорожное строительство.

Работа выполнена по проекту МОН РК №1447/ГФ4 «Разработка технологии получения грунто-асфальтобетонной смеси для дорожного строительства» за 2015–2016 г.

Н. А. Бектенов, Е. Е. Ергожин, К. А. Садыков, А. К. Байдуллаева

«Ә. Б. Бектуров атындағы химия ғылымдары институты АҚ», Алматы, Қазақстан

МҰНАЙ ҚАЛДЫҚТАРЫ НЕГІЗІНДЕГІ ПЕРСПЕКТИВТІ БЕТОНДЫ МАТЕРИАЛДАР АЛУ ӘДІСТЕРІ

Аннотация. Мақалада құрылыс және мұнай қалдықтарынан топырақбетонды қоспалар алу әдістері қарастырылды. Топырақбетонды үлгілердің физика-химиялық және механикалық қасиеттері зерттелді. Топырақбетонды қоспалардың оптималды құрамы және оның жол құрылысында қолданылу мүмкіндіктері табылды.

Тірек сөздер: топырақбетон, мұнай қалдықтары, ластанған топырақ, жол құрылысы.

Сведения об авторах:

Бектенов Несипхан Абжапарович – д.х.н., профессор, Главный научный сотрудник лабораторий ионообменных смол и мембран АО «Институт химических наук им. А.Б. Бектурова», e-mail: bekten_1954@mail.ru

Ергожин Едил Ергожаевич – д.х.н., профессор, академик НАН РК, Генеральный директор АО «Институт химических наук им. А.Б. Бектурова», e-mail: ics@nas.kz

Садыков Канат Амиркулович – магистр химии, младший научный сотрудник лабораторий ионообменных смол и мембран, АО «Институт химических наук им. А. Б. Бектурова», e-mail: kanat_sadykov_80@mail.ru

Байдуллаева Айнаш Кайратовна – магистр химии, инженер лабораторий ионообменных смол и мембран, АО «Институт химических наук им. А. Б. Бектурова», e-mail: ainasha.kz@list.ru

CONTENTS

Regional geology

<i>Stepanec V.G.</i> Geodynamic position of the Tekturmas accretionary prism ophiolites (Central Kazakhstan). Part 2.....	5
<i>Paragulgov H.H., Paragulgov T.H., Musina E.S.</i> The correlation of paleozooids of the East Ural, Tian Shan and West of Central Kazakhstan.....	21

Metallogeny, forecasts, perspectives

<i>Omirserikov M.Sh., Stepanenko N.I., Issaeva L.Zh., Asubayeva S.K.</i> Model construction of the Akmay field and its predictive values.....	32
<i>Omirserikov M.Sh., Kembayev M.K., Issayeva L.D., Dyussebayeva K.Sh., Slaby Ewa, Assubayeva S.K.</i> Mineralogy and structural model of the weathering crust of Kundybay deposit (North Kazakhstan).....	38

Oil and gas

<i>Azhgaliev D.K.</i> Forecast for gas and oil content of paleozoic complex of the Ustyurt-Bozashi region and Mangyshlak.....	50
---	----

Geophysics

<i>Shabalina L.A., Fazylov E.M., Musina E.S., Prikhodko D.E.</i> Deep structure and geodynamics of Syr Darya basin.....	63
---	----

Seismology

<i>Beloslyudtsev O.M., Uzbekov N.B., Bahareva L.T., Musaev E.M.</i> Analysis of low-frequency variations of the electromagnetic field.....	73
--	----

Hydrology

<i>Tursunova A.A., Saparova A.A.</i> Temporal fluctuations of water resources of South and South-East Kazakhstan.....	81
---	----

Ecology

<i>Khusnitdinova M.</i> Environmental protection measures for rational nature management in the border area of the kazakh-kyrgyz sector.....	89
--	----

Engineering sciences

<i>Bektenov N.A., Ergozhin E.E., Sadykov K.A., Baydullayeva A.K.</i> High potential construction materials based on petroleum wastes.....	95
<i>Genbach A.A., Olzhabaeva K.S.</i> Studies of internal boiling characteristics of the capillary-porous structures of power plants by high-speed cinematography and holography.....	102
<i>Nurpeisova M.B., Kurmanbaev O.S.</i> Laws of development of geomechanical processes in the rock mass Maykain mine.....	109
<i>Kopzhassaruly K.</i> Laws of development of geomechanical processes at the mine Akbakai.....	116
<i>Zhirnova O.V., Toigozhinova A.Zh., Imanbek B., Zhumabek S., Zhakhanov A., Sommer N.A., Kulakova E.A.</i> Suleimenov B.A. Diagnosis of combustion process biogas and gas power plants to reduce greenhouse gas emissions.....	123
<i>Bahtaev Sh., Toigozhinova A.Zh., Seytimbetov A.M., Zhirnova O.V., Tileubaeva A.A.</i> Development of automated installation for air ozonization in the working volume.....	136
<i>Seitmuratov A.Zh., Makhambayeva I.U., Medeubaev N.K.</i> Analysis of tensely of the deformed state of pedigree array near-by making.....	146
<i>Genbach A.A., Jamankulova N.O.</i> The limiting condition of capillary-porous structure under the single steam bubble.....	154
<i>Teltayev B.B., Amirbayev Y.D.</i> Evaluation of rheological characteristics for bitumen binders at different longivities of thermal condition.....	162
<i>Sarsenbayev Kh.A., Khamzina B.S., Koldassova G.A., Issayeva G.B.</i> The analysis of the research of reagents for simplification of solution density when carrying out layer development.....	173
<i>Kaldybaeva B.M., Khusanov A.E., Dmitriev E.A., Sabyrkhanov D.S., Abilmagzhanov A.Zh.</i> Modelling with simultaneous phase transfer chemisorption of hydrogen sulfide and carbon dioxide in the chemisorption apparatus.....	178
<i>Turebekova G.Z., Shapalov Sh., Sakibayeva S.A., Zharylkasyn P.M., Pusurmanova G.Zh., Sagitova G.F., Esentayeva K.N., Makhambetov M.Zh.</i> Application of oil industry wastes (sludges and sulfur) in rubber production.....	185

<i>Alzhanova A.Zh., Bitekova A.A., Suleimbek G.A., Dubinina E.S., Turebekova G.Z., Omashova G.Sh., Naukenova A.S., Shapalov Sh.K.</i> New raw materials for energy-efficient production technology of white Portland cement.....	190
--	-----

Anniversary

MUHAMETZHANOV Murat Abikenovich (<i>the 80-th anniversary</i>).....	195
Contents of the journal for 2016.....	209