

**ISSN 2518-170X (Online),  
ISSN 2224-5278 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

# Х А Б А Р Л А Р Ы

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Казахский национальный исследовательский  
технический университет им. К. И. Сатпаева

## NEWS

OF THE ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN  
Kazakh national research technical university  
named after K. I. Satpayev

### ГЕОЛОГИЯ ЖӘНЕ ТЕХНИКАЛЫҚ ҒЫЛЫМДАР СЕРИЯСЫ

### ◆ СЕРИЯ ГЕОЛОГИИ И ТЕХНИЧЕСКИХ НАУК

### ◆ SERIES OF GEOLOGY AND TECHNICAL SCIENCES

**2 (428)**

**НАУРЫЗ – СӘУІР 2018 ж.  
МАРТ – АПРЕЛЬ 2018 г.  
MARCH – APRIL 2018**

ЖУРНАЛ 1940 ЖЫЛДАН ШЫГА БАСТАФАН  
ЖУРНАЛ ИЗДАЕТСЯ С 1940 г.  
THE JOURNAL WAS FOUNDED IN 1940.

**ЖЫЛЫНА 6 РЕТ ШЫГАДЫ  
ВЫХОДИТ 6 РАЗ В ГОД  
PUBLISHED 6 TIMES A YEAR**

---

---

*NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.*

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Бас редакторы  
э. ф. д., профессор, КР ҮГА академигі  
**И.К. Бейсембетов**  
Бас редакторының орынбасары  
**Жолтаев Г.Ж.** проф., геол.-мин. ф. докторы  
Редакция алқасы:

**Абаканов Т.Д.** проф. (Қазақстан)  
**Абишева З.С.** проф., академик (Қазақстан)  
**Агабеков В.Е.** академик (Беларусь)  
**Алиев Т.** проф., академик (Әзірбайжан)  
**Бакиров А.Б.** проф., (Қыргыстан)  
**Беспаев Х.А.** проф. (Қазақстан)  
**Бишимбаев В.К.** проф., академик (Қазақстан)  
**Буктуков Н.С.** проф., академик (Қазақстан)  
**Булат А.Ф.** проф., академик (Украина)  
**Ганиев И.Н.** проф., академик (Тәжікстан)  
**Грэвис Р.М.** проф. (АҚШ)  
**Ерғалиев Г.К.** проф., академик (Қазақстан)  
**Жуков Н.М.** проф. (Қазақстан)  
**Кенжалиев Б.К.** проф. (Қазақстан)  
**Қожахметов С.М.** проф., академик (Казахстан)  
**Конторович А.Э.** проф., академик (Ресей)  
**Курскеев А.К.** проф., академик (Қазақстан)  
**Курчавов А.М.** проф., (Ресей)  
**Медеу А.Р.** проф., академик (Қазақстан)  
**Мұхамеджанов М.А.** проф., корр.-мүшесі (Қазақстан)  
**Нигматова С.А.** проф. (Қазақстан)  
**Оздоев С.М.** проф., академик (Қазақстан)  
**Постолатий В.** проф., академик (Молдова)  
**Ракишев Б.Р.** проф., академик (Қазақстан)  
**Сейтов Н.С.** проф., корр.-мүшесі (Қазақстан)  
**Сейтмуратова Э.Ю.** проф., корр.-мүшесі (Қазақстан)  
**Степанец В.Г.** проф., (Германия)  
**Хамфери Дж.Д.** проф. (АҚШ)  
**Штейнер М.** проф. (Германия)

«ҚР ҮГА Хабарлары. Геология мен техникалық ғылымдар сериясы».

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрагат комитетінде 30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылдан 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz/geology-technical.kz>

---

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖҚ, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р  
д. э. н., профессор, академик НАН РК

**И. К. Бейсембетов**

Заместитель главного редактора

**Жолтаев Г.Ж.** проф., доктор геол.-мин. наук

Р е д а к ц и о н а я к о л л е г и я:

**Абаканов Т.Д.** проф. (Казахстан)  
**Абишева З.С.** проф., академик (Казахстан)  
**Агабеков В.Е.** академик (Беларусь)  
**Алиев Т.** проф., академик (Азербайджан)  
**Бакиров А.Б.** проф., (Кыргызстан)  
**Беспаев Х.А.** проф. (Казахстан)  
**Бишимбаев В.К.** проф., академик (Казахстан)  
**Буктуков Н.С.** проф., академик (Казахстан)  
**Булат А.Ф.** проф., академик (Украина)  
**Ганиев И.Н.** проф., академик (Таджикистан)  
**Грэвис Р.М.** проф. (США)  
**Ергалиев Г.К.** проф., академик (Казахстан)  
**Жуков Н.М.** проф. (Казахстан)  
**Кенжалиев Б.К.** проф. (Казахстан)  
**Кожахметов С.М.** проф., академик (Казахстан)  
**Конторович А.Э.** проф., академик (Россия)  
**Курскеев А.К.** проф., академик (Казахстан)  
**Курчавов А.М.** проф., (Россия)  
**Медеу А.Р.** проф., академик (Казахстан)  
**Мухамеджанов М.А.** проф., чл.-корр. (Казахстан)  
**Нигматова С.А.** проф. (Казахстан)  
**Оздоев С.М.** проф., академик (Казахстан)  
**Постолатий В.** проф., академик (Молдова)  
**Ракишев Б.Р.** проф., академик (Казахстан)  
**Сейтов Н.С.** проф., чл.-корр. (Казахстан)  
**Сейтмуратова Э.Ю.** проф., чл.-корр. (Казахстан)  
**Степанец В.Г.** проф., (Германия)  
**Хамфери Дж.Д.** проф. (США)  
**Штейнер М.** проф. (Германия)

**«Известия НАН РК. Серия геологии и технических наук».**

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Собственник: Республикаинское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz/geology-technical.kz>

---

© Национальная академия наук Республики Казахстан, 2018

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief  
doctor of Economics, professor, academician of NAS RK

**I. K. Beisembetov**

Deputy editor in chief

**Zholtayev G.Zh.** prof., dr. geol-min. sc.

Editorial board:

**Abakanov T.D.** prof. (Kazakhstan)  
**Abisheva Z.S.** prof., academician (Kazakhstan)  
**Agabekov V.Ye.** academician (Belarus)  
**Aliyev T.** prof., academician (Azerbaijan)  
**Bakirov A.B.** prof., (Kyrgyzstan)  
**Bespayev Kh.A.** prof. (Kazakhstan)  
**Bishimbayev V.K.** prof., academician (Kazakhstan)  
**Buktukov N.S.** prof., academician (Kazakhstan)  
**Bulat A.F.** prof., academician (Ukraine)  
**Ganiyev I.N.** prof., academician (Tadzhikistan)  
**Gravis R.M.** prof. (USA)  
**Yergaliев G.K.** prof., academician (Kazakhstan)  
**Zhukov N.M.** prof. (Kazakhstan)  
**Kenzhaliyev B.K.** prof. (Kazakhstan)  
**Kozhakhetmetov S.M.** prof., academician (Kazakhstan)  
**Kontorovich A.Ye.** prof., academician (Russia)  
**Kurskeyev A.K.** prof., academician (Kazakhstan)  
**Kurchavov A.M.** prof., (Russia)  
**Medeu A.R.** prof., academician (Kazakhstan)  
**Muhamedzhanov M.A.** prof., corr. member. (Kazakhstan)  
**Nigmatova S.A.** prof. (Kazakhstan)  
**Ozdoyev S.M.** prof., academician (Kazakhstan)  
**Postolatii V.** prof., academician (Moldova)  
**Rakishev B.R.** prof., academician (Kazakhstan)  
**Seitov N.S.** prof., corr. member. (Kazakhstan)  
**Seitmuratova Ye.U.** prof., corr. member. (Kazakhstan)  
**Stepanets V.G.** prof., (Germany)  
**Humphery G.D.** prof. (USA)  
**Steiner M.** prof. (Germany)

**News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.**

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,  
<http://nauka-namrk.kz/geology-technical.kz>

---

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Editorial address: Institute of Geological Sciences named after K.I. Satpayev  
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

**N E W S**

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN  
**SERIES OF GEOLOGY AND TECHNICAL SCIENCES**

ISSN 2224-5278

Volume 2, Number 428 (2018), 167 – 171

UDK 66.01/.09

**B. T. Omarov, Sh. M. Moldabekov, K. T. Zhantasov,  
A. A. Bolysbek, O. P. Baiysbay, A. Zh. Suigenbayeva, K. A. Bekzhigitova,  
G. S. Kenzhibayeva, A. B. Tleuova, Sh. K. Shapalov**

South Kazakhstan State University named after M. O. Auezov, Shymkent, Kazakhstan.  
E-mail: bekjan\_aziz@mail.ru shermahan\_1984@mail.ru

## **STUDY OF THE YIELD OF HUMIC ACIDS IN A HYDRODYNAMIC ROTARY-PULSATING APPARATUS**

**Abstract.** In order to better understand what happens to the composition and structure of humic acids under the influence of hydrodynamic processing, we processed the same treatment under the most severe conditions: coals with a degree of crushing of 0-3 mm were treated in the HRPA with an alkali solution at S: L = 1: 4 at the ratio of 20% of alkali for total raw material, at temperature 70 °C and duration of one minute. After that, the chemical characteristics and fractional composition of the initial humic acids and processed in HRPA were established. The results showed that the effect of hydrodynamic forces leads to an increase in the content of carbon and hydroxyl groups in humic acids. The amount of total oxygen of the functional groups for humic acids of coals increase significantly and the oxygen content drops noticeably in an unaccounted form, which may occur due to rupture of ester bonds or of heterocycles.

**Keywords:** hydrodynamic rotary pulsation apparatus, pulp, humic acid, extraction, alkali, coal.

**Introduction.** The extraction of humic acids of different coals and transfer to the solution proceeds in different ways [1-5]. Quantitative extraction of humic acids are different as well depending on the alkaline reagent. Humic acids are most easily extracted by a caustic soda. The extraction with sodium carbonate and ammonium hydroxide changes in a different way. Humic acids of Karazhira coal (Kazakhstan deposits)and waste of Kyzylkiya Coal have the greatest reactivity to interaction with solutions of alkalis and ease of recovery.

One of the tasks of our work was the selection of raw materials for the production of humic acid salts for the national economy. From these positions, raw materials should contain not only a large amount of humic acids, but the latter must be easily extracted with alkali. As alkali, we used sodium hydroxide, a mixture of sodium hydroxide and sodium carbonate. The process of dissolution of humic acids in various solvents and alkalis is directly dependent on the content of acidic functional groups and in the reverse of the aromatic condensation [6, 7].

**Experimental part.** To intensify the process of extraction of humic acids by alkaline reagents, we applied a hydrodynamic rotary-pulsation apparatus. The apparatus includes a housing 1 with a suction pipe 2 and an unloading port 3, a conical rotor 5 is fixed to the shaft 4, and a stator 7 is mounted on the housing cover 6, which can move in the longitudinal direction. On the conical surfaces of the rotor and stator there are grooves 8 located along the generatrix.

The device works as follows. The pulp through the suction pipe gets into the zone of the first row of the rotor indentations, from which it is thrown into the stator grooves. Under the pressure of the following portions, the pulp from the stator enters the next row of rotor depressions, etc. Since the conical surface of the stator is pressed against the surface of the rotor by springs 9 and the recesses on them are made with an overlap of more than one, the pulp is subjected to intense pulsating action due to both hydraulic shocks and a high-gradient velocity field and accelerations with high shear stresses.

**Results and its discussion.** The process of extraction of humic acids from coals depends not only on the structural features of the latter, on the type of the extracting alkaline reagent, but also on the time of contact of the coal with the alkali solution, the process temperature, the concentration of the alkaline solutions used, the ratio of coal to the water-alkaline solution, and the degree of coal crushing. Investigation of the dependence of the rate of extraction of humic acids on the contact time and concentration of alkaline solutions revealed that after 30 minutes of interaction of Karazhira brown coal with a 20 % aqueous solution of sodium hydroxide at a ratio of 1: 1 and a temperature of 20 °C, only 61.3 % of humic acids, while at 95 °C – 80.5 % (table 1).

Table 1 – Dependence of the degree of extraction of humic acids on the temperature and concentration of alkali

Interaction temperature, °C	95						65			
Concentration of alkaline reagent, %	20		10		5		20		10	
Time of interaction, min	15	30	15	30	30	60	30	60	30	60
Has passed into a soluble state of humic acids, %	80,4	80,5	80,4	95,9	97,6	100	61,3	62,8	65,1	69,6

In a 10% solution of alkali, the transition of humic acids into a solution at 30 minutes interaction increases from 65.1 to 95.9%, and in a 5% solution of alkali at 95 °C for 30 minutes, the extraction of humic acids is almost complete and is equal to 97, 6%. From this it follows that the recovery of humic acids strongly depends on the temperature and the ratio S:L.

Treatment of coal with a 40% sodium hydroxide solution in an amount of 20% with respect to dry coal does not lead to a complete transition of humic acids to sodium humates. The reason for this is incomplete wetting of the ratio S:L.

When considering the degree of extraction of humic acids as a function of the S: L ratio (table 2), it can be seen that an increase in the latter results in a decrease in the yield of acids in the solution. So by treatment with a solution of alkali and a single wash with water from Karazhira coal at a ratio of S: L = 1:7, humic acids are recovered by 100%, at S:L = 1:4 only by 96 %. In the same sequence, the extraction of humic acids from other coals also takes place.

Table 2 – The degree of extraction of humic acids  
as a function of the concentration of the alkali solution and the ratio of S:L at 80 °C

Humic acids from coals of Kazakhstan deposits	Humic acids extracted % at:								
	The treatment with 3% solution of NaOH (S:L = 1:7)	Rinsing the sediment with water			Treatment with 5% NaOH (S: L = 1:4)	Rinsing the sediment with water			
		1st	2nd	3rd		1st	2nd	3rd	
Karazhyra	38,3	35,8	19,5	6,4	35,1	34,6	20,3	10,0	
Kumertau	85,0	15,0	–*	–	78,0	18,0	4,0	–	
Kyzylkiya	70,5	26,9	2,6	–	64,9	25,1	10,0	–	

\* «→» means absence.

The processing of coals in the hydrodynamic rotary-pulsating apparatus (HRPA) greatly accelerates the process of extraction of humic acids from them. Coals and waste products of briquette production with a degree of crushing of 0-3 mm were processed in the HRPA alkaline solution at S:L = 1: 4 at the rate of 20% of alkali for the total amount of raw materials. The suspension was separated into an insoluble residue and a solution of humates by centrifugation. Table 3 shows the results of treating an alkaline suspension of various coals in HRPA at 25 °C.

As we see, when processing coal with a solution of sodium hydroxide in HRPA, the process of recovery of humic acids takes place in a few seconds. The most easily interact with alkali with complete recovery of humic acids Kumertau coals and waste from Kumertau briquette factory.

Karazhyra coals under mechanical destruction behave somewhat differently. After treatment in a hydrodynamic apparatus 3-5 sec. at 25 °C, humic acids pass into a soluble state only by 50% of the total

Table 3 – Yield of humic acids after treatment of the suspension in HRPA

Type of coal	The content of humic acids in the feedstock, %	Processing time in HRPA, sec	Humic acids are extracted, % of their content in raw materials
Karazhyra deposit	52,2	10	92,4
Kyzylkiya deposit	40,1	5	100,0
Kumertau deposit	63,1	3	100,0
Wastes from the Kumertau briquette factory	58,9	3	100,0

content in coal, and at 70 °C the process accelerates and the solution passes at the same time 92.4%, and in 10 seconds. - almost completely (98.7%).

Further, the influence of the temperature and the type of alkaline reagent on the degree of extraction of humic acids at a 10-second exposure was established during the processing of Kyzylkiya coal in the HRPA (table 4).

Table 4 – Yield of humic acids from Kyzylkiya coal when treated with alkali in GRPA

Alkalies	Processing temperature, °C	The yield of humic acids, %	
		From coal	From their general content
NaOH	25	51,2	89
NaOH	70	59,0	97
Na <sub>2</sub> CO <sub>3</sub>	25	32,0	74
Na <sub>2</sub> CO <sub>3</sub>	70	39,9	79
NaOH : Na <sub>2</sub> CO <sub>3</sub> = 1:1	25	46,0	91
NaOH : Na <sub>2</sub> CO <sub>3</sub> = 1:1	70	50,0	96

From the data given, it can be seen that the yield of humic acids depends strongly on the type of alkaline reagent and, to a lesser extent, on the temperature. When processing coal in GRP due to degradation of molecules of coal matter, the yield of humic acids increases by 19-37% in the case of sodium hydroxide and by 7-16% in the case of a mixture of carbonate, in comparison with extraction according to standard GOST 9517-76.

Carbonate does not allow complete recovery of humic acids from Kyzylkiya coal even when heated.

We established the dependence of the extraction of humic acids on the treatment time in the HRPA and the degree of approach of the rotor to the stator (table 5).

With an increase in the duration of treatment of the carbon-alkaline suspension in GRPA, the yield of humic acids slightly increases. It also depends on the degree of rendezvous of the disks. With carbonate

Table 5 – Yield of humic acids with a different gap between the rotor and the stator GRPA

The dispersion time and the degree of approach of the disks	Type of alkali	Temperature, °C	Yield of humic acids, %
Source coal	NaOH		38,3
3 seconds, average	NaOH	25	51,2
3 seconds, maximum	NaOH	70	58,1
15 seconds, maximum	NaOH	70	60,0
3 seconds, average	NaOH : Na <sub>2</sub> CO <sub>3</sub> = 1 : 1	70	50,0
	NaOH : Na <sub>2</sub> CO <sub>3</sub> = 2 : 1	70	49,2
	NaOH : Na <sub>2</sub> CO <sub>3</sub> = 3 : 1	70	46,2
3 seconds, maximum	Na <sub>2</sub> CO <sub>3</sub>	70	33,9
15 seconds, maximum	Na <sub>2</sub> CO <sub>3</sub>	25	32,0

extraction of cycles is not reflected in the output of humic acids. The increase in the content of caustic soda in a mixture with carbonate more than 1: 1 does not increase the yield of humic acids.

**Conclusions.** Processing of coals in the hydrodynamic rotary-pulsating apparatus greatly accelerates the process of extraction of humic acids. When processing coal with a solution of sodium hydroxide in HRPA, the process of recovery of humic acids takes place in a few seconds.

The yield of humic acids depends strongly on the type of alkaline reagent and, to a lesser extent, on the temperature.

When processing coal in HRPA due to degradation of molecules of coal matter, the yield of humic acids increases by 19-37% in the case of sodium hydroxide and by 7-16% in the case of a mixture of carbonate, in comparison with extraction according to GOST 9517-76 standard.

The effect of hydrodynamic forces leads to an increase in the content of carbon and hydroxyl groups in humic acids. The amount of total oxygen of the functional groups for humic acids of coals will increase significantly and the oxygen content will drop noticeably in an unaccounted form, which may occur due to rupture of ester bonds or heterocycles.

#### REFERENCES

- [1] Rosa S.D., Silva C.A., Maluf H.J.G.M. Humic acid-phosphate fertilizer interaction and extractable phosphorus in soils of contrasting texture Revista Ciéncia Agronómica 2018, 49(1), 32-42.
- [2] Pettit R.E. Organic matter, humus, humate, humic acid, fulvic acid and humin: their importance in soil fertility and plant health CTI Research. 2004.
- [3] Cimrin K.M., Yilmaz I. Humic acid applications to lettuce do not improve yield but do improve phosphorus availability Acta Agriculturae Scandinavica, Section B – Soil & PlantScience. 2005, 55, 58-63.
- [4] Datta A., Sanyal S., Saha S. A study on natural and synthetic humic acids and their complexing ability towards cadmium Plant and Soil 2001, 235, 115–125.
- [5] Singhal R.N., Kumar P. Electron Microscopic study of soil humic acids. J. Indian Soc. Soil. Sci. 1992, 40, 556–558.
- [6] Senesi N., Loffredo E., Padovano G. Effects of humic acid-herbicide interactions on the growth of *Pisum sativum* in nutrient solution. Plant Soil 1990, 127, 41–47.
- [7] Chen K.L., Elimelech M. Influence of humic acid on the aggregation kinetics of fullerene (C60) nanoparticles in monovalent and divalent electrolyte solutions Journal of Colloid and Interface Science, 2007, 309(1), 126-134.
- [8] Generalization and systematization of production and technical reports on concerns, associations and independent enterprises of the coal industry 1992. M.: Tsnieugol, 1993. Vol. 1. 111 p.
- [9] Kovaleva K.B., Soloveva E.A. Application of natural coals to solve environmental problems // Sb. Ecological problems of mining. M., 1993. P. 149-151.
- [10] Mastering of enrichment technology and equipment for wet-free grinding of Ingulets oremines. Cipher t.2-69, Arch. # 1134I / Mechanobrchermet; Nitsenko V.I. and others. Krivoy Rog, 1969.
- [11] Kovaleva B.B., Solovieva E.A. Use of natural coals to solve environmental problems // Sat. Ecological problems of mining. M., 1993. P. 149-157.
- [12] Pozin M.E. Technology of mineral salts (fertilizers, pesticides, industrial salts, oxides and acids). Part I, II ed. 4 rev. L.: publishing house Chemistry, 1974. 275 p.
- [13] Eleshev R.E. Questions of perfection of methodology of agrochemical researches in the light of ecologization and biologization of modern agriculture // Sb. "The strategy of scientific provision of agroindustrial complex in the fields of agriculture, plant growing and horticulture: reality and prospects". Almaty, 2004. Book 2.
- [14] Fisher I.E., Filonov V.M. Some results of agrochemical soil survey // Sb. "Status and Prospects for the Development of Soil Science". Almaty, 2005. Book 2.
- [15] Bekturganov A.E., Eleshev R.E., Saparov A.S. The concept of production and application of mineral fertilizers in the Republic of Kazakhstan. Taraz, 2002. 17 p.
- [16] Osnovnyye itogi realizatsii Gosudarstvennoy agropredpol'stvennoy programmy Respublikи Kazakhstan na 2003–2005 gg. // Materialy Ministerstva sel'skogo khozyaystva RK. 2005. 100 p.

**Т. Б. Омаров, Ш. М. Молдабеков, К. Т. Жантасов, А. А. Болысбек, О. П. Байысбай,  
А. Ж. Суйгенбаева, К. А. Бекжигитова, С. Г. Кенжебаева, А. Б. Тлеуова, Ш. К. Шапалов**

М. Әуезов атындағы Оңтүстік Қазақстан мемлекеттік университеті, Шымкент, Қазақстан

### **ГИДРОДИНАМИКАЛЫҚ РОТАЦИЯЛЫҚ-ПУЛЬСАЦИОНДЫҚ ҚОНДЫРҒЫЛАРДА ГУМИН ҚЫШҚЫЛДЫНЫҢ ШЫҒЫМЫН ЗЕРТТЕУ**

**Аннотация.** Гидродинамикалық өндөрдің әсерінен гумин қышқылдарының құрамы мен құрылымы қандай болатындығын дұрыс анықтау үшін, біз сол өндөрді аса қатаң жағдайда жүргіздік: ұнтақталуы дәрежесі 0-3 мм көмірлер ұзақтығы бір минут аралығында 70°С температурада шикізаттың жалпы мөлшеріне 20% сілті есебінде K:C = 1:4 кезінде сілті ертінідісімен ГРПА да өнделді. Содан кейін бастапқы және ГРПА-да өнделген гумин қышқылдарының химиялық сипаттамасы және фракциялық құрамы анықталды.

Алғынған нәтижелер, гидродинамикалық әсер гумин қышқылдарында көміртегі және гидроксил топтарының құрамының артуына алып келетіндігін көрсетті. Көмірлердің гумин қышқылдары үшін функционалды топтарда жиынтық оттегі мөлшері айтарлықтай артады және есептеле меген формадағы оттегі құрамы төмендейді, бұл әфирлі байланыстардың үзілуі немесе гетероциклдердің есебінен болуы мүмкін.

**Түйін сөздер:** гидродинамикалық айналмалы пульсация аппараты, пульпа, гумин қышқылы, экстракция, сілтілі, көмір.

**Т. Б. Омаров, Ш. М. Молдабеков, К. Т. Жантасов, А. А. Болысбек, О. П. Байысбай,  
А. Ж. Суйгенбаева, К. А. Бекжигитова, С. Г. Кенжебаева, А. Б. Тлеуова, Ш.К. Шапалов**

Южно-Казахстанский государственный университет им. М. О. Ауэзова, Шымкент, Казахстан

### **ИССЛЕДОВАНИЕ ВЫХОДА ГУМИНОВЫХ КИСЛОТ В ГИДРОДИНАМИЧЕСКОМ РОТОРНО-ПУЛЬСАЦИОННОМ АППАРАТЕ**

**Аннотация.** Для того, чтобы лучше разобраться что же все таки происходит с составом и структурой гуминовых кислот под влиянием гидродинамической обработки, мы ту самую обработку провели в наиболее жестких условиях: угли со степенью дробления 0-3 мм обрабатывались в ГРПА раствором щелочи при T:Ж = 1:4 из расчета 20% щелочи на общее количество сырья, температуре 70°С и продолжительности одна минута. После этого устанавливалась химическая характеристика и фракционный состав исходных и обработанных в ГРПА гуминовых кислот.

Результаты показали, что воздействие гидродинамических усилий приводит к повышению содержания углерода и гидроксильных групп в гуминовых кислотах. Значительно увеличивается количество суммарного кислорода функциональных групп для гуминовых кислот углей и заметно снижается содержание кислорода в неучтённой форме, которое возможно происходит за счет разрыва эфирных связей или гетероциклов.

**Ключевые слова:** гидродинамический роторный пульсационный аппарат, пульпа, гуминовая кислота, экстракция, щелочь, уголь.

**Publication Ethics and Publication Malpractice  
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz

**ISSN 2518-170X (Online), ISSN 2224-5278 (Print)**

<http://geolog-technical.kz/index.php/kz/>

Верстка Д. Н. Калкабековой

Подписано в печать 02.04.2018.  
Формат 70x881/8. Бумага офсетная. Печать – ризограф.  
16,9 п.л. Тираж 300. Заказ 2.