

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казакский национальный исследовательский
технический университет им. К. И. Сатпаева

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Kazakh national research technical university
named after K. I. Satpayev

ГЕОЛОГИЯ ЖӘНЕ ТЕХНИКАЛЫҚ ҒЫЛЫМДАР СЕРИЯСЫ



СЕРИЯ ГЕОЛОГИИ И ТЕХНИЧЕСКИХ НАУК



SERIES OF GEOLOGY AND TECHNICAL SCIENCES

2 (428)

НАУРЫЗ – СӘУІР 2018 ж.
МАРТ – АПРЕЛЬ 2018 г.
MARCH – APRIL 2018

ЖУРНАЛ 1940 ЖЫЛДАН ШЫҒА БАСТАҒАН
ЖУРНАЛ ИЗДАЕТСЯ С 1940 г.
THE JOURNAL WAS FOUNDED IN 1940.

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Б а с р е д а к т о р ы
э. ғ. д., профессор, ҚР ҰҒА академигі

И.К. Бейсембетов

Бас редакторының орынбасары

Жолтаев Г.Ж. проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қырғыстан)
Беспәев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Кенжалиев Б.К. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Редакционная коллегия:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаяев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кенжалиев Б.К. проф. (Казахстан)
Кожаметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сейтов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2018

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

E d i t o r i a l b o a r d:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadjikistan)
Gravis R.M. prof. (USA)
Yergaliev G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kenzhaliyev B.K. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 2, Number 428 (2018), 72 – 80

UDC 622.24

A. Sudakov¹, A. Dreus², B. Ratov³, D. Delikesheva³

¹State Higher Educational Institution “National Mining University”, Dnipro, Ukraine,

²Oles Honchar, National University, Dnipro, Ukraine,

³Satbayev Kazakh National Research Technical University, Almaty, Kazakhstan.

E-mail: sudakovy@ukr.net; dreus.a@dnu.dp.ua; ratov.bt@gmail.com

**THEORETICAL BASES OF ISOLATION TECHNOLOGY
FOR SWALLOWING HORIZONS USING
THERMOPLASTIC MATERIALS**

Abstract. The aim of the paper is to develop a general concept of a computational experiment for processes of heat-and-mass-transfer while eliminating the swallowing of washing liquid in a borehole using thermoplastic materials melts. Problems are set from the point of view of physics and mathematics. The general concept of the computational experiment is considered under theoretical modeling of processes of heat-and-mass-transfer in the elimination of washing liquid swallowing in a borehole. Theoretical foundations of swallowing horizons isolation using melts are developed, with an algorithm to make a software system allowing to calculate the heat-and-mass-transfer processes in a wide range of conditions. Practical value of the findings lies in the development of isolation technique for swallowing and unstable horizons, which requires the following technological operations: delivery of granulated thermoplastic material to the borehole bottom, local heating of the washing liquid, melting and squeezing of the thermoplastic material melt into the swallowing channels.

Keywords: drilling of the hole, swallowing horizon, thermoplastic materials, heat-and-mass-transfer.

Introduction. Technical-economic indicators of borehole drilling are mainly determined by time and costs spent on trouble-shooting. One of the most frequent troubles is swallowing of washing liquid. According to statistics, up to 20% of all the time and costs spent on borehole drilling are used to eliminate this problem. Swallowing leads to disturbances of process conditions of drilling, resulting in accidents.

Many researchers studied the formulation of washing liquids, plugging materials and methods to eliminate the swallowing of washing liquid. These studies were analyzed previously [1, 2].

The analysis shows that presently there are a number of various methods and materials used to eliminate and prevent the swallowing of washing liquid.

The swallowing of washing liquid can be prevented through regulation of washing liquid properties and reduction of pressure differential in the swallowing horizon [3, 4], whereas these methods are in a sense limited in applicability and in most cases are inefficient.

In the majority of cases, elimination of swallowing is fulfilled by plugging of channels swallowing the washing liquid by hardening or nonhardening plugging mixtures by means of creating a waterproof screen in the rock around the borehole. As a rule, to eliminate the swallowing of washing liquid, the used plugging materials are not sufficiently effective, being water-based and containing a mineral-cementing component or synthetic substances [4]. The main drawback of these materials is that they are very sensitive to water dilution – the solutions are easily mixed with washing liquid and stratal waters, especially in case of inter-reservoir communication. This results in dilution, sedimentation of plugging mixtures which leads to increased setting-up time, spreading across considerable area around the borehole, and as a consequence, to the overuse of plugging materials, and repeated plugging operations.

The above conclusions are confirmed in the findings provided in the research by Rafienko I.I., Titkov I.I., Mekhtiev E.H., Ivachev L.M. [1]. Ivachev L.M. points out in his paper that hardening plugging

materials have an ultimate strength of plugging stone compared to the strength of permeable zone rocks, which results in effective swallowing elimination by plugging swallowing channels within the radius of dozens of centimeters or even centimeters.

To solve this problem, it is necessary to search for new methods based on different physical processes and alternative plugging materials that are water-insensitive. This includes the methods of isolation casing based on the use of aggregate state of the plugging material allowing to create an isolating casing around the borehole, which would be of low volume, durable and impermeable. This is why it is essential to develop an innovative method of swallowing horizons isolation, which would be based on the filling of swallowing channels with the fusible material melt.

Problem statement. In connection with this, plugging materials based on thermoplastic materials are of certain interest.

At the National Mining University (Dnipro city, Ukraine), the Department of Prospecting Methods of Mineral Deposits has conducted works on the development of non-traditional methods of plugging swallowing horizons. The developed methods allow to create low-volume impermeable membranes with the use of non-traditional plugging thermoplastic materials [5, 6] with low melting temperature, which easily invades into swallowing channels of washing liquid and solidifies there.

The rationale of the method lies in the creation of isolating membrane around the borehole (mine working) that is based on the change of aggregate state of the plugging thermoplastic materials non subject to dilution with ground waters, with a low melting point. Its melt permeates to the channels swallowing the washing liquid and solidifies there, thus creating low-volume reliable impermeable isolation membrane around the borehole.

Until now, only petroleum bitumen was used as a thermoplastic material. Among the main disadvantages of bitumen as a plugging material is its property of running down with time: under changing pressure of 0.3–0.5 MPa it can run down even at the temperature of +15°C. Bitumen melt density is close to water density, thus in the washing liquid medium it can split and float. Bitumen is hard to drill out, and therefore it can clog a drilling tool. It is also known to have cancerogenic properties and adverse effect on the environment. Thus, resulting from these and other disadvantages, bitumen is not widely used as a plugging material.

Plugging materials used for swallowing horizons isolation should not shrink or crack when solidify, nor should they flow in cracks; they must have good adhesion with rock, as well as be water-insensitive and resistant to pressure changes. In addition, these materials must be one-component, be processible when delivered to the plugging zone, be easily drilled and washed from the drilling tool, and have a greater density than that of cleansing agent.

The analysis of previous research on the use of sulphur as permeant and binding material, as well as the study of its physical and mechanical properties, confirmed its potential applicability as a plugging material for isolation of swallowing horizons of boreholes.

Solid sulphur is chemically inert and is not affected to aggressive water. Sulphur is easily drilled and doesn't stick to the drilling tool. Storage stability of granulated sulphur doesn't affect its physical and mechanical properties. The cost of sulphur is comparable to the cost of concrete and is far lower than the cost of synthetic resins and bitumen. Thanks to the low melt viscosity of both pure sulphur and sulphur with plasticizing agent additives, it can easily penetrate into rock with insignificant crack opening displacement. The strength of plugging stone obtained after sulphur melt cooling is comparable to the strength of concrete stone, while in the early stage of solidification, the strength of sulphur is a sequence higher than that of concrete stone under uniaxial compression. The melting temperature of plugging thermoplastic material can be adjusted by the introduction of plasticizing agents [6].

Statement of the main material. The aim of the article is to consider theoretical basis of swallowing horizons isolation with the use of melts to build algorithms, to create a software package and methods allowing the computer-aided calculation of processes of heat-and-mass-transfer in a wide range of conditions.

A distinctive feature of this method is that thermoplastic material with low melting point is delivered to the trouble zone in the solid state, where it is melted to the liquid state by the bottom-hole heat source. At this, washing liquid in the borehole in the swallowing zone must be heated to the temperature higher than the melting point of the thermoplastic material. Possible ways of implementation of this method are presented in table.

Method of swallowing horizons isolation with thermoplastic materials

Process steps	Possible ways of performing the operations
Heating of bottom-hole area	Fire
	Chemical
	Bottom-hole cabled electrical heater
Delivery of plugging material to the bottom hole	Along the borehole
	Along the pipe string
	In a container
Melting	By means of washing liquid heat
	By contact method
	In a container
Squeezing of the plugging material melt	Under the excess density of the melt
	By increasing the fluid column in the borehole
	By injection of fluid through sealed drill hole collar

Thus, to realize the offered method, it is necessary to fulfill the following technological operations: delivery of the granulated thermoplastic material to the bottom-hole, local heating of the washing liquid in the area surrounding the borehole, melting and squeezing the melt of thermoplastic materials in the swallowing channels.

To heat thermoplastic material, one of the schemes of the offered method involves washing liquid in the borehole as a heat-transfer medium [6]. The heating of washing liquid in the borehole is realized by the bottom-hole electric heater in the same way as in electrothermal oil well treatment. To solve the practical problems in calculation of the time needed for the heating of washing liquid and thermoplastic material, temperature field, the radius of isolation membrane around the borehole and so on, it is necessary to study the processes of heat-and-mass-transfer in the swallowing horizon area.

Analytical studies of these processes can currently be conducted by means of computer-aided numerical modeling. This approach is also significant because the experimental study of these processes in the laboratory or field conditions is very complicated and expensive and in some cases impossible [7, 8].

Theoretical methods of study of heat transfer processes in the wells were developed by M. A. Pudovkin, A. N. Salamatin and V. A. Chugunov. Proposed mathematical models allow to determine temperature fields in the surrounding borehole rock taking to account heat exchange of the rock and fluid flow in the well. There are some examples of heat transfer problems in drilling engineering.

The work [9] is devoted to the study of temperature fields in existing producing wells, the mathematical formulation which leads to the necessity of solving the pair of equations of convective heat conduction with sources. To construct the exact solutions to such problems is possible only in rather simple cases. In this paper based on modified asymptotic method, the solution is reduced to the chain of boundary-value problems for the coefficients of the asymptotic expansion, which in the space of Laplace-Carson reduced to a sequence of ordinary differential equations. Unlike previous works of the authors, where the originals were built only for small and large times, in this work the construction of the originals is carried out numerically, which will significantly clarify the description of the temperature field in the borehole.

A general concept of computing experiment in theoretical modeling of processes of heat and mass transfer in the elimination of absorption of washing liquid in the well is developed. The theoretical foundations of the isolation of absorptive horizons using melts with the construction of an algorithm for creating a complex process of calculating the heat and mass transfer program with the use of computers in a wide range of conditions[10].

The mathematical model of heat transfer processes in cryogenic gravel filter was developed in work [11]. This model including a system of differential equations describing heat and mass transfer processes which take place during the technological operations. Propose model was used in work [12] to determinate several important parameters of technological operations when cryogenical gravel filters are applied.

The energy prediction theory of zonal capsulation parameters research of mine workings is developed which allows studying shapes, sizes, quantity and conditions of formation of energy zones and borders of possible destruction of the massif. Power dependences are established as to changing the sizes of adjacent

power zones whose ratio is a constant from the sizes and shape, depth of laying and physical properties of massif containing mine working. The thermodynamic theory of massif that is not disturbed by workings is improved by means of considering the processes of geo-energy streams redistribution and entropy exchanging with allocation into undisturbed massif in a separate entropy method of research. Further development of the sinusoidal-fading dependence of auto-wave fluctuations of stresses in massif that broken by mine workings from gradients of density, temperature, gas and water saturation of rocks is given [13].

The paper considers the new technology plugging wells walls using freezing rock. The scheme of this technology is presented herein. It needed the investigation of temperature state of well surrounding rock massive to definite the rational parameters of the freeze impact. A mathematical model of heat transfer processes in rock massive under refrigerant impact was proposed. An approximate analytical method of calculation of temperature fields in the rock was developed. The research of the dynamics of rock temperature was conducted [14].

The novelty analysis of the thermal stressed condition of the rock formation was carried out along with grounding of the possibility to employ the thermal cycle effect to enhance the efficiency of rock decomposition in the course of the core drilling using diamond bits. For the first time ever the characteristics of thermal decomposition of rock formation were determined as follows: minimum dimensions of fractures and the minimum delay time of decomposition commencing; the evaluation of rock formation strength reduction for the diamond core drilling process. The study revealed that the technique of pulse supply of the drilling fluid stipulates for notable reduction of energy consumption of the rock formation decomposition process [15].

The ratio of zones vertical and horizontal semiaxes in the massif has been established and reliability of the obtained results was determined. The prospects of new modeling techniques for the study of massif zonal structuring parameters around underground workings have been identified. The opportunities for wide application of numerical simulation methods to study the phenomenon of zonal encapsulation by the massif of underground workings have been revealed. The sizes and shapes of zones in the massif around workings were determined and requirements were formulated stating that synergetic research methods should allow to more accurately determine the number, size and shape of zones, as well as fading sinusoidal stress and massif strain domains [16].

According to the offered method of swallowing horizons isolation using thermoplastic materials, the washing liquid is offered to be used as heat transfer medium heated by bottom-hole electric heater. The heating temperature of this heat transfer medium must be higher than the melting point of the thermoplastic material [10, 17].

In this case, with the given power of the electric heater, the problem boils down to the calculation of the necessary amount of operating time and temperature field in the trouble zone of the borehole.

Heat transfer from the stationary source located in the borehole is done through heat transfer and convection. It is taken into account that from the cylindrical heater with constant power, along with radial heat distributor, the heat is also dissipated into the roof and floor of the swallowing horizon. The strata is considered to be homogenous isotropic medium, heat constants of the strata of overburden and underlying bedrock are considered to be equal.

The heating of the heat transfer medium, in our case it is water, along with the big contact area results in an intensive thermal exchange between the water and the strata.

Suppose the radius of the source equals the radius of the borehole, and the axes of the source coincide with the axes of the borehole. Let's choose the following system of axes: the origin coincides with the source centre, z-axis – with the borehole axes, r-axis goes through the centre of the source (figure 1).

Find temperature distribution using the thermal conductivity equations for a symmetrical source with cylindrical coordinates.

$$\frac{\partial T_1}{\partial \tau} + v_z \frac{\partial T_1}{\partial z} = a_1 \left(\frac{\partial^2 T_1}{\partial r^2} + \frac{1}{r} \frac{\partial T_1}{\partial r} + \frac{\partial^2 T_1}{\partial z^2} \right), \quad (\text{I area}) \quad (1)$$

$$0 < r < R'; \quad Z'' < Z < Z'; \quad \tau > 0;$$




Figure 1 – Scheme to mathematical statement of the problem:
 I – is the area of the heated heat transfer medium; II – is the area of the surrounding rocks; III – is the heater

$$\frac{\partial T_2}{\partial \tau} = a_2 \left(\frac{\partial^2 T_2}{\partial r^2} + \frac{1}{r} \frac{\partial T_2}{\partial r} + \frac{\partial^2 T_2}{\partial z^2} \right), \quad (\text{II area}) \quad (2)$$

$$0 < Z < Z''; \quad R' < r < R'';$$

with initial conditions:

$$T_1(r, z, 0) = T_2(r, z, 0) = T_0,$$

and boundary conditions:

<p>by r</p> $\left. \frac{\partial T_1}{\partial r} \right _{r=0} = 0;$ $T_1 \Big _{Z' < z < Z''}^{r=R'} = T_2 \Big _{Z' < z < Z''}^{r=R'};$ $\lambda_1 \left. \frac{\partial T_1}{\partial r} \right _{Z' < z < Z''}^{r=R'} = \lambda_2 \left. \frac{\partial T_2}{\partial r} \right _{Z' < z < Z''}^{r=R'};$ $\left. \frac{\partial T_2}{\partial r} \right _{r=R''} = 0;$ $\lambda_2 \left. \frac{\partial T_2}{\partial r} \right _{r=R''} = -N;$	<p>by z</p> $\left. \frac{\partial T_2}{\partial z} \right _{z=0} = 0;$ $\left. \frac{\partial T_1}{\partial z} \right _{z=Z'} = 0;$ $\lambda_1 \left. \frac{\partial T_1}{\partial r} \right _{z=Z'} = -N;$ $\left. \frac{\partial T_2}{\partial z} \right _{z=Z''} = 0;$ $\left. \frac{\partial T_1}{\partial z} \right _{z=Z''} = 0;$
---	---

where T_1, T_2 – are temperature distribution, in areas I and II, respectively; a_1, a_2 – are thermal diffusivity coefficients of areas I and II, respectively; λ_1, λ_2 – conductivity coefficients of areas I and II, respectively; c_1, c_2 – is specific thermal capacitance of the borehole liquid and rock respectively; N – is specific power of the source; T_0 – is some initial temperature in the rock and borehole liquid.

Calculation of the velocity of convectonal current v_z represents a rather challenging problem. As a first approximation, we will take it as a constant. We will use relation [7] for calculation

$$v_z = \sqrt{2g\beta\vartheta},$$

where g – is gravitational acceleration; β – is the thermal coefficient of liquid expansion; ϑ – is the difference between initial liquid temperature and heater temperature.

Non-linear problems are usually not solved by the analytical method. To solve these problems, the numerical method can be utilized.

Among all numerical methods, the most widely used in solution of thermal conductivity problems is the method of finite differences (mesh method) [19, 20]. This is explained by the versatility of this highly algorithmic method, which opens wide range of possibilities to use modern computer applications. Mesh method allows maximum reflection of the specific character of the real process in the mathematical formulation of the problem and practically has no limits on the problem specification [17].

For this purpose, the algorithm of numerical calculation of the process of heating borehole liquid during isolation of swallowing horizon by thermoplastic materials was developed and realized using a computer application.

Under the given power of the electric heater, heat-transfer properties of the borehole liquid and rock of the swallowing horizon, the developed software allows determining the behavior of temperature distribution over the time and space (figure 2).




Figure 2 – The behavior of temperature field distribution in a borehole with the diameter of 93 mm after 8 hours of operation of the electric heater with the power of 10 kWt

The results of the analytical study were confirmed by field study, as a result, relationship between the changes in the temperature of borehole liquid along the borehole axis in time was established (figure 3).




Figure 3 – Temperature distribution along the fluid column at:
1 – 0 min; 2 – 30 min; 3 – 60 min; 4 – 90 min; 5 – 120 min; 6 – 150 min; 7 – 180 min, H – electric heater

Conclusion. On the basis of analytical, bench, field and industrial research, is offered a new non-traditional method of isolation of swallowing horizons based on filling the swallowing channels with fusible materials melt.

Reliability of the results of numerical modeling is confirmed by the volume of the performed borehole studies, which guarantees the accuracy of the results and discrepancy with theoretical study within 10–15%.

The designed mathematical model of the temperature field allows to describe the process of heat transfer with the electric-thermal treatment of the borehole in the trouble zone. As a result, the differences in thermal-physical properties at the interface of two mediums (borehole liquid – rock) there occurs a significant temperature difference (figure 2). The developed software designed to calculate the parameters of temperature field allows choosing the optimal mode of heat-transfer medium heating in every specific case for different types of mediums, depending on the thermal-physical properties, to ensure minimal thermal losses.

The results of the theoretical study were confirmed during the laboratory tests and made the basis for the creation of sampler's practical design successfully tested in industrial conditions.

REFERENCES

- [1] Brazhnenko A.M. Tamponazh gornyh porod pri burenii geologorazvedochnyh skvazhin legkoplavkimi materialami [Tekst] / A.M. Brazhnenko, S.V. Goshovskij, A.A. Kozhevnikov, i dr. K.: Ukr GGRI, 2007. 130 p. <http://irbis-nbuv.gov.ua>
- [2] Zvarygin V.I. Tamponazhnye smesi / V.I. Zvarygin. Krasnojarsk: SFU, 2014. 216 p. <http://znanium.com/catalog.php?bookinfo=492008>
- [3] Chudik I.I. Biopolimer-silikatnij burovij rozchin dlja burinnja gorizonta'lih sverdlavin / I.I. Chudik, V.V. Bogoslavec', I.F. Dudich // Rozvidka ta rozrobka naftovih i gazovih rodovishh. 2016. N 4(61). P. 34-43. <http://rrngr.nung.edu.ua/uk/content/%E2%84%96461-2016>
- [4] Orinchak M.I. Udokonalennja tehnologii zapobigannja obvaljuvan' ta osipan' stinok sverdlavini / M. I. Orinchak, I.I. Chudik, O. I. Kirchej, O. S. Bezik // Rozvidka i rozrobka naftovih i gazovih rodovishh. 2015. N 2(55). <http://elar.nung.edu.ua/handle/123456789/2895>

- [5] Kuzin J. Isolation technology for swallowing zones by thermoplastic materials on the basis of polyethyleneterephthalate / J. Kuzin, M. Isakova, D. Sudakova, O. Mostinets // Scientific bulletin of National Mining University. 2017. N 1. P. 34-39. <http://nv.nmu.org.ua/index.php/ru/arkhiv-zhurnal/po-vypuskam/1356-2017>
- [6] Brazhenenko A.M., Kozhevnikov A.A., Sudakov A.K. Tehnologija izoljacii zon pogloshhenija burovyyh skvazhin s primeneniem termoplastichnyh materialov // Nauka ta innovacii. 2006. Vol. 2, N 3. P. 101-110. <http://dspace.nbu.gov.ua/handle/123456789/113732>
- [7] Bengt Sunden. Introduction to heat transfer. WIT Press, Southampton, Boston, 2012. 344 p. <https://www.witpress.com/books/978-1-84564-656-1>
- [8] Dreus A. Investigation of heating of the drilling bits and definition of the energy efficient drilling modes // Eastern-European Journal of Enterprise Technologies. Technologies. 2016. Vol. 3, N 7(81). P. 41-46. [http://www.irbis-nbu.gov.ua/cgi-bin/irbis_nbu/cgiirbis_64.exe?I21DBN=LINK&P21DBN=UJRN&Z21ID=&S21REF=10&S21CNR=20&S21STN=1&S21FMT=ASP_meta&C21COM=S&S21P03=FILA=&S21STR=Vejpte_2016_3\(7\)_8](http://www.irbis-nbu.gov.ua/cgi-bin/irbis_nbu/cgiirbis_64.exe?I21DBN=LINK&P21DBN=UJRN&Z21ID=&S21REF=10&S21CNR=20&S21STN=1&S21FMT=ASP_meta&C21COM=S&S21P03=FILA=&S21STR=Vejpte_2016_3(7)_8)
- [9] Mihajlov P.N. Temperaturnoe pole v skvazhine v asimptoticheskom priblizhenii / P. N. Mihajlov, A. P. Mihajlov, N. A. Kul'sarina // Fundamental'nye issledovaniya. 2015. N 6. P. 50-53. <https://www.fundamental-research.ru/ru/article/view?id=38392>
- [10] Sudakov A.K. Concept of numerical experiment of isolation of absorptive horizons by thermoplastic materials / A.K. Sudakov, O.Ye. Khomenko, M. L. Isakova, D.A. Sudakova // Scientific bulletin of National Mining University. 2016. N 5(155). P. 12-16. <http://nv.nmu.org.ua/index.php/ru/arkhiv-zhurnal/po-vypuskam/1315-2016/soderzhanie-5-2016>
- [12] Kozhevnikov A.A. Issledovanie teploperenosy v kriogenno-gravijnom fil'tre pri ego transportirovke po stvolu skvazhiny / Kozhevnikov A.A., Dreus A.Ju., Lysenko E.E. Sudakov A.K. // Naukovij visnik NGU. 2013. N 6. P. 49-54. <http://nv.nmu.org.ua/index.php/ru/arkhiv-zhurnal/po-vypuskam/850-2013/soderzhanie-6-2013>
- [13] Kozhevnikov A.A. Gravijnye fil'try s ispol'zovaniem jeffekta dvuhfaznogo inversnogo perehoda agregatnogo sostojaniya vjzhashhego veshhestva / A.A. Kozhevnikov, A.K. Sudakov, A.A. Grinjak // Porodorazrushajushhij i metalloobrabatyvajushhij instrument – tehnika i tehnologija ego izgotovleniya i primeneniya: sb. nauch. trud. 2008. Vyp. 11. P. 84-88. <http://www.nbu.gov.ua/portal/natural/Pimi/index.html>
- [14] Khomenko O.Ye., Malanchuk Z.R., Malanchuk Ye.Z. Principles of rock pressure energy usage during underground mining of deposits // Scientific Bulletin of NMU. 2017. N 2(158). P. 34-43. <http://nv.nmu.org.ua/index.php/uk/arkhiv-zhurnal/za-vipuskami/1376-2017-ukr>
- [15] Sudakov A.K., Dreus A.Yu., Khomenko O.Ye., Sudakova D.A. Analytic study of heat transfer in absorbing horizon of boreholes in the formation of protection cryogenic plugging material // Scientific Bulletin of NMU. 2017. N 3(159). P. 32-36. <http://nv.nmu.org.ua/index.php/uk/arkhiv-zhurnal/za-vipuskami/1376-2017-ukr>
- [16] Dreus A.J., Sudakov A.K., Kozhevnikov A.A., Vahalin J.M. Study on thermal strength reduction of rock formation in the diamond core drilling process using pulse flushing mode // Scientific Bulletin of NMU. 2016. N 3(153). P. 5-9. <http://nv.nmu.org.ua/index.php/uk/arkhiv-zhurnal/za-vipuskami/1240-2016/zmist-3-2016>
- [17] Homenko O., Kononenko M., Drobot S. Chislennoe modelirovanie zonal'nogo strukturirovaniya massiva vokrug podzemnyh vyrabotok // Mining of Mineral Deposits ISSN 2415-3443 (Online) / ISSN 2415-3435 (Print) Journal homepage <http://mining.in.ua>. 2016. Vol. 10. Issue 2. P. 1-8.
- [18] Shevchenko A.I. Stephen's problem under convection // Reports National Academy of Sciences of Ukraine. 2012. N 1. <http://ea.donntu.org:8080/jspui/handle/123456789/13110>
- [19] Dreus A.Ju. Matematichni metodi doslidzhennya teploobminu. D.: Vid-vo DNU, 2013. 130 p. <http://mmf.dnepredu.com/uk/site/zastupnik-dekana-z-navcha.html>
- [20] Zhanchiv, B. Substantiation of mining parameters of Mongolia uranium deposits / B. Zhanchiv, D.V. Rudakov, O.Ye. Khomenko, L. Tsenzhav // Scientific bulletin of National Mining University. 2013. N 4. P. 10-18. <http://irbis-nbu.gov.ua>

А. Судаков¹, А. Дреус², Б. Ратов³, Д. Деликешева³

¹Мемлекеттік жоғары оқу орны «Ұлттық тау кен университеті», Днепр, Украина,

²Олеся Гончара, Ұлттық университет, Днепр, Украина,

³Сәтпаев атындағы Қазақ Ұлттық Зерттеу Техникалық Университеті, Алматы, Қазақстан

ТЕРМОПЛАСТИКАЛЫҚ МАТЕРИАЛДАРДЫ ҚОЛДАНУ АРҚЫЛЫ ЖАҒАНДЫҚ КӨКЖИЕКТЕР ҮШІН ОҚШАУЛАУ ТЕХНОЛОГИЯСЫНЫҢ ТЕОРИЯЛЫҚ НЕГІЗДЕРІ

Аннотация. Жұмыстың мақсаты термопластикалық материалдар қорытпаларын қолдану арқылы ұңғы оқпанында жуу сұйықтығының жұтылуын жою кезінде жылумассатасымалдау үрдістері үшін есептеу тәжірибесінің жалпы тұжырымдамасын дайындау. Жұмыс міндеттері физика және математика тұрғысынан

қарастырылған. Ұңғы оқпанында жуу сұйықтығының жұтылуын жою кезінде жылумассатасымалдау үрдістерін теориялық модельдеу кезінде есептеу тәжірибесінің жалпы тұжырымдамасы қарастырылады. Жағдайлардың кең ауқымында жылумассатасымалдау үрдістерін есептеуге мүмкіндік беретін бағдарламалық жүйелерді құру алгоритмі бар қорытпаларды қолдану арқылы жұту көкжиектерін оқшаулаудың теориялық негіздері дайындалды. Нәтижелердің практикалық құндылығы жұтылуға және тұрақсыз көкжиектерге арналған оқшаулағыш техниканы дайындау, бұл келесі технологиялық операцияларды талап етеді: ұңғы түбіне түйіршіктелген термопластикалық материалдарды тасымалдау, жуу сұйықтығын жергілікті жылыту, жұту каналдарында термопластикалық материалдар қорытпаларын балқыту және сығу.

Түйін сөздер: ұңғыларды бұрғылау, жұтқыш көкжиек, термопластикалық материалдар, жылумассатасымалдау.

А. Судаков¹, А. Дреус², Б. Ратов³, Д. Деликешева³

¹Государственное высшее учебное заведение «Национальный горный университет», Днепр, Украина,

²Олеся Гончара, Национальный университет, Днепр, Украина,

³Казахский национальный научно-технический университет им. К. И. Сатпаева, Алматы, Қазақстан

ТЕОРЕТИЧЕСКИЕ ОСНОВЫ ИЗОЛЯЦИОННОЙ ТЕХНОЛОГИИ ДЛЯ ГЛОБАЛЬНЫХ ГОРИЗОНТОВ С ИСПОЛЬЗОВАНИЕМ ТЕРМОПЛАСТИЧЕСКИХ МАТЕРИАЛОВ

Аннотация. Целью работы является разработка общей концепции вычислительного эксперимента для процессов тепломассопереноса при исключении проглатывания промывочной жидкости в стволе скважины с использованием расплавов термопластичных материалов. Задачи задаются с точки зрения физики и математики. Рассматривается общая концепция вычислительного эксперимента при теоретическом моделировании процессов тепломассопереноса при устранении проглатывания промывочной жидкости в стволе скважины. Разработаны теоретические основы изоляции глотационных горизонтов с использованием расплавов с алгоритмом создания программной системы, позволяющей рассчитать процессы тепломассопереноса в широком диапазоне условий. Практическая ценность результатов заключается в разработке техники изоляции для глотания и неустойчивых горизонтов, что требует следующих технологических операций: доставка гранулированного термопластичного материала на дно скважины, локальный нагрев промывочной жидкости, плавление и сжатие расплава термопластичного материала в каналы глотания.

Ключевые слова: бурение скважины, глотательный горизонт, термопластичные материалы, тепломассоперенос.

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://geolog-technical.kz/index.php/kz/>

Верстка *Д. Н. Калкабековой*

Подписано в печать 02.04.2018.
Формат 70x881/8. Бумага офсетная. Печать – ризограф.
16,9 п.л. Тираж 300. Заказ 2.