

ISSN 2518-170X (Online),  
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ  
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

# Х А Б А Р Л А Р Ы

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Казахский национальный исследовательский  
технический университет им. К. И. Сатпаева

## NEWS

OF THE ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN  
Kazakh national research technical university  
named after K. I. Satpayev

### ГЕОЛОГИЯ ЖӘНЕ ТЕХНИКАЛЫҚ ҒЫЛЫМДАР СЕРИЯСЫ



### СЕРИЯ ГЕОЛОГИИ И ТЕХНИЧЕСКИХ НАУК



### SERIES OF GEOLOGY AND TECHNICAL SCIENCES

## 3 (429)

МАМЫР – МАУСЫМ 2018 ж.  
МАЙ – ИЮНЬ 2018 г.  
MAY – JUNE 2018

ЖУРНАЛ 1940 ЖЫЛДАН ШЫҒА БАСТАҒАН  
ЖУРНАЛ ИЗДАЕТСЯ С 1940 г.  
THE JOURNAL WAS FOUNDED IN 1940.

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ  
ВЫХОДИТ 6 РАЗ В ГОД  
PUBLISHED 6 TIMES A YEAR

---

*NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.*

*Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.*

*НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.*

Б а с р е д а к т о р ы

э. ғ. д., профессор, ҚР ҰҒА академигі

**И.К. Бейсембетов**

Бас редакторының орынбасары

**Жолтаев Г.Ж.** проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

**Абаканов Т.Д.** проф. (Қазақстан)  
**Абишева З.С.** проф., академик (Қазақстан)  
**Агабеков В.Е.** академик (Беларусь)  
**Алиев Т.** проф., академик (Әзірбайжан)  
**Бакиров А.Б.** проф., (Қырғыстан)  
**Беспәев Х.А.** проф. (Қазақстан)  
**Бишимбаев В.К.** проф., академик (Қазақстан)  
**Буктуков Н.С.** проф., академик (Қазақстан)  
**Булат А.Ф.** проф., академик (Украина)  
**Ганиев И.Н.** проф., академик (Тәжікстан)  
**Грэвис Р.М.** проф. (АҚШ)  
**Ерғалиев Г.К.** проф., академик (Қазақстан)  
**Жуков Н.М.** проф. (Қазақстан)  
**Кенжалиев Б.К.** проф. (Қазақстан)  
**Қожахметов С.М.** проф., академик (Қазақстан)  
**Конторович А.Э.** проф., академик (Ресей)  
**Курскеев А.К.** проф., академик (Қазақстан)  
**Курчавов А.М.** проф., (Ресей)  
**Медеу А.Р.** проф., академик (Қазақстан)  
**Мұхамеджанов М.А.** проф., корр.-мүшесі (Қазақстан)  
**Нигматова С.А.** проф. (Қазақстан)  
**Оздоев С.М.** проф., академик (Қазақстан)  
**Постолатий В.** проф., академик (Молдова)  
**Ракишев Б.Р.** проф., академик (Қазақстан)  
**Сейтов Н.С.** проф., корр.-мүшесі (Қазақстан)  
**Сейтмуратова Э.Ю.** проф., корр.-мүшесі (Қазақстан)  
**Степанец В.Г.** проф., (Германия)  
**Хамфери Дж.Д.** проф. (АҚШ)  
**Штейнер М.** проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz/geology-technical.kz>

---

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р  
д. э. н., профессор, академик НАН РК

**И. К. Бейсембетов**

Заместитель главного редактора

**Жолтаев Г.Ж.** проф., доктор геол.-мин. наук

Р е д а к ц и о н н а я к о л л е г и я:

**Абаканов Т.Д.** проф. (Казахстан)  
**Абишева З.С.** проф., академик (Казахстан)  
**Агабеков В.Е.** академик (Беларусь)  
**Алиев Т.** проф., академик (Азербайджан)  
**Бакиров А.Б.** проф., (Кыргызстан)  
**Беспаяев Х.А.** проф. (Казахстан)  
**Бишимбаев В.К.** проф., академик (Казахстан)  
**Буктуков Н.С.** проф., академик (Казахстан)  
**Булат А.Ф.** проф., академик (Украина)  
**Ганиев И.Н.** проф., академик (Таджикистан)  
**Грэвис Р.М.** проф. (США)  
**Ергалиев Г.К.** проф., академик (Казахстан)  
**Жуков Н.М.** проф. (Казахстан)  
**Кенжалиев Б.К.** проф. (Казахстан)  
**Кожаметов С.М.** проф., академик (Казахстан)  
**Конторович А.Э.** проф., академик (Россия)  
**Курскеев А.К.** проф., академик (Казахстан)  
**Курчавов А.М.** проф., (Россия)  
**Медеу А.Р.** проф., академик (Казахстан)  
**Мухамеджанов М.А.** проф., чл.-корр. (Казахстан)  
**Нигматова С.А.** проф. (Казахстан)  
**Оздоев С.М.** проф., академик (Казахстан)  
**Постолатий В.** проф., академик (Молдова)  
**Ракишев Б.Р.** проф., академик (Казахстан)  
**Сейтов Н.С.** проф., чл.-корр. (Казахстан)  
**Сейтмуратова Э.Ю.** проф., чл.-корр. (Казахстан)  
**Степанец В.Г.** проф., (Германия)  
**Хамфери Дж.Д.** проф. (США)  
**Штейнер М.** проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz/geology-technical.kz>

---

© Национальная академия наук Республики Казахстан, 2018

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

**I. K. Beisembetov**

Deputy editor in chief

**Zholtayev G.Zh.** prof., dr. geol-min. sc.

E d i t o r i a l b o a r d:

**Abakanov T.D.** prof. (Kazakhstan)  
**Abisheva Z.S.** prof., academician (Kazakhstan)  
**Agabekov V.Ye.** academician (Belarus)  
**Aliyev T.** prof., academician (Azerbaijan)  
**Bakirov A.B.** prof., (Kyrgyzstan)  
**Bespayev Kh.A.** prof. (Kazakhstan)  
**Bishimbayev V.K.** prof., academician (Kazakhstan)  
**Buktukov N.S.** prof., academician (Kazakhstan)  
**Bulat A.F.** prof., academician (Ukraine)  
**Ganiyev I.N.** prof., academician (Tadjikistan)  
**Gravis R.M.** prof. (USA)  
**Yergaliev G.K.** prof., academician (Kazakhstan)  
**Zhukov N.M.** prof. (Kazakhstan)  
**Kenzhaliyev B.K.** prof. (Kazakhstan)  
**Kozhakhmetov S.M.** prof., academician (Kazakhstan)  
**Kontorovich A.Ye.** prof., academician (Russia)  
**Kurskeyev A.K.** prof., academician (Kazakhstan)  
**Kurchavov A.M.** prof., (Russia)  
**Medeu A.R.** prof., academician (Kazakhstan)  
**Muhamedzhanov M.A.** prof., corr. member. (Kazakhstan)  
**Nigmatova S.A.** prof. (Kazakhstan)  
**Ozdoev S.M.** prof., academician (Kazakhstan)  
**Postolatii V.** prof., academician (Moldova)  
**Rakishev B.R.** prof., academician (Kazakhstan)  
**Seitov N.S.** prof., corr. member. (Kazakhstan)  
**Seitmuratova Ye.U.** prof., corr. member. (Kazakhstan)  
**Stepanets V.G.** prof., (Germany)  
**Humphery G.D.** prof. (USA)  
**Steiner M.** prof. (Germany)

**News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.**

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz/geology-technical.kz>

---

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Editorial address: Institute of Geological Sciences named after K.I. Satpayev  
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 3, Number 429 (2018), 258 – 265

UDC 539.3

A. Seitmuratov<sup>1</sup>, Z. Seylova<sup>2</sup>, K. Kanibaikyzy<sup>1</sup>, A. Smakhanova<sup>1</sup>, M. Serikbol<sup>1</sup>

<sup>1</sup>The Korkyt Ata Kyzylorda State University, Kyzylorda, Kazakhstan,

<sup>2</sup>The Sh. Ualikhanova Kokshetau State University, Kokshetau, Kazakhstan.

E-mail: angisin\_@mail.ru, stsoias62@mail.ru, VIP kundyzy@mail.ru,

Smakanova84@mail.ru, makpal.serikbol@mail.ru

## APPROXIMATE EQUATION PLATE OSCILLATION FOR TRANSVERSE DISPLACEMENT OF POINTS OF THE MEDIAN PLANE

**Abstract.** The materials used in building structures have elastic and viscoelastic properties, are anisotropic, multilayer and other mechanical characteristics. Two-dimensional elements are components of many structures. Construction of general and approximate equations of oscillations of a various kind of plane elements is an actual problem in the development of theoretical bases of calculation of building designs and construction in general. These problems include the objectives of improved models of non-stationary nature of the structures and their elements, the materials of which are difficult mechanical, rheological properties inherent to various building designs under the influence of various external factors.

**Keywords:** plate, oscillation, mixed points, dynamic motion, approximate equation, three-dimensional problem, stress.

Let limitless in terms of plate thickness  $2h_1$  is below the surface of a semi-infinite medium at depth  $(h_0 - h_1)$ . Put the plane  $XY$  in the median plane of the plate at  $z = 0$ . Axis  $OZ$  to the right towards the outer surface of the outer layer. Denote the layer parameters index "1", the upper layer  $[-\infty < (x, y) < \infty; h_1 \leq z \leq (h_0 - h_1)]$  by the index "2", and the lower half-space  $[-\infty < (x, y) < \infty; -h_1 \leq z \leq 0]$  - index "3".

We assume that the materials of the upper layer of the plate and the grounds are homogeneous, isotropic, show the viscous properties.

We introduce the potentials of  $\Phi^{(l)}$  and  $\Psi^{(l)}$  transverse and longitudinal waves well-known formulas

$$\vec{u}^{(l)} = \text{grad}\Phi^{(l)} + \text{rot}\vec{\Psi}^{(l)}, \quad (1)$$

where  $\vec{u}^{(l)}$  – the displacement vector points in the layer of the plate and the foundation.

In potentials  $\Phi^{(l)}$  and  $\Psi^{(l)}$  equations of motion of a layer of the plate and the foundation will take the form of:

$$N_l(\Delta\Phi^{(l)}) = \rho_l \frac{\partial^2 \Phi^{(l)}}{\partial t^2} \quad M_l(\Delta\vec{\Psi}^{(l)}) = \rho_l \frac{\partial^2 \Psi^{(l)}}{\partial t^2}, \quad (2)$$

where the operator  $N_l$  is equal to:

$$N_l = L_l + 2M_l,$$

$\Delta$  – three-dimensional Laplace operator;  $\Delta = \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} + \frac{\partial^2}{\partial z^2}$   $L_l, M_l$  – viscoelastic operators.

The Helmholtz theorem, in the absence of internal sources of the vector potential  $\vec{\Psi}$  of transverse waves must satisfy the condition:

$$\operatorname{div} \vec{\Psi}^{(l)} = 0 \quad (3)$$

a closing equation for finding four unknown potentials  $\Phi^{(l)}, \Psi_1^{(l)}, \Psi_2^{(l)}, \Psi_3^{(l)}$ .

Displacement,  $u, v, w$  deformation  $\varepsilon_{ij}$  and strains in Cartesian coordinates through the potentials  $\Phi$  and  $\vec{\Psi}$  the longitudinal and transverse waves are determined by the well-known formulas.

In [1] it is shown that the boundary value problem vibrations of the plate under the surface are reduced to the integro-differential equations (2) with boundary and initial conditions: on the outer surface ( $z = h_0$ )

$$\sigma_{zz}^{(2)} = f_z^{(2)}(x, y, t); \quad \sigma_{jz}^{(2)} = f_{zj}^{(2)}(x, y, t); \quad (4)$$

on the contact boundary between the upper layer – plate ( $z = h_1$ )

$$\sigma_{zz}^{(1)} = \sigma_{zz}^{(2)}; \quad \sigma_{jz}^{(1)} = 0; \quad \sigma_{jz}^{(2)} = 0; \quad w^{(1)} = w^{(2)} \quad (5)$$

on the boundary of the plate - foundation ( $z = -h_1$ )

$$\begin{aligned} \sigma_{zz}^{(1)} &= \sigma_{zz}^{(3)} + f_{3z}^{(3)}(x, y, t); \\ \sigma_{jz}^{(1)} &= 0; \quad \sigma_{ij}^{(3)} + f_{jz}^{(3)}(x, y, t) = 0; \\ w^{(1)} &= w^{(3)} + f_0^{(3)}(x, y, t) \quad (j = x, y) \end{aligned} \quad (6)$$

Furthermore, there should be conditions decay at infinity, i.e. at  $z \rightarrow -\infty$

$$\Phi^{(3)} = 0; \quad \Psi_1^{(3)} = \Psi_2^{(3)} = \Psi_3^{(3)} = 0. \quad (7)$$

The initial conditions are zero, i.e.

$$\begin{aligned} \Phi^{(l)} = \frac{\partial \Phi^{(l)}}{\partial t} = \frac{\partial \vec{\Psi}_j^{(l)}}{\partial t} = \vec{\Psi} = 0 \\ (l = \overline{1,3}), \quad t = 0 \quad (j = 1,2,3). \end{aligned} \quad (8)$$

The task of the vibrations of the plate in a differentiable environment is reduced to the study of equation (2) satisfying the boundary (4), (5), (6) and initial conditions (8).

In the study of oscillations of plate's accurate three-dimensional problem is replaced by simpler, two-dimensional points of median plane of the plate, which imposes limitations on the external conditions. These restrictions are that external forces cannot be high frequency.

The above problem is solved with the use of Fourier  $X$  and  $Y$  Laplace at  $t$ .

In the work [1] found the General solution of the formulated three-dimensional tasks for zero initial conditions and the General expressions for the displacement and strain.

$$\begin{aligned} u^{(l)} = \sum_{n=0}^{\infty} \left\{ \left[ \left( \lambda_2^{(n)} + C_1 Q_{1n} \frac{\partial^2}{\partial x^2} \right) U^{(l)} + C_1 Q_{1n} \frac{\partial}{\partial x} \left( \frac{\partial V^{(l)}}{\partial y} + W^{(l)} \right) \right] \times \right. \\ \left. \times \frac{z^{2n}}{(2n)!} \right\} + \sum_{n=0}^{\infty} \left\{ \left[ \left( \lambda_2^{(n)} - D_1 Q_{1n} \frac{\partial^2}{\partial x^2} \right) U_1^{(l)} - D_1 Q_{1n} \frac{\partial}{\partial x} \times \left( \frac{\partial V_1^{(l)}}{\partial y} + \lambda_2^{(1)} W_1^{(l)} \right) \right] \frac{z^{2n+1}}{(2n+1)!} \right\}; \end{aligned}$$

$$\begin{aligned}
 v^{(l)} = & \sum_{n=0}^{\infty} \left\{ \left[ \left( \lambda_2^{(n)} + C_1 Q_{1n} \frac{\partial^2}{\partial y^2} \right) V^{(l)} + C_1 Q_{1n} \frac{\partial}{\partial y} \left( \frac{\partial U^{(l)}}{\partial x} + W^{(l)} \right) \right] \times \right. \\
 & \times \left. \frac{z^{2n}}{(2n)!} \right\} + \sum_{n=0}^{\infty} \left\{ \left[ \left( \lambda_2^{(n)} - D_1 Q_{1n} \frac{\partial^2}{\partial y^2} \right) V_1^{(l)} - D_1 Q_{1n} \frac{\partial}{\partial y} \times \right. \right. \\
 & \times \left. \left. \left( \frac{\partial U_1^{(l)}}{\partial x} + \lambda_2^{(l)} W_1^{(l)} \right) \right] \frac{z^{2n+1}}{(2n+1)!} \right\}; \tag{9}
 \end{aligned}$$

$$\begin{aligned}
 w^{(l)} = & \sum_{n=0}^{\infty} \left\{ \left[ \left( \lambda_2^{(n)} + C_1 Q_{1n} \lambda_1^{(l)} \right) W^{(l)} + C_1 Q_{1n} \lambda_1^{(l)} \left( \frac{\partial U^{(l)}}{\partial x} + \frac{\partial V^{(l)}}{\partial y} \right) \right] \times \right. \\
 & \times \left. \frac{z^{2n+1}}{(2n+1)!} \right\} + \sum_{n=0}^{\infty} \left\{ \left[ \left( \lambda_2^{(n)} - D_1 Q_{1n} \lambda_2^{(l)} \right) W_1^{(l)} - D_1 Q_{1n} \times \left( \frac{\partial U_1^{(l)}}{\partial x} + \frac{\partial V_1^{(l)}}{\partial y} \right) \right] \frac{z^{2n}}{(2n)!} \right\}; \\
 C_1 = & 1 - \frac{N_1}{M_1}; \quad Q_{1n} = \sum_{m=0}^{n-1} \lambda_1^{(n-m-1)} \cdot \lambda_2^{(m)}; \quad D_1 = 1 - \frac{M_1}{N_1} \quad \text{where operators } \lambda_1^{(l)} \text{ and } \lambda_2^{(l)} \text{ are equal}
 \end{aligned}$$

$$\lambda_1^{(l)} = \left[ \rho_1 N_1^{-1} \left( \frac{\partial^2}{\partial t^2} \right) - \Delta \right]; \quad \lambda_2^{(l)} = \left[ \rho_1 M_1^{-1} \left( \frac{\partial^2}{\partial t^2} \right) - \Delta \right]; \quad \Delta = \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} \tag{10}$$

$$\begin{aligned}
 \sigma_{xx}^{(l)} = & M_1 \left[ \sum_{n=0}^{\infty} \left\{ \left[ (1 - C_1) \lambda_2^{(n)} + C_1 Q_{1n} \left( \lambda_2^{(l)} - 2\lambda_2^{(l)} + \frac{\partial^2}{\partial x^2} - \frac{\partial^2}{\partial y^2} \right) \right] \right. \right. \\
 & \times \left. \frac{\partial U^{(l)}}{\partial x} + \left[ C_1 Q_{1n} \left( \lambda_2^{(l)} - 2\lambda_2^{(l)} + \frac{\partial^2}{\partial x^2} - \frac{\partial^2}{\partial y^2} \right) - (1 + C_1) \lambda_2^{(n)} \right] \times \right. \\
 & \times \left. \left. \left( \frac{\partial V^{(l)}}{\partial y} + W^{(l)} \right) \right\} \frac{z^{2n}}{(2n)!} + \sum_{n=0}^{\infty} \left\{ \left[ 2D_1 Q_{1n} \left( \lambda_2^{(l)} + \frac{\partial^2}{\partial y^2} \right) + (1 + \alpha D_1) \lambda_1^{(n)} \right] \times \right. \\
 & \times \left. \left. \frac{\partial U^{(l)}}{\partial x} + \left[ (1 + \alpha D_1) \lambda_1^{(n)} - 2D_1 Q_{1n} \frac{\partial^2}{\partial x^2} \right] \left[ \frac{\partial V_1^{(l)}}{\partial y} + \lambda_2^{(l)} W_1^{(l)} \right] \right\} \frac{z^{2n+1}}{(2n+1)!} \right]; \\
 \sigma_{yy}^{(l)} = & M_1 \left[ \sum_{n=0}^{\infty} \left\{ \left[ (1 + C_1) \lambda_2^{(n)} + C_1 Q_{1n} \left( \lambda_2^{(l)} - 2\lambda_2^{(l)} - \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} \right) \right] \right. \right. \\
 & \times \left. \frac{\partial V^{(l)}}{\partial y} + \left[ C_1 Q_{1n} \left( \lambda_2^{(l)} - 2\lambda_1^{(l)} - \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} \right) - (1 + C_1) \lambda_2^{(n)} \right] \times \right. \\
 & \times \left. \left. \left( \frac{\partial V^{(l)}}{\partial x} + W^{(l)} \right) \right\} \frac{z^{2n}}{(2n)!} + \sum_{n=0}^{\infty} \left\{ \left[ 1 + 2D_1 (\lambda_1^{(n)}) + 2D_1 Q_{1n} \left( \lambda_2^{(n)} + \frac{\partial^2}{\partial x^2} \right) \right] \times \right. \\
 & \times \left. \left. \frac{\partial V_1^{(l)}}{\partial y} + \left[ (1 + D_1) \lambda_1^{(n)} - 2D_1 Q_{1n} \frac{\partial^2}{\partial y^2} \right] \left[ \frac{\partial U_1^{(l)}}{\partial x} + \lambda_2^{(l)} W_1^{(l)} \right] \right\} \frac{z^{2n+1}}{(2n+1)!} \right];
 \end{aligned}$$

$$\begin{aligned}
\sigma_{zz}^{(l)} &= M_1 \left[ \sum_{n=0}^{\infty} \left\{ C_1 Q_{1n} (\lambda_2^{(1)} - \Delta) - (1 + C_1) \lambda_2^{(n)} \left( \frac{\partial U^{(l)}}{\partial x} + \frac{\partial V^{(l)}}{\partial y} \right) + \right. \right. \\
&+ \left. \left[ (1 + C_1) \lambda_2^{(n)} + C_1 Q_{1n} (\lambda_2^{(1)} - \Delta) W^{(1)} \right] \frac{z^{2n}}{(2n)!} + \sum_{n=0}^{\infty} \left\{ - [2D_1 Q_{1n} \lambda_2^{(1)} + \lambda_1^{(n)}] \times \right. \right. \\
&\times \left. \left. \left( \frac{\partial U_1^{(l)}}{\partial x} + \frac{\partial V_1^{(l)}}{\partial y} \right) + \lambda_2^{(1)} [\lambda_1^{(n)} + 2D_1 Q_{1n} \Delta] W_1^{(1)} \right\} \frac{z^{2n+1}}{(2n+1)!} \right]; \\
\sigma_{xy}^{(l)} &= M_1 \left[ \sum_{n=0}^{\infty} \left\{ \left[ 2C_1 Q_{1n} \frac{\partial^2}{\partial x^2} + \lambda_2^{(n)} \right] \frac{\partial V^{(1)}}{\partial y} + \left[ \lambda_2^{(n)} + 2C_1 Q_{1n} \frac{\partial^2 W^{(1)}}{\partial x \partial y} \right] \times \right. \right. \\
&\times \left. \frac{z^{2n}}{(2n)!} + \sum_{n=0}^{\infty} \left\{ \left[ \lambda_1^{(n)} + D_1 Q_{1n} \left( \lambda_2^{(1)} - \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} \right) \right] \frac{\partial U_1^{(l)}}{\partial y} + \right. \right. \\
&+ \left. \left. \left[ D_1 Q_{1n} \left( \lambda_2^{(1)} - \frac{\partial^2}{\partial x^2} - \frac{\partial^2}{\partial y^2} \right) + \lambda_1^{(n)} \right] \frac{\partial V_1^{(l)}}{\partial x} - 2D_1 Q_{1n} \lambda_2^{(1)} \frac{\partial^2 W_1^{(1)}}{\partial x \partial y} \right\} \times \frac{z^{2n+1}}{(2n+1)!} \right]; \\
\sigma_{xz}^{(1)} &= M_1 \left[ \sum_{n=0}^{\infty} \left\{ C_1 [2\lambda_1^{(1)} Q_{1n} + \lambda_2^{(n)}] \frac{\partial^2 V^{(1)}}{\partial x \partial y} + \left[ 2C_1 Q_{1n} \lambda_1^{(1)} \frac{\partial^2}{\partial x^2} + \right. \right. \\
&+ \left. \left. \lambda_2^{(n)} \left[ (1 - C_1) \lambda_1^{(1)} - C_1 \frac{\partial^2}{\partial y^2} \right] \right] V^{(1)} + \left[ (1 + C_2) \lambda_2^{(n)} + 2C_1 Q_{1n} \lambda_1^{(1)} \right] \frac{\partial W^{(1)}}{\partial x} \right\} \times \\
&\times \frac{z^{2n+1}}{(2n+1)!} + \sum_{n=0}^{\infty} \left\{ \left[ \left( \lambda_2^{(1)} - \frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} \right) D_1 Q_{1n} + \lambda_1^{(n)} \right] V_1^{(1)} - \right. \\
&- \left. 2D_1 Q_{1n} \frac{\partial^2 V_1}{\partial x \partial y} - \left[ D_1 Q_{1n} (\lambda_2^{(1)} - \Delta) - \lambda_1^{(n)} \right] \frac{\partial W_1^{(1)}}{\partial x} \right\} \frac{z^{2n}}{(2n)!} \\
\sigma_{yz}^{(1)} &= M_1 \left[ \sum_{n=0}^{\infty} \left\{ C_1 [2\lambda_1^{(1)} Q_{1n} + \lambda_2^{(n)}] \frac{\partial^2 U^{(1)}}{\partial x \partial y} + \left[ 2C_1 Q_{1n} \lambda_1^{(1)} \frac{\partial^2}{\partial y^2} + \right. \right. \\
&+ \left. \left. \lambda_2^{(n)} \left[ (1 - C_1) \lambda_1^{(1)} - C_1 \frac{\partial^2}{\partial x^2} \right] \right] V^{(1)} + \left[ 2C_1 Q_{1n} \lambda_1^{(1)} + (1 + C_2) \lambda_2^{(n)} \right] \frac{\partial W^{(1)}}{\partial x} \right\} \times \\
&\times \frac{z^{2n+1}}{(2n+1)!} + \sum_{n=0}^{\infty} \left\{ \left[ \left( \lambda_2^{(1)} - \frac{\partial^2}{\partial x^2} - \frac{\partial^2}{\partial y^2} \right) D_1 Q_{1n} + \lambda_1^{(n)} \right] V_1^{(1)} - \right. \\
&- \left. 2D_1 Q_{1n} \frac{\partial^2 V_1}{\partial x \partial y} - \left[ D_1 Q_{1n} (\lambda_2^{(1)} - \Delta) - \lambda_1^{(n)} \right] \frac{\partial W_1^{(1)}}{\partial y} \right\} \frac{z^{2n}}{(2n)!}, \tag{11}
\end{aligned}$$

where unknown  $U^{(1)}, V^{(1)}, W_1^{(1)}$  are the tangent and normal displacements of the points in the plane  $z = 0$  and points of median plane of the plate,  $U_1^{(1)}, V_1^{(1)}, W^{(1)}$  - value of derivatives  $Z$  transverse displacement or values type of deformation ( $W^{(1)}$ -deformation at  $Z = 0$ ).

Operators  $\lambda_1^{(2)}, \lambda_2^{(1)}$  are two-dimensional integro-differential describing the propagation of longitudinal and transverse waves in a plane  $z = 0$ .

For finding the unknown  $U^{(1)}, V^{(1)}, W_1^{(1)}, U_1^{(1)}, V_1^{(1)}, W^{(1)}$  we have boundary conditions (4)–(6).

Using the formulas (9) and (11) of strains and displacements substituting these expressions into the boundary conditions (4) - (6) equations are obtained for determining the unknown functions that are general solutions of the considered problem and describing oscillations of a three-dimensional environment.

For the study of oscillations of rectangular plates in terms of the need to formulate boundary problems.

Under the boundary tasks fluctuations limited plate in the plan, which is under the surface, means the conclusion of the equation of oscillations of plates; the formulation of boundary conditions on the edges of the plate and the initial conditions for the functions.

As a general equations of oscillations of plates obtained by the author [1] contain derivatives of any order of the coordinates  $\mathcal{X}$ ,  $\mathcal{Y}$  and time  $t$ , stacked on the structure and therefore are not suitable for solving applied tasks and of engineering calculations.

For this purpose it is necessary to formulate approximate boundary value problems of oscillation.

In [2-5] is obtained approximate equation of transverse vibrations of the plate for transverse shift  $W_1^{(1)}$  points of median plane of the plate in the shape of

$$A_1 \left( \frac{\partial^2 W_1^{(1)}}{\partial t^2} \right) + A_2 \left( \frac{\partial^4 W_1^{(1)}}{\partial t^4} \right) + A_3 \left( \Delta \frac{\partial^2 W_1^{(1)}}{\partial t^2} \right) + A_4 (\Delta^3 W_1^{(1)}) + P(W_1^{(1)}) = \Phi(x, y, t), \quad (12)$$

where  $A_j, P, \Phi(x, y, t)$  are equal to

$$A_1 = \rho_1 M^{-1} h_1 + \rho_2 N_2^{-1} (h_0 - h_1);$$

$$A_2 = \rho_1^2 M_1^{-1} (N_1^{-1} + 3M_1^{-1}) \frac{h_1^3}{6} + \rho_2 N_2^{-1} \left[ \rho_2 N_2^{-1} \frac{(h_0 - h_1)^3}{6} - \rho_1 N_1^{-1} \frac{h_1^2 (h_0 - h_1)}{2} \right];$$

$$A_3 = \left[ (3 - 4M_2 N_2^{-1}) \frac{(h_0 - h_1)^3}{6} - (2M_1 N_1^{-1}) \frac{h_1^2 (h_0 - h_1)}{2} \right] \rho_2 N_2^{-1} - 2\rho_1 (3M_1^{-1} - 2N_1^{-1}) \frac{h_1^3}{3}$$

$$A_4 = 4(1 - M_1 N_1^{-1}) \frac{h_1^3}{3} - 4(1 - M_2 N_2^{-1}) (M_2 N_2^{-1}) \frac{(h_0 - h_1)^3}{6}$$

$$P = \frac{S}{2} \rho_1 M_1 \left\{ \frac{\partial}{\partial t} + \frac{h_1^2}{2} \left[ \rho_1 (M_1^{-1} + 3N_1^{-1}) \left( \frac{\partial^3}{\partial t^3} \right) - 4 \left( \frac{\partial}{\partial t} \right) \Delta \right] + 2(M_1 N_1^{-1}) (\rho_2 N_2^{-1}) \left( \frac{\partial^3}{\partial t^3} \right) h_1 (h_0 - h_1) \right\};$$

$$\Phi(x, y, t) = \left[ 1 - (3 - 2M_1 N_1^{-1}) \frac{h_1^2}{2} \Delta + (\rho_1 M_1^{-1}) \left( \frac{\partial^2}{\partial t^2} \right) \frac{h_1^2}{2} \left\{ F_3 + M_2^{-1} f_z^{(3)} \left[ (M_1 N_1^{-1}) (\rho_2 N_2^{-1}) \left( \frac{\partial^3}{\partial t^3} \right) (h_0 - h_1) h_1 \right] \right\} \right] \quad (13)$$

Reaction of the basis of P, is determined by the formula (13) includes both the velocity of the points transverse displacement of the plane  $z = 0$  and the odd derivatives time.

Thus, the law of resistance  $P(W_1^{(1)})$  (13) explicitly contains the parameters of the plate, foundation and topcoat.

Despite the fact that the equation (12) is approximate, it is quite difficult. In the operators (13) contains all the parameters and operators characterizing the mechanical and rheological properties of the materials of plates - and the base layers and their thicknesses.

We derive the boundary conditions on the edges of a rectangular plate. For simplicity, consider a flat edge  $x = const$ , the boundary conditions for easy record of the conditions for  $x = const$ , and for an arbitrary curved edge of the known formulas through the boundary conditions at  $x = const, y = const$ .

Boundary conditions will display on the theory of thick platform or plates.

Based on the boundary conditions on a surface of a plate  $z = h$  or  $z = -h$  we obtain the dependence of the quantities  $u_1^{(1)}, V_1^{(1)}$ , from transverse shift  $W_1^{(1)}$ .

$$u_1^{(1)} = -\frac{\partial W_1^{(1)}}{\partial x}; \quad V_1^{(1)} = -\frac{\partial W_1^{(1)}}{\partial y}. \quad (14)$$

Rigid fixation of the edge  $x = const$ . As it is known from the theory of thick plates are two types of such fastening

$$u_1^{(1)} = v_1^{(1)} = w_1^{(1)} = 0 \quad (15)$$

or

$$u_1^{(1)} = w_1^{(1)} = \sigma_{xy}^{(1)} = 0 \quad (16)$$

hinge-supported edge  $x = const$ .

For this fix also two ways of fastening.

$$v_1^{(1)} = w_1^{(1)} = \sigma_{xx}^{(1)} = 0 \quad (17)$$

or

$$w_1^{(1)} = \sigma_{xx}^{(1)} = \sigma_{xy}^{(1)} = 0 \quad (18)$$

Edge, free from strain.

For the free edge stringent conditions are

$$\sigma_{xx}^{(1)} = \sigma_{xz}^{(1)} = \sigma_{xy}^{(1)} = 0. \quad (19)$$

Rigid and hinged fixations are quite simple, and using the approximate formulas (13) and the dependence (15), we obtain for the transverse displacement of the boundary conditions:

For rigid fixation

$$W_1^{(1)} = \frac{\partial W_1^{(1)}}{\partial x} = 0. \quad (20)$$

For hinged fixation

$$W_1^{(1)} = \frac{\partial^2 W_1^{(1)}}{\partial x^2} = 0. \quad (21)$$

For the edge, which is free from strain, in the formula of-  $\sigma_{xx}$  take the first additive component |  $z$ , and for  $\sigma_{xz}^{(1)}$  the first two, as the first identical equation is zero due to conditions (15)

It is obtained

$$\begin{aligned} (2 + 3D_1) \frac{\partial^2 W_1^{(1)}}{\partial x^2} + (1 + D_1) \left[ 2 \frac{\partial^2 W_1^{(1)}}{\partial y^2} - \rho M^{-1} \left( \frac{\partial^2 W_1^{(1)}}{\partial t^2} \right) \right] &= 0 \\ \frac{\partial}{\partial x} \left[ 2 \Delta W_1^{(1)} - \rho M^{-1} \left( \frac{\partial^2 W_1^{(1)}}{\partial t^2} \right) \right] &= 0 \end{aligned} \quad (22)$$

excluding  $\frac{\partial^2 W_1^{(1)}}{\partial t^2}$  in the second condition (22) from the first, we obtain

$$\begin{aligned} (2 + 3D_1) \frac{\partial^2 W_1^{(1)}}{\partial x^2} + (1 + D_1) \frac{\partial^2 W_1^{(1)}}{\partial y^2} - \rho(1 + D_1) M^{-1} \left( \frac{\partial^2 W_1^{(1)}}{\partial t^2} \right) &= 0 \\ \frac{\partial^3 W_1^{(1)}}{\partial x^3} &= 0. \end{aligned} \quad (23)$$

The third of the conditions (19) gives  $\frac{\partial^3 W_1^{(1)}}{\partial x} = F(t)$ , i.e. in the first approximation  $\frac{\partial W_1^{(1)}}{\partial x}$  does not depend on  $y$ , and decide upon a solution to a particular problem.

The first additive component in (23) differs from the classical and the second matches. The first condition (23) takes into account the deformability of the edge over time and d'Alembert principle similar to the dynamics of a material point.

General initial conditions for the plate as a three-dimensional body are of the form:

$$u^{(1)} = v^{(1)} = w^{(1)} = 0; \quad \frac{\partial u^{(1)}}{\partial t} = \frac{\partial v^{(1)}}{\partial t} = \frac{\partial w^{(1)}}{\partial t} = 0; \quad (t = 0). \quad (24)$$

Using dependency (14) for movements have

$$\begin{aligned} u^{(1)} &= -\frac{\partial W_1^{(1)}}{\partial x} z + D_1 \frac{\partial}{\partial x} \Delta W_1^{(1)} \frac{z^3}{6}; \\ v^{(1)} &= -\frac{\partial W_1^{(1)}}{\partial y} z + D_1 \frac{\partial}{\partial y} \Delta W_1^{(1)} \frac{z^3}{6}; \end{aligned} \quad (25)$$

$$w^{(1)} = W_1^{(1)} + \left[ (2D_1 - 1)\Delta W_1^{(1)} + (1 - D_1)\rho M^{-1} \frac{\partial^2 W_1^{(1)}}{\partial t^2} \right] \frac{z^2}{2}$$

In the beginning let us consider the initial conditions from (24) for the movement. Then from the expressions (25) we get

$$\begin{aligned} \frac{\partial W_1^{(1)}}{\partial x} &= 0; & \frac{\partial}{\partial x} \Delta W_1^{(1)} &= 0; \\ \frac{\partial W_1^{(1)}}{\partial y} &= 0; & \frac{\partial}{\partial y} \Delta W_1^{(1)} &= 0; \end{aligned} \quad (26)$$

$$W_1^{(1)} = 0; \quad \frac{\partial^2 W_1^{(1)}}{\partial t^2} = 0. \quad (27)$$

Differentiating the expression (25) and by using the second three initial conditions (24), we similarly obtain

$$\frac{\partial W_1^{(1)}}{\partial t} = \frac{\partial^3 W_1^{(1)}}{\partial t^3} = 0. \quad (28)$$

Initial conditions (26) and (27) provide the necessary number of initial conditions for transverse shift  $W_1^{(1)}$  meets with the hyperbolic equation of fourth order in the coordinates and time.

In conclusion, it should be noted that the evaluation and conclusion initial and boundary conditions for the plate under the surface completely coincides with similar initial boundary conditions for a free plate, obtained in the works [1].

Thus, in the formulation of boundary value problems boundary conditions do not depend on the presence of the upper layer and lower foundation.

#### REFERENCES

- [1] Filippov I.G., Filippov S.I. Dynamic stability theory of rods. Proceedings of the Russian-Polish seminar. Theoretical Foundations of construction. Warsaw, 1995. P. 63-69.
- [2] Filippov I.G., An approximate method for solving dynamic viscoelastic media // PMM. 1979. 43(1): 133-137.
- [3] Filippov I.G., Filippov S.I., Kostin V.I. Dynamics of two-dimensional composites // Proceedings of the International Conference on Mechanics and Materials, USA, Los Angeles, 1995. P. 75-79.
- [4] Seytmuratov A.Zh. Determination of natural frequencies of the plate // Bulletin Treasury Series mathematics, mechanics, computer science. 2010. 4(67): 120.

- [5] Seytmuratov A.Zh., The impact of the moving load on the surface of a layered elastic half-plane // Herald KazNPU. 2010. 3: 112-11.
- [6] Brunelle E.J. Buckling of transversely isotopic Mindlin plates // AIAA. 1977. 9(6): 1018-1022.
- [7] Bergman G.G. Elastic waves propagation in fluid saturated porous media G. Acoust. Soc. America. 1981. 2: 416-424.
- [8] Bowen P.M., Incompressible porous media models by use of the theory mixtures // Int. J. Engng. Sci. 1980. 18: 1129-1148.
- [9] De Boer R. Theory of porous media. Berlin: Springer, 2000.
- [10] Ellsiepen P. Zeit- und ortsadaptive Verfahren angewandt auf Mehrphasenprobleme poroser Medien. Bericht Nr. II-3, Universitat Stuttgart, Institute for Mechanik, Lehrstuhl II. 1999.
- [11] Diebels S., Ehlers W. Dynamic analysis of a fully saturated porous medium accounting for geometrical and material non-linearities // Int. J. Num. Methods Engng. 1996. 39: 81-97.
- [12] Diebels S., Ehlers W., Markert B. Neglect of the fluid-extra stresses in volumetrically coupled solid-fluid problems // ZAMM. 2001. 81, S521-S522.
- [13] Umbetov U., Seytmuratov A.Zh. Decomposition approach to the modeling of seismic resistance of building structures // M., PAE. Modern high technologies. 2012. 6: 43.

**А. Ж. Сейтмұратов<sup>1</sup>, З. Т. Сейлова<sup>2</sup>, Қ. Қанибайқызы<sup>1</sup>, А. Қ. Смаханова<sup>1</sup>, М. С. Серікбол<sup>1</sup>**

<sup>1</sup>Қорқыт Ата атындағы Қызылорда мемлекеттік университеті, Қызылорда, Қазақстан,

<sup>2</sup>Ш. Уалиханов атындағы Көкшетау мемлекеттік университеті, Көкшетау, Қазақстан

### **КӨЛБЕУ ЫҒЫСУЛАР ЖАҒДАЙЫНДАҒЫ ЖАЗЫҚТЫҚТЫҢ ОРТАСЫНДА ОРНАЛАСҚАН НҮКТЕЛЕР ҮШІН ПЛАСТИНА ТЕРБЕЛІСІНІҢ ЖУЫҚ ТЕҢДЕУІ**

**Аннотация.** Мақалада сыртқы әсерлер кезінде иілгіш және тұтқыр иілгіш пластиналардың динамикалық қозғалысын анықтау дірілдерін математикалық теория тұрғысынан түсіндіруге талпынған. Осы көзқарасқа негізделген физикалық бейсызықтық материалдар теңдеулеріне жақындатылған, бастапқы ауыстыру мен кернеулерді ескерген және ескерусіз тұтқыр иілгіш пластиналардың бойлық және көлденең дірілдерінің нақты теңдеулері шығарылған. Нақты теңдеулер негізінде сол немесе олардан кейінгі дәлдік дәрежесі бар кейбір жуықтау теңдеулері талданған және олар үшін шекаралық есептер құрастырылған.

**Түйін сөздер:** пластинка, тербеліс, аралас нүктелер, динамикалық қозғалыс, жуық теңдеу, үш өлшемді есеп, кернеу.

**А. Ж. Сейтмұратов<sup>1</sup>, З. Т. Сейлова<sup>2</sup>, Қ. Қанибайқызы<sup>1</sup>, А. Қ. Смаханова<sup>1</sup>, М. С. Серікбол<sup>1</sup>**

<sup>1</sup>Қызылординский государственный университет им. Коркыт Ата, Кызылорда, Казахстан,

<sup>2</sup>Кокшетауский государственный университет им. Ш. Уалиханова, Кокшетау, Казахстан

### **ПРИБЛИЖЕННОЕ КОЛЕБАНИЕ ПЛАСТИНЫ УРАВНЕНИЯ ДЛЯ ПОПЕРЕЧНОГО СМЕЩЕНИЯ ТОЧЕК СРЕДИННОЙ ПЛОСКОСТИ**

**Аннотация.** В настоящей работе предпринята попытка изложения математической теории колебаний упругой или вязкоупругой пластинки для изучения динамического их поведения при нестационарных внешних воздействиях. На основе такого подхода выведены точные уравнения продольных и поперечных колебаний вязкоупругих пластин с учетом и без учета начальных смещений и напряжений, приближенные уравнения физической нелинейности материала. На основе точных уравнений проанализированы некоторые вытекающие из них приближенные уравнения с той или иной

**Ключевые слова:** пластина, колебание, смешанные точки, динамическая движение, приближенные уравнение, трехмерная задача, напряжение.

#### **Information about authors:**

Seitmuratov Angisin – Doktor of Physical and Matematical Sciences, Professoz, The Korkyt Ata Kyzylorda state university, Kyzylorda, Kazakhstan

Seylova Zoya Tuleubaebna – kandidate of pedagogical sciences, associate professor Kokshetau state university named Sh. Ualihanova, Kazakhstan

Kanibaikyzy Kundyzyay – Master degree of pedagogical sciences, The Korkyt Ata Kyzylorda state university, Kyzylorda, Kazakhstan

Smakhanova Aizhan Korganbekovna – Master degree of mathematical sciences, The Korkyt Ata Kyzylorda state university, Kyzylorda, Kazakhstan

Serikbol Makpal Serikbolkyzy – Master degree of mathematical sciences, The Korkyt Ata Kyzylorda state university, Kyzylorda, Kazakhstan

### **Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz)

**ISSN 2518-170X (Online), ISSN 2224-5278 (Print)**

<http://geolog-technical.kz/index.php/kz/>

Верстка Д. Н. Калкабековой

Подписано в печать 14.05.2018.  
Формат 70x881/8. Бумага офсетная. Печать – ризограф.  
24,2 п.л. Тираж 300. Заказ 3.