

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казахский национальный исследовательский
технический университет им. К. И. Сатпаева

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Kazakh national research technical university
named after K. I. Satpayev

ГЕОЛОГИЯ ЖӘНЕ ТЕХНИКАЛЫҚ ҒЫЛЫМДАР СЕРИЯСЫ



СЕРИЯ ГЕОЛОГИИ И ТЕХНИЧЕСКИХ НАУК



SERIES OF GEOLOGY AND TECHNICAL SCIENCES

5 (431)

ҚЫРКҮЙЕК – ҚАЗАН 2018 ж.
СЕНТЯБРЬ – ОКТЯБРЬ 2018 г.
SEPTEMBER – OCTOBER 2018

ЖУРНАЛ 1940 ЖЫЛДАН ШЫҒА БАСТАҒАН
ЖУРНАЛ ИЗДАЕТСЯ С 1940 г.
THE JOURNAL WAS FOUNDED IN 1940.

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Б а с р е д а к т о р ы
э. ғ. д., профессор, ҚР ҰҒА академигі

И.К. Бейсембетов

Бас редакторының орынбасары

Жолтаев Г.Ж. проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қырғыстан)
Беспәев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Кенжалиев Б.К. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н н а я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаяев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кенжалиев Б.К. проф. (Казахстан)
Кожаметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сейтов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2018

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

E d i t o r i a l b o a r d:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadjikistan)
Gravis R.M. prof. (USA)
Yergaliev G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kenzhaliyev B.K. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

<https://doi.org/10.32014/2018.2518-170X.3>

Volume 5, Number 431 (2018), 12 – 14

UDC 551.311.8

S. Kan¹, A. Tyurin² Sh. Kurmangaliyeva¹

¹Ahmedsafin Institute of Hydrogeology and Environmental Geoscience, Kazakhstan,

²Moscow State University named after M. V. Lomonosov, Moscow, Russia.

E-mail: Kan-s58@mail.ru, tjurin_alex@mail.ru, sholp43@mail.ru

**PHYSICAL AND CHEMICAL STUDIES
OF THERAPEUTIC MUD ARASAN-KUNDYZDY FUGS**

Abstract. A brief description of the geographic position, hydro-geological conditions for the manifestation of therapeutic muds of the Arasan-Kunduzdy litter is given, cartographic coordinates of which and its identification in the satellite image were taken during the reconnaissance survey of the work area in 2018. External characters mud gray color, texture dense packed, single native structure, odorless. Humidity is an average of 28,1%. Volumetric weight in the natural state of 1,83 g/cm³. Particle density of dried mud is 2,51 g/m³. The granulometric composition of the mud varies between 0,001 and 5,0 mm. The shear resistance of therapeutic mud appreciated 1910 dynes/cm². Stickiness is 6540 dynes/cm². The volumetric heat capacity is 0,781 cal/ g·grad·cm³. The coefficient of thermal conductivity is 0,00260, heat-retaining capacity of mud is 411 seconds (with a standard of at least 300 seconds). The amount of dissolved salts (mineralization) was 5,6 g/100 g of mud. According to the physico-chemical properties, therapeutic mud of the Arasan-Kunduzdy litter refers to the mud type, confined to saline reservoirs. In the opinion of the authors, the formation of the manifestation of curative mud of the Arasan-Kunduzdy litter occurred during the interaction of highly mineralized underground thermal waters, sulfate-hydrocarbonate-sodium composition, associated with the Upper Cretaceous aquifer, having surface discharge in the zone of the Dubun tectonic fault and near-bottom silt sediments in the region of the old riverbed of the Ili River.

Key words: Arasan-Kunduzdy fugs, Panfilov district, therapeutic mud, physical and chemical properties.

Introduction. Currently, in the CIS countries, about 500 mud deposits have been explored, in which more than 100 resorts operate, where mud therapy is the leading therapeutic factor [1]. The manifestation of therapeutic mud Arasan-Kunduzdy is poorly studied. Only in 1989-1990 MPD «Kazgeokaptazhmin-water» was conducted preliminary investigation of the manifestation of therapeutic mud of Arasan Kunduzdy fugs. Samples of mud were selected for conducting preliminary studies on short and brief analysis schemes. Analyzes were conducted in the laboratory of management. According to the results research mud of the Arasan-Kunduzdy fugs is classified as highly mineralized, low-sulfide alkaline mud that meets all the requirements of therapeutic peloids used for balneological procedures. In 2012, field teams laboratory termoanomal hydrogeology LLP «Institute of Hydrogeology and Geocology named after U. M. Akhmedsafin» conducted a reconnaissance route along Ussek area geothermal waters. During the reconnaissance survey of the work area was held cartographic coordinates portion manifestatios therapeutic mud-Arasan Kunduzdy and its identification in space image, selected mud sample [2].

In tectonic terms manifestation of therapeutic mud Arasan-Kunduzdy is located within the Zharkent depression, which is a large intermontane trough. According to hydrogeological conditions, the manifestation of curative mud is located on the area of the Zharken artesian basin, which is a second-order basin in relation to Ili, and is bounded from the buried Paleozoic shaft located west of Almaty in the Kalkan-Boghuti neck [3-5]. The study of geological and structural conditions Zharkent artesian basin allows us to consider it as an independent hydrogeological unit with the specific conditions formation of groundwater.

The manifestation of therapeutic mud of Arasan-Kunduzdy fugs is located in the Panfilov district of Almaty region on the right bank of the former riverbed of the Ili river, 45 km south-west of the city of

Zharkent. The research is carried out according to the grant financing project "Development of an innovative method for the qualitative and quantitative evaluation of therapeutic mud in southeast Kazakhstan as a hydromineral raw material" (IRN AR 05130934).

The methods of researches. In 2018 by the laboratory of industrial and geothermal water LLP «Institute of Hydrogeology and Geoecology named after U.M. Akhmedsafin» was started research work on the grant financing project «Development of an innovative method for the qualitative and quantitative evaluation of therapeutic mud in southeast Kazakhstan as a hydromineral raw material» (IRN AR 05130934).

During the reconnaissance survey of the area of work, coordinates of the site of the manifestation of therapeutic mud Arasan-Kunduzdy and its identification in a space image were mapped and were taken samples of mud.

As a result of the chemical-analytical analysis of therapeutic mud samples were established following physico-chemical properties therapeutic mud of the Arasan-Kunduzdy fugs. External signs: gray mud, consistence dense, packed, homogeneous structure, odorless. Humidity: average value $W_{180^{\circ}\text{C}}=285,2\%$. The volumetric weight of mud in the natural state: $\gamma=1, 84\text{g/cm}^3$. The density particles of dried mud is $2,51\text{ g/cm}^3$. The contamination with particles larger than $0,25\text{ mm}$ is due mainly to fine sand and vegetation residues.

Resistance to shear of therapeutic mud is estimated at 2207 dynes/cm^2 . The stickiness of the mud was $12\ 500\text{ dynes/cm}^2$. The volume specific heat is $0,741\text{ cal/g}\cdot\text{grad}\cdot\text{cm}^3$. The coefficient of thermal diffusivity $a = 0,00\ 194\text{ cal/cm}^2\text{ sec}\cdot\text{grad}$. Heat-retaining capacity 519 seconds with a standard of at least 300 seconds . According to the chemical composition of mud belong to the chloride-hydrocarbonate sodium type, the mineralization of mud is $8,1\text{ g/dm}^3$, pH is $9,50$.

Sludge mud in assessing their therapeutic value is characterized by the presence of carbonates, as well as calcium and magnesium sulphates, which turn into solution when treated with 10% hydrochloric acid mud. Significant amounts of gypsum and limestone deteriorate the quality of therapeutic mud. In addition, these poorly water-soluble salts can be in the form of sufficiently large concretions (up to 1 or more mm), which violates the granulometric composition. The silicate-argillaceous backbone of the SAB is $50,2\%$. The total value of CO_2 was $7,55\%$ in dried mud. In terms of natural mud – $5,65\%$. The conditional content of carbonates is $17,2\%$ in the dried mud. The average content of hydrogen sulphide (H_2S) is $17,7\text{ mg/100 g dry mud}$ or $0,017\%$. The loss of mass during calcination of mud characterizes crystallization water, organic substances. Weight loss for dry mud is $8,57\%$. Humidity is $25,2\%$. For natural mud – $6,41\%$. For the silicate-clayey skeleton (after crumbling) of mud - $1,22\%$.

The total content of hydrogen sulphide in mud is $136\text{ mg per }100\text{ g of mud}$ or $1,04\text{ mg-eq/100 g}$. The average iron content is 280 mg/100 g or 10 mg-eq/100 g . The ferrum residue is $10,0 - 0,52 = 9,5\text{ mg-eq}$ or 266 mg of Fe^{2+} . The content of elemental sulfur: $0,031\%$. Hydrogen (pH) and redox (Eh) mud potentials mud pH = $8,47$ units, pH of the mud solution = $9,50$ units, pH of the water extract (1: 10) = $8,12$ units. The oxidation-reduction potential of mud in connection with the rapid change in time ranges from -385 to -380 mV .

The technology of preparation of mud for medical procedures sometimes involves the dilution of the concentrate with ordinary water, and not with the brine of the lake; therefore, during the study of mud, an experiment was performed to dissolve the salts contained in the mud when extracted with water (water extract 1:10 T: Zh). The amount of dissolved salts (mineralization) was $1619\text{ g/100 g of mud}$. Hypothetical salt composition (% mg-eq): Mg (HCO_3) 2 ($38,9\%$), Na- HCO_3 ($20,6\%$), CaCO_3 ($10,2\%$). With acid decomposition precipitate is a silicate-clay skeleton (coarse-dispersed silicate component). In a hydrochloric acid solution, along with a salt-soluble salt component are calcium, magnesium, sulfates, iron, aluminum, manganese, phosphates, soluble silicic acid.

Thus, an analysis of the physico-chemical properties of the original mud showed that the therapeutic mud of the Arasan-Kunduzdy fugs, refer to the type of silt mud confined to saline reservoirs. In the opinion of the authors, formation of the manifestation of therapeutic mud of the Arasan-Kunduzdy fugs occurred during the interaction of high mineralized subterranean waters of sulfate-hydrogen carbonate sodium composition associated with the Upper Cretaceous aquifer having surface discharge in the zone of the Dubun tectonic fault and near-bottom silt sediments in the region of the old riverbed of the Ili River.

REFERENCES

- [1] <http://www.ladya-kmv.ru/san/dirt/>
[2] Kan S., Kalugin O., Murtazin E., Kurmangalieva Sh., Rysmendeeva G. Therapeutic mud litter Arasan-Kundyzy and some aspects of their genesis // Proceedings of the NAS RK, Series of geology and engineering sciences. Almaty, 2015. N 3. P. 69-79. (In Rus.).
[4] Artesian basins of Southern Kazakhstan. Almaty: Science, 1968. 122 p. (In Rus.).
[5] Kan M. Underground mineral waters of the Ili depression // Bulletin KazSSR, Series of geology. Almaty, 1973. N 3. P. 80-87. (In Rus.).
[6] Formation and hydrodynamics of artesian waters of Southern Kazakhstan. Almaty: Science, 1973. 231 p. (In Rus.).

С. М. Кан¹, А. И. Тюрин², Ш. Г. Курмангалиева¹

¹«У. М. Ахмедсафин атындағы гидрогеология және геоэкология институты», Алматы, Қазақстан,

²М. В. Ломоносов атындағы Мәскеу мемлекеттік университеті, Ресей

АРАСАН-КҰНДЫЗДЫ СОРЫНЫҢ ЕМДІК БАЛШЫҚТАРЫН ФИЗИКАЛЫҚ-ХИМИЯЛЫҚ ЗЕРТТЕУЛЕРІ

Аннотация. Арасан-Кұндызды сорының емдік балшықтарына қысқаша сипаттама келтірілген (Панфилов ауданы Алматы облысы). Сыртқы белгісі бойынша балшық сұр түстес, консистенциясы тығыз, нығыздалған, құрылымы біртекті, иіссіз. Ылғалдылығы, табиғи жағдайдағы көлемді салмағы, кепкен балшықтың тығыздық бөлігі, гранулометриялық құрамы, жылжу кедергісінің мөлшері, жабысқақтығы, көлемді жылу сыйымдылығы бойынша мәліметтер келтірілен. Химиялық құрамы бойынша балшықтар хлоридті-гидрокарбонатты натрийлі типке жатады, балшықтың минералдануы – 8,1 г/дм³, рН 9,50. Арасан-Кұндызды сор емдік балшығының физикалық-химиялық қасиеттері бойынша тұзды суқоймасына орайласқан, лайлы балшық типіне жатады.

Түйін сөздер: Арасан-Кұндызды соры, Панфилов ауданы, емдік балшықтар, физикалық және химиялық қасиеттері.

С. М. Кан¹, А. И. Тюрин², Ш. Г. Курмангалиева¹

¹ТОО «Институт гидрогеологии и геоэкологии им. У. М. Ахмедсафина», Алматы, Казахстан,

²Московский государственный университет им. М. В. Ломоносова, Москва, Россия

ФИЗИКО-ХИМИЧЕСКИЕ ИССЛЕДОВАНИЯ ЛЕЧЕБНОЙ ГРЯЗИ СОРА АРАСАН-КУНДУЗДЫ

Аннотация. Приведена краткая характеристика лечебных грязей сора Арасан-Кундузды (Панфиловский район Алматинской области). По внешним признакам грязь серого цвета, консистенция плотная, слежавшаяся, однородной структуры, без запаха. Приведены данные по влажности, объемному весу в естественном состоянии, плотности частиц высушенной грязи, гранулометрическому составу, величины сопротивления сдвигу, липкости, объемной теплоемкости. По химическому составу грязи относятся к хлоридно-гидрокарбонатному натриевому типу, минерализация грязи – 8,1 г/дм³, рН 9,50. По физико-химическим свойствам лечебные грязи сора Арасан-Кундузды относятся к иловому типу грязей, приуроченных к соленым водоёмам.

Ключевые слова: сор Арасан-Кундузды, Панфиловский район, лечебные грязи, физико-химические свойства.

Information about authors:

Kan Sergey – candidate of geological and mineralogical sciences, head laboratory of industrial and geothermal waters Ahmedsafin Institute of Hydrogeology and Environmental Geoscience, e-mail: Kan-s58@mail.ru; 0000-0002-2182-0695

Tyurin Aleksandr – candidate of geological and mineralogical sciences, head laboratory geokryologii of Moscow State University named after M. V. Lomonosov; e-mail: tjurin_alex@mail.ru; 0000-0002-0235-3761

Kurmangaliyeva Sholpan – candidate of biological sciences, leading researcher Ahmedsafin Institute of Hydrogeology and Environmental Geoscience; e-mail: sholp43@mail.ru; 0000-0002-1389-6841

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://geolog-technical.kz/index.php/kz/>

Верстка Д. Н. Калкабековой

Подписано в печать 08.10.2018.
Формат 70x881/8. Бумага офсетная. Печать – ризограф.
15,0 п.л. Тираж 300. Заказ 5.