

ISSN 2518-170X (Online),  
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ  
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

# Х А Б А Р Л А Р Ы

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Казакский национальный исследовательский  
технический университет им. К. И. Сатпаева

## NEWS

OF THE ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN  
Kazakh national research technical university  
named after K. I. Satpayev

### ГЕОЛОГИЯ ЖӘНЕ ТЕХНИКАЛЫҚ ҒЫЛЫМДАР СЕРИЯСЫ



### СЕРИЯ ГЕОЛОГИИ И ТЕХНИЧЕСКИХ НАУК



### SERIES OF GEOLOGY AND TECHNICAL SCIENCES

**5 (431)**

ҚЫРКҮЙЕК – ҚАЗАН 2018 ж.  
СЕНТЯБРЬ – ОКТЯБРЬ 2018 г.  
SEPTEMBER – OCTOBER 2018

ЖУРНАЛ 1940 ЖЫЛДАН ШЫҒА БАСТАҒАН  
ЖУРНАЛ ИЗДАЕТСЯ С 1940 г.  
THE JOURNAL WAS FOUNDED IN 1940.

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ  
ВЫХОДИТ 6 РАЗ В ГОД  
PUBLISHED 6 TIMES A YEAR

---

*NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.*

*Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.*

*НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.*

Б а с р е д а к т о р ы  
э. ғ. д., профессор, ҚР ҰҒА академигі

**И.К. Бейсембетов**

Бас редакторының орынбасары

**Жолтаев Г.Ж.** проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

**Абаканов Т.Д.** проф. (Қазақстан)  
**Абишева З.С.** проф., академик (Қазақстан)  
**Агабеков В.Е.** академик (Беларусь)  
**Алиев Т.** проф., академик (Әзірбайжан)  
**Бакиров А.Б.** проф., (Қырғыстан)  
**Беспаев Х.А.** проф. (Қазақстан)  
**Бишимбаев В.К.** проф., академик (Қазақстан)  
**Буктуков Н.С.** проф., академик (Қазақстан)  
**Булат А.Ф.** проф., академик (Украина)  
**Ганиев И.Н.** проф., академик (Тәжікстан)  
**Грэвис Р.М.** проф. (АҚШ)  
**Ерғалиев Г.К.** проф., академик (Қазақстан)  
**Жуков Н.М.** проф. (Қазақстан)  
**Кенжалиев Б.К.** проф. (Қазақстан)  
**Қожахметов С.М.** проф., академик (Қазақстан)  
**Конторович А.Э.** проф., академик (Ресей)  
**Курскеев А.К.** проф., академик (Қазақстан)  
**Курчавов А.М.** проф., (Ресей)  
**Медеу А.Р.** проф., академик (Қазақстан)  
**Мұхамеджанов М.А.** проф., корр.-мүшесі (Қазақстан)  
**Нигматова С.А.** проф. (Қазақстан)  
**Оздоев С.М.** проф., академик (Қазақстан)  
**Постолатий В.** проф., академик (Молдова)  
**Ракишев Б.Р.** проф., академик (Қазақстан)  
**Сейтов Н.С.** проф., корр.-мүшесі (Қазақстан)  
**Сейтмуратова Э.Ю.** проф., корр.-мүшесі (Қазақстан)  
**Степанец В.Г.** проф., (Германия)  
**Хамфери Дж.Д.** проф. (АҚШ)  
**Штейнер М.** проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде  
30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz/geology-technical.kz>

---

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р  
д. э. н., профессор, академик НАН РК

**И. К. Бейсембетов**

Заместитель главного редактора

**Жолтаев Г.Ж.** проф., доктор геол.-мин. наук

Р е д а к ц и о н н а я к о л л е г и я:

**Абаканов Т.Д.** проф. (Казахстан)  
**Абишева З.С.** проф., академик (Казахстан)  
**Агабеков В.Е.** академик (Беларусь)  
**Алиев Т.** проф., академик (Азербайджан)  
**Бакиров А.Б.** проф., (Кыргызстан)  
**Беспаяев Х.А.** проф. (Казахстан)  
**Бишимбаев В.К.** проф., академик (Казахстан)  
**Буктуков Н.С.** проф., академик (Казахстан)  
**Булат А.Ф.** проф., академик (Украина)  
**Ганиев И.Н.** проф., академик (Таджикистан)  
**Грэвис Р.М.** проф. (США)  
**Ергалиев Г.К.** проф., академик (Казахстан)  
**Жуков Н.М.** проф. (Казахстан)  
**Кенжалиев Б.К.** проф. (Казахстан)  
**Кожаметов С.М.** проф., академик (Казахстан)  
**Конторович А.Э.** проф., академик (Россия)  
**Курскеев А.К.** проф., академик (Казахстан)  
**Курчавов А.М.** проф., (Россия)  
**Медеу А.Р.** проф., академик (Казахстан)  
**Мухамеджанов М.А.** проф., чл.-корр. (Казахстан)  
**Нигматова С.А.** проф. (Казахстан)  
**Оздоев С.М.** проф., академик (Казахстан)  
**Постолатий В.** проф., академик (Молдова)  
**Ракишев Б.Р.** проф., академик (Казахстан)  
**Сейтов Н.С.** проф., чл.-корр. (Казахстан)  
**Сейтмуратова Э.Ю.** проф., чл.-корр. (Казахстан)  
**Степанец В.Г.** проф., (Германия)  
**Хамфери Дж.Д.** проф. (США)  
**Штейнер М.** проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz/geology-technical.kz>

---

© Национальная академия наук Республики Казахстан, 2018

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

**I. K. Beisembetov**

Deputy editor in chief

**Zholtayev G.Zh.** prof., dr. geol-min. sc.

E d i t o r i a l b o a r d:

**Abakanov T.D.** prof. (Kazakhstan)  
**Abisheva Z.S.** prof., academician (Kazakhstan)  
**Agabekov V.Ye.** academician (Belarus)  
**Aliyev T.** prof., academician (Azerbaijan)  
**Bakirov A.B.** prof., (Kyrgyzstan)  
**Bespayev Kh.A.** prof. (Kazakhstan)  
**Bishimbayev V.K.** prof., academician (Kazakhstan)  
**Buktukov N.S.** prof., academician (Kazakhstan)  
**Bulat A.F.** prof., academician (Ukraine)  
**Ganiyev I.N.** prof., academician (Tadjikistan)  
**Gravis R.M.** prof. (USA)  
**Yergaliev G.K.** prof., academician (Kazakhstan)  
**Zhukov N.M.** prof. (Kazakhstan)  
**Kenzhaliyev B.K.** prof. (Kazakhstan)  
**Kozhakhmetov S.M.** prof., academician (Kazakhstan)  
**Kontorovich A.Ye.** prof., academician (Russia)  
**Kurskeyev A.K.** prof., academician (Kazakhstan)  
**Kurchavov A.M.** prof., (Russia)  
**Medeu A.R.** prof., academician (Kazakhstan)  
**Muhamedzhanov M.A.** prof., corr. member. (Kazakhstan)  
**Nigmatova S.A.** prof. (Kazakhstan)  
**Ozdoev S.M.** prof., academician (Kazakhstan)  
**Postolatii V.** prof., academician (Moldova)  
**Rakishev B.R.** prof., academician (Kazakhstan)  
**Seitov N.S.** prof., corr. member. (Kazakhstan)  
**Seitmuratova Ye.U.** prof., corr. member. (Kazakhstan)  
**Stepanets V.G.** prof., (Germany)  
**Humphery G.D.** prof. (USA)  
**Steiner M.** prof. (Germany)

**News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.**

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,  
<http://nauka-nanrk.kz/geology-technical.kz>

---

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Editorial address: Institute of Geological Sciences named after K.I. Satpayev  
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

**NEWS**

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

**SERIES OF GEOLOGY AND TECHNICAL SCIENCES**

ISSN 2224-5278

<https://doi.org/10.32014/2018.2518-170X.28>

Volume 5, Number 431 (2018), 218 – 225

IRSTI 621.3.01/09, 531, 532, 62-83:621.313.3

**K. A. Kabyzbekov, Kh. K. Abdrakhmanova,  
P. A. Saidakhmetov, T. S. Sultanbek, B. Sh. Kedelbaev**

M. Auezov South Kazakhstan state University, Shymkent, Kazakhstan.  
E-mail: kenkab@mail.ru, khadi\_kab@mail.ru

**CALCULATION AND VISUALIZATION  
OF ISOTOPES SEPARATION PROCESS USING MATLAB PROGRAM**

**Abstract.** The article presents the MATLAB program for calculation and visualization of the separation process of isotopes  ${}^1_1\text{H}$ ,  ${}^2_1\text{H}$  and  ${}^3_1\text{H}$ ;  ${}^{235}_{92}\text{U}$  and  ${}^{238}_{92}\text{U}$ ;  ${}^{12}_{12}\text{C}$  and  ${}^{14}_{12}\text{C}$ ;  ${}^{20}_{10}\text{Ne}$  and  ${}^{22}_{10}\text{Ne}$ .

There is a brief theory of motion of a charged particle in the magnetic field. Due to action of the magnetic field the charged particles with different masses move along circles of different radius. To solve the system of differential equations of the second order it is converted into the system of differential equations of the first order and previously m-file is created under the name Lorenz.m, which is addressed from the command line. The equations are solved by using the procedure ode 45 of the MATLAB system. The calculation results are presented by diagrams where the isotopes with various specific charges move along trajectories with different revolution radii. It is said that isotopes are separated due to specific charges. The more is the mass number of an isotope the greater is its revolution radius.

**Key words:** isotope, specific charge, mass-spectrometer, velocity selector, revolution, radius of the trajectory.

**Introduction.** Nowadays all educational institutions of Kazakhstan are provided with computer hardware and software, interactive boards and internet. Almost all teachers have completed language and computer courses for professional development. Hence the educational institutions have all conditions for using computer training programs and models for performing computer laboratory works. During several years we have been conducting the work on organization computer laboratory works on physics with use of resources of the Fizikon Company [1, 2] which are developed at Al-Farabi Kazakh National University by V.V.Kashkarov and his group. Some of worksheet templates for computer laboratory works are introduced in educational process of our university and schools of the Southern Kazakhstan [3-29]. Students of the physics specialties 5B060400 and 5B011000 successfully master the discipline “Computer modeling of physical phenomena” which is the logical continuation of the disciplines “Information technologies in teaching physics” and “Use of electronic textbooks in teaching physics”. The aim of this discipline is to study and learn the MATLAB program language [30] system, acquaintance with its huge opportunities for modeling and visualization of physical processes. The present article is devoted to organization of the laboratory work «Calculation and visualization of isotopes separation process » by using the package of MATLAB applied programs.

**Methods.** Let's consider the problem of space separation of nuclei with identical charges  $q$ , but of different masses  $m$  (mixture of isotopes). From the source (ordinarily it is the velocity selector) the particles escape in the direction of  $Y$  axis perpendicularly to the magnetic field. The magnetic field  $\mathbf{B}$  is parallel to  $Z$  axis. Particles escape from the selector with initial velocity, identical in magnitude and in direction, and enter into a transversal magnetic field. (The operation of the velocity selector is described in our article [4].) Here we just note that to have isotopes entering the magnetic field with identical speeds, irrespectively of their specific charges, they must pass through crossed electric and magnetic fields. In that case their speed does not depend on anything, except the ratio of the electric field to the magnetic induction, i.e.  $v=E/B$ ).

It is necessary to carry out calculation and visualization of the motion trajectory of nuclei with identical charges but different masses, i.e. isotopes in the mixture.

The charged particles escaping the velocity selector are under the action of the Lorentz force:

$$\vec{F} = q\vec{E} + q[\vec{v}\vec{B}] \quad (1)$$

At the action of the Lorentz force the charged particle entering the magnetic field at right angle moves along the circle with radius  $R$ .

$R = \frac{mv}{qB}$  is the revolution radius,  $T = 2\pi \frac{m}{qB}$  is the revolution period, here  $m$  is the mass of the particle,  $q$  is the charge of the particle.

The motion equations in the projections on the X,Y,Z axes are the followings:

$$m \frac{dv_x}{dt} = q(v_y B_z - v_z B_y); \quad m \frac{dv_y}{dt} = q(v_z B_x - v_x B_z); \quad m \frac{dv_z}{dt} = q(v_x B_y - v_y B_x);$$

or

$$\frac{dv_x}{dt} = q(v_y B_z - v_z B_y) / m; \quad \frac{dv_y}{dt} = q(v_z B_x - v_x B_z) / m; \quad \frac{dv_z}{dt} = q(v_x B_y - v_y B_x) / m;$$

here  $\frac{dx}{dt} = v_x$  (we denote it as  $v_x = z2$ );  $\frac{dy}{dt} = v_y$  (we denote it as  $v_y = z4$ );  $\frac{dz}{dt} = v_z$  (we denote it as  $v_z = z6$ ); also we introduce the following denotations  $B_x = B(1)$ ,  $B_y = B(2)$ ,  $B_z = B(3)$ . The initial conditions for these equations are:  $x0=0$ ,  $y0=0$ ,  $z0=0$  (initial coordinates of particles);  $v_x=0$ ,  $v_y=0.1$ ,  $v_z=0$  (initial velocities of particles). The considered isotopes are proton  ${}^1_1H$ , deuterium  ${}^2_1H$ , tritium  ${}^3_1H$  with masses in dimensionless units  $m=1$ ,  $2*m$ ,  $3*m$  respectively, and  $q=1$  (proton charge).

For solving the differential equations (DE) we create the m-file with title Lorentz.m.

The listing of the m-file

function f=Lorenz(t,z)

global B % input the global variable

f=zeros(6,1);% building the matrix of dimension 6x1

f(1)=z(2);% x-component of the velocity

f(2)= 2\*pi\*(z(4)\*B(3)-z(6)\*B(2));% x-component of the force

f(3)=z(4);% y-component of the velocity

f(4)=2\*pi\*(z(6)\*B(1)-z(2)\*B(3));% y-component of the force

f(5)=z(6);% z-component of the velocity

f(6)=2\*pi\*(z(2)\*B(2)-z(4)\*B(1));% z-component of the force

end

**Results.** In the program for calculation and visualization of isotopes  ${}^1_1H$ ,  ${}^2_1H$ ,  ${}^3_1H$  separation the magnitudes of the charge and mass are taken in dimensionless units, i.e. as ratio of the charge to the elementary charge and the ratio of the mass to the proton's mass, so  $q=1$  and  $m=1$ .

In the command line we write

```
>> global B; % input the global variable
```

```
>> B=[0 0 1]; % input the elements of matrix (Bx=0, By=0, Bz=1)
```

```
>> x0=0; y0=0; z0=0; % input the initial coordinates of particles
```

```
>> vx=0;vy=0.1; vz=0; % input the initial velocities of particles
```

```
>> q=1; m=1; % input the charge and mass of the particle in dimensionless units
```

```
>> [t,R]=ode45('Lorenz',[0:10/1024:0.5],[x0 vx y0 vz]); % solution of DE
```

```
>> plot3(R(:,1),R(:,3),R(:,5),x0,y0,z0,'o','MarkerSize',6);% drawing the trajectory
```

in three-dimensional space (for  $q=1$ ;  $m=1$ ,  ${}^1_1H$ )

```
>> view([0 0 100]) % drawing the trajectory on the plane
```

```
>> hold on % drawing the next picture
```

```
>> plot3(R(:,1)*2*m/q,R(:,3)*2*m/q,R(:,5)*2*m/q,x0,y0,z0,'o','MarkerSize',6);%
    (for q=1; m=2,  ${}^2_1H$ )
>> plot3(R(:,1)*3*m/q,R(:,3)*3*m/q,R(:,5)*3*m/q,x0,y0,z0,'o','MarkerSize',6);%
    (for q=1; m=3,  ${}^3_1H$ )
>> grid on% input the coordinate grid
>> gtext('m/q') % input the text at a chosen place
>> gtext('2*m/q') % input the text at a chosen place
>> gtext('3*m/q') % input the text at a chosen place
The result is presented in the figure 1.
```

Figure 1 shows that the charged particles with different specific charges move along different trajectories since their revolution radii depend upon their specific charges, thus, they are being separated.




Figure 1 – The motion trajectories of isotopes  ${}^1_1H$ ,  ${}^2_1H$ ,  ${}^3_1H$  on the plane

It should be noted that all isotopes enter the magnetic field with identical velocities. It is known that the revolution radius also depends upon the particle's velocity ( $R = \frac{mv}{qB}$ ). To have isotopes entering the magnetic field with identical velocities it is necessary to pass them through the velocity selector. About the velocity selector used in mass-spectrometers we wrote in [4].

```
The program for calculation and visualization of isotopes  ${}^{235}_{92}U$  and  ${}^{238}_{92}U$ .
>> global B; % input the global variable
>> B=[0 0 1]; % input the elements of matrix
>> x0=0; y0=0; z0=0; % input the initial coordinates of particles
>> vx=0;vy=0.1; vz=0; % input the initial velocities of particles
>> q=92; m=235; % input the charge and mass of the particle
>> [t,R]=ode45('Lorenz',[0:10/1024:0.5],[x0 vx y0 vy z0 vz]); % solution of DE
>> plot3(R(:,1)*235/q, R(:,3)*235/q, R(:,5)*235/q, x0,y0,z0,'o','MarkerSize',6);%
    drawing the trajectory in three-dimensional space (for q=92; m=235,  ${}^{235}_{92}U$ )
>> view([0 0 100]) % drawing the trajectory on the plane
>> hold on% drawing the next picture
>> plot3(R(:,1)*238/q, R(:,3)*238/q, R(:,5)*238/q, x0,y0,z0,'o','MarkerSize',6);%
    (for q=92, m=238)
```



```
>> grid on % input the coordinate grid
>> gtext('q/235') % input the text at a chosen place
>> gtext('q/238') % input the text at a chosen place
```

The result is presented in the figure 2.




Figure 2 – The motion trajectories of isotopes  ${}_{92}^{235}\text{U}$  and  ${}_{92}^{238}\text{U}$  on the plane

The program for calculation and visualization of isotopes  ${}_{12}^{12}\text{C}$  and  ${}_{12}^{14}\text{C}$ .

```
>> global B; % input the global variable
>> B=[0 0 1]; % input the elements of matrix
>> x0=0; y0=0; z0=0; % input the initial coordinates of particles
>> vx=0;vy=0.1; vz=0; % input the initial velocities of particles
>> q=12; m=12; % input the charge and mass of the particle
>> [t,R]=ode45('Lorenz',[0:10/1024:0.5],[x0 vx y0 vy z0 vz]); % solution of DE
>> plot3(R(:,1)*12/q,R(:,3)*12/q,R(:,5)*12/q,x0,y0,z0,'o','MarkerSize',6),)%
    drawing the trajectory in three-dimensional space (for q=12; m=12,  ${}_{12}^{12}\text{C}$ )
>> view([0 0 100]) % drawing the trajectory on the plane
>> hold on % drawing the next picture
>> plot3(R(:,1)*14/q,R(:,3)*14/q,R(:,5)*14/q,x0,y0,z0,'o','MarkerSize',6);%
    (for q=12, m=14)
>> grid on % input the coordinate grid
>> gtext('q/m=12/12') % input the text at a chosen place
>> gtext('q/m=12/14') % input the text at a chosen place
```

The result is presented in the figure 3.

The program for calculation and visualization of isotopes  ${}_{10}^{20}\text{Ne}$  and  ${}_{10}^{22}\text{Ne}$ .

```
>> global B; % input the global variable
>> B=[0 0 1]; % input the elements of matrix
>> x0=0; y0=0; z0=0; % input the initial coordinates of particles
>> vx=0;vy=0.1; vz=0; % input the initial velocities of particles
>> q=10;m=20; % input the charge and mass of the particle
>> [t,R]=ode45('Lorenz',[0:10/1024:0.5],[x0 vx y0 vy z0 vz]); % solution of DE
>> plot3(R(:,1)*20/q,R(:,3)*20/q,R(:,5)*20/q,x0,y0,z0,'o','MarkerSize',6),)%
    drawing the trajectory in three-dimensional space (for q=10; m=20,  ${}_{10}^{20}\text{Ne}$ )
>> view([0 0 100]) % drawing the trajectory on the plane
```




Figure 3 – The motion trajectories of isotopes  $^{12}_{12}\text{C}$  and  $^{14}_{12}\text{C}$  on the plane

```
>> hold on % drawing the next picture
>> plot3(R(:,1)*22/q,R(:,3)*22/q,R(:,5)*22/q,x0,y0,z0,'o','MarkerSize',6); %
    (for q=10, m=22)
>> grid on % input the coordinate grid
>> gtext('q/m=10/20') % input the text at a chosen place
>> gtext('q/m=10/22') % input the text at a chosen place
```

The result is presented in the figure 4.

The program given above allows visualizing the motion trajectory of the charged particle in a magnetic field. For this purpose it is necessary to increase only the time of calculation and to take one of the components of the particle's velocity  $v_x$  or  $v_y$  if the charge enters the magnetic field at right angle to the direction of the magnetic induction or both components if the charged particle enters the magnetic field at a certain angle to the direction of the magnetic field.

In the given programs we have limited the time of calculation so that the particle passes a semi-circle and it has only one  $v_y$  component of its velocity.




Figure 4 – The motion trajectories of isotopes  $^{20}_{10}\text{Ne}$  and  $^{22}_{10}\text{Ne}$  on the plane

**Conclusion.** The article offers the programs for calculation and visualization of the separation process of isotopes  ${}^1_1\text{H}$ ,  ${}^2_1\text{H}$ ,  ${}^3_1\text{H}$ ;  ${}^{235}_{92}\text{U}$ ,  ${}^{238}_{92}\text{U}$ ;  ${}^{12}_{12}\text{C}$ ,  ${}^{14}_{12}\text{C}$ ;  ${}^{20}_{10}\text{Ne}$ ,  ${}^{22}_{10}\text{Ne}$ . The mathematical model of motion of charged particles in the magnetic field is developed using the package of MatLab applied programs. To solve the system of differential equations of the second order it is converted into the system of differential equations of the first order and previously m-file is created under the name Lorenz.m, which is addressed from the command line. The equations are solved by using the procedure ode45 of the MatLab system. Results of calculations are presented in figures 1-4 in the form of motion trajectories of isotopes as a function of their specific charges. It is seen that isotopes with different specific charges are separated and move along different circular trajectories. The less is the specific charge the more is the revolution radius or the more is the mass number of the isotope the greater is its radius of revolution. The results of calculations and visualization are applied in electrical engineering.

#### REFERENCES

- [1] CD of the open JSC "Phizicon". «The open physics 1.1».2001.
- [2] <http://elektronika.newmail.ru>
- [3] Kabyzbekov K.A., Abdrakhmanova Kh.K., Abekova Zh.A., Abdraimov R.T., Ualikhanova B.S. Calculation and visualization of a system- an electron in a deep square potential well, with use of the software package of MATLAB // Proceeding of the III International Scientific and Practical Conference «Topical researches of the World Science» (June 28, 2017, Dubai, UAE). July 2017. Vol. 1, N 23. P. 7-13.
- [4] Kabyzbekov K., Saidullaeva N., Spabekova R., Omashova G., Tagaev N., Bitemirova A., Berdieva M. Model of a blank form for computer laboratory work on research of the speed selector // Journal of Theoretical and Applied Information Technology. 15th July 2017. Vol. 95, N 13. P. 2999-3009. JATIT & LLS. Indexada en Scopus.
- [5] Kabyzbekov K., Omashova G., Spabekova R., Saidullaeva N., Saidakhmetov P., Junusbtikova S Management and organization of computer laboratory work in physics education // Espacios. Año 2017. Vol. 38 (Nº 45). Pág. 35. Indexada en Scopus, Google Scholar.
- [6] Kabyzbekov K.A., Saidakhmetov P.A., Arysbaeva A.S. Worksheet template for organization the independent performance of computer laboratory works // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan, Series of Physics and Mathematics. 2013. N 6. P. 82-89.
- [7] Kabyzbekov K.A., Saidahmetov P.A., Baidullaeva L.E., Abduraimov R. A technique of use of computer models for photo-effect and Compton effect studying, worksheet template for organization the performance of computer laboratory works // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2013. N 6. P. 114-121.
- [8] Kabyzbekov K.A., Saidahmetov P.A., Turganova T.K., Nurullaev M.A., Baidullaeva L.E. Model of a lesson on converging and diverging lenses // Proceedings of NAN RK. Series physical-mat. 2014. N 2. P. 286-294.
- [9] Kabyzbekov K.A., Ashirbaev H.A., Saidahmetov P.A., Rustemova K.Zh., Baidullaeva L.E. Worksheet template for organization the performance of computer laboratory work on study the diffraction of light // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2015. N 1(299). P. 71-77.
- [10] Kabyzbekov K.A., Ashirbaev H.A., Takibaeva G.A., Saparbaeva E.M., Baidullaeva L.E., Adineeva Sh.I. Worksheet template for organization the performance of computer laboratory work on study the motion of charged particles in a magnetic field // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2015. N 1(299). P. 80-87.
- [11] Kabyzbekov K.A., Ashirbaev H.A., Saidakhmetov P.A., Baigulova Z.A., Baidullaeva L.E. Worksheet template for organization the performance of computer laboratory work on study the Newton's rings // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2015. N 1(299). P. 14-20.
- [12] Kabyzbekov K.A., Ashirbaev H.A., Sabalakhova A.P., Dzhumagalieva A.I. Worksheet template for organization the performance of computer laboratory work on study the phenomenon of light interference // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan, Series of Physics and Mathematics. 2015. N 3(301). P. 131-136.
- [13] Kabyzbekov K.A., Ashirbaev H.A., Sabalakhova A.P., Dzhumagalieva A.I. Worksheet template for organization the performance of computer laboratory work on study the Doppler-effect // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan, Series of Physics and Mathematics. 2015. N 3(301). P. 155-160.
- [14] Kabyzbekov K.A., Ashirbaev H.A., Arysbaeva A.S., Dzhumagalieva A.I. Worksheet template for organization the performance of computer laboratory work on study physical phenomena // Modern high technologies. M., 2015. N 4. P. 40-43.
- [15] Kabyzbekov K.A., Saidakhmetov P.A., Ashirbaev Kh.A., Omashova G.Sh., Berdalieva J. Worksheet template for organization the performance of computer laboratory work on study electromagnetic oscillations // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2016. N 1(305). P. 111-116.
- [16] Kabyzbekov K.A., Saidakhmetov P.A., Omashova G.Sh., Berdalieva J., Dzhumagalieva A.I. Worksheet template for organization the performance of computer laboratory work on study the interaction between two infinitely long parallel current-carrying conductors // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2016. N 1(305). P. 135-140.

- [17] Kabyzbekov K.A., Saidakhmetov P.A., Omashova G.Sh., Suttibaeva D.I., Kozybakova G.N. Worksheet template for organization the performance of computer laboratory work on study isobaric process // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2016. N 2. P. 92-97.
- [18] Kabyzbekov K.A., Omashova G.Sh., Saidakhmetov P.A., Nurullaev M.A., Artygalin N.A. Worksheet template for organization the performance of computer laboratory work on study the Carnot cycle // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2016. N 2. P. 98-103.
- [19] Kabyzbekov K.A., Saidakhmetov P.A., Ashirbaev H.A., Abdubaeva Ph.I., Doskanova A.E. Study of the work done by gas on computer model // The Herald of NAN PK. 2016. N 2. P. 83-88.
- [20] Kabyzbekov K.A., Saidakhmetov P.A., Omashova G.Sh., Serikbaeva G.S., Suyerkulova Zh.N. Worksheet template for organization the performance of computer laboratory work on study simple harmonic motions // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2016. N 2. P. 84-91.
- [21] Kabyzbekov K.A., Madjarov N.T., Saidakhmetov P.A. An Independent design of research assignments for computer laboratory work on thermodynamics // Proceedings of the IX International scientific-methodical conference "Teaching natural Sciences (biology, physics, chemistry), mathematics and computer science". Tomsk, 2016. P. 93-99.
- [22] Kabyzbekov K.A., Saidakhmetov P.A., Omashova G.Sh. Organization of computer laboratory work on study the inductor reactance in an ac circuit // Proceedings of NAN RK. 2017. N 1. P. 77-82.
- [23] Kabyzbekov K.A., Saidakhmetov P.A., Omashova G.Sh., Ashirbaev H.A., Abekova J.A. Organization of computer laboratory works on study of the isotherms of a real gas // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2017. N 1. P. 77-83.
- [24] Kabyzbekov K.A., Saidakhmetov P.A., Omashova G.Sh. Organization of computer laboratory works on study of the phenomenon of beats // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2017. N 2. P. 104-110.
- [25] Kabyzbekov K.A., Omashova G.Sh., Spabekova R.S., Saidakhmetov P.A., Serikbaeva G., Arysbaeva A.S. Worksheet template for organization the performance of computer laboratory work on study the isothermal process // Herald of the National Academy of Sciences of Kazakhstan. 2017. N 3. P. 199-207.
- [26] Kabyzbekov K.A., Omashova G.Sh., Spabekova R.S., Saidakhmetov P.A., Abdrakhmanova Kh.K., Arysbaeva A.S. Independent design of assignment for performance of a computer lab on study isochoric process // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2017. N 3. P. 127-134.
- [27] Kabyzbekov K.A., Omashova G.Sh., Spabekova R.S., Saidakhmetov P.A., Serikbaeva G.S., Aktureeva G. Organization of computer laboratory works on study the turn-on and turn-off current of the power supply by using MATLAB software package // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2017. N 3. P. 139-146.
- [28] Kabyzbekov K.A., Omashova G.Sh., Spabekova R.S., Saidakhmetov P.A., Serikbaeva G.S., Aktureeva G. Organization of computer labs for the study the velocity and height distribution of molecules from the Earth's surface by using MATLAB software package // Herald of RK NAS. 2017. N 3. P. 111-119.
- [29] Kabyzbekov K.A., Ashirbayev H.A., Abdrakhmanova Kh.K., Dzhumagalieva A.I., Kydyrbekova J.B. Organization of laboratory work on study the electric and magnetic fields by using MATLAB software package // Proceedings of the National Academy of Sciences of the Republic of Kazakhstan. Series of Physics and Mathematics. 2017. N 3(313). P. 206-212.
- [30] Porsev S.V. Computer simulation of physical processes in the package MATLAB. M.: Hot Line-Telecom, 2003. 592 p.

**К. А. Қабылбеков, Х. К. Абдрахманова, П. А. Саидхметов,  
Т. С. Сұлтанбек, Б. Ш. Кеделбаев**

М. Әуезов атындағы Оңтүстік Қазақстан мемлекеттік университет, Шымкент, Қазақстан

**МАТЛАВ ЖҮЙЕСІНДЕ  
«ИЗОТОПТАРДЫ АЖЫРАТУ ПРОЦЕСІН ЕСЕПТЕУ МЕН БЕЙНЕЛЕУ»**

**Аннотация.**  ${}^1_1H$ ,  ${}^2_1H$ ,  ${}^3_1H$ ;  ${}^{235}_{92}U$ ,  ${}^{238}_{92}U$ ;  ${}^{12}_{12}C$ ,  ${}^{14}_{12}C$ ;  ${}^{20}_{10}Ne$ ,  ${}^{22}_{10}Ne$  изотоптарын ажыратуды есептеу мен бейнелеудің програамалары ұсынылады. Зарядталған бөлшектердің магнит өрісінде қозғалысының қысқаша теориясы келтірілген. Изотоптарды ажыратудың математикалық моделі жасалып, ол MATLAB программалық ортасында іске асырылған. Екінші ретті дифференциалдық теңдеулер жүйесін шеші үшін олар бірінші реттік теңдеулер жүйесіне келтірілген және алдымен командалық қатардан қосылатын Lorenz.m атты m-файл функция жазылған. Теңдеулерді шеуде MATLAB жүйесінің ode45 процедурасы қолданылады. Есептеулер мен бейнелеулер нәтижелері суреттерде бөлшектердің траекториясы түрінде жазықтықта салынған. Изотоптардың бір-бірінен ажырауы изотоптардың меншікті зарядтары әртүрлі болуы айналу радиустарының әр-түрлі болуына байланысты. Изотоптың массалық саны артқан сайын оның магнит өрісіндегі айналу радиусы артатынын суреттерден көруге болады.

**Түйін сөздер:** изотоп, мешікті заряд, масс-спектрометр, жылдамдық селекторы, айналу, траектория радиусы.

**К. А. Кабылбеков, Х. К. Абдрахманова, П. А. Саидахметов,  
Т. С. Султанбек, Б. Ш. Кеделбаев**

Южно-Казахстанский государственный университет им. М. Ауэзова, Шымкент, Казахстан

**«РАСЧЕТ И ВИЗУАЛИЗАЦИЯ ПРОЦЕССА РАЗДЕЛЕНИЯ ИЗОТОПОВ»  
В СИСТЕМЕ MATLAB**

**Аннотация.** В статье представлены программы MATLAB для расчета и визуализации процесса разделения изотопов  ${}^1_1H$ ,  ${}^2_1H$ ,  ${}^3_1H$ ;  ${}^{235}_{92}U$ ,  ${}^{238}_{92}U$ ;  ${}^{12}_{12}C$ ,  ${}^{14}_{12}C$ ;  ${}^{20}_{10}Ne$ ,  ${}^{22}_{10}Ne$ . Приведены краткие сведения из теории движения заряженной частицы в магнитном поле. Под действием магнитного поля заряженные частицы с различными массами движутся вдоль окружностей разных радиусов. Для решения системы дифференциальных уравнений второго порядка они приведены в систему уравнений первого порядка и предварительно создан m-файл под названием Lorenz.m, который вызывается с командной строки. При решении уравнений использована процедура ode45 системы MATLAB. Результаты расчетов представлены рисунками, где изотопы с разными удельными зарядами движутся вдоль траекторий с разными радиусами вращения. В этом случае говорят, что частицы разделяются из-за различия удельных зарядов. Чем больше массовое число изотопа тем больше его радиус вращения.

**Ключевые слова:** изотоп, удельный заряд, масс-спектрометр, селектор скорости, вращение, радиус траектории.

**Information about the authors:**

Kabyzbekov K.A. – cand. phys.-math. sciences, associate professor of the department “Physics” of M. Auezov South Kazakhstan State University Shymkent, Kazakhstan, the correspondent member of KazNAS; kenkab@mail.ru; <https://orcid.org/0000-0001-8347-4153>

Abdrakhmanova Kh.K. – cand. chem. sciences, associate professor of the departments “Physics” of M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan; khadi\_kab@mail.ru; <https://orcid.org/0000-0002-6110-970X>

Saidakhmetov P. – M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan; timpf\_ukgu@mail.ru; <https://orcid.org/0000-0002-9146-047X>,

Sultanbek T. – M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan; lazzat-kul@mail.ru; <https://orcid.org/0000-0003-0782-7337>

Kedelbayev B. – doct. chem. sciences, professor of the department “Chemistry” of M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan; <https://orcid.org/0000-0001-7158-1488>

**Publication Ethics and Publication Malpractice  
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz)

**ISSN 2518-170X (Online), ISSN 2224-5278 (Print)**

<http://geolog-technical.kz/index.php/kz/>

*Верстка Д. Н. Калкабековой*

Подписано в печать 08.10.2018.

Формат 70x881/8. Бумага офсетная. Печать – ризограф.  
15,0 п.л. Тираж 300. Заказ 5.