

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казакский национальный исследовательский
технический университет им. К. И. Сатпаева

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Kazakh national research technical university
named after K. I. Satpayev

**SERIES
OF GEOLOGY AND TECHNICAL SCIENCES**

5 (437)

SEPTEMBER – OCTOBER 2019

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Б а с р е д а к т о р ы
э. ғ. д., профессор, ҚР ҰҒА академигі

И.К. Бейсембетов

Бас редакторының орынбасары

Жолтаев Г.Ж. проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қырғыстан)
Беспәев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н н а я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаяев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кожаметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сейтов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

E d i t o r i a l b o a r d:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadjikistan)
Gravis R.M. prof. (USA)
Yergaliev G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 5, Number 437 (2019), 132 – 137

<https://doi.org/10.32014/2019.2518-170X.134>

UDC 622.25: 550.3

Pavlo Bosak, Vasyl Popovych

Lviv State University of Life Safety, Lviv, Ukraine.

E-mail: bosakp@meta.ua

**RADIATION-ECOLOGICAL MONITORING
OF COAL MINES OF NOVOVOLINSK MINING AREA**

Abstract. The recent restructuring of the mining industry causes a significant detrimental effect on environment and population. Operating of coal mining enterprises of the Lviv-Volyn coal basin and the restructuring of the mining industry led to the accumulation of waste possessing technogenically-increased natural radioactivity. Radiation safety on these coal mines is associated with natural radionuclides in coal and associated rock (γ -rays). The main contribution to the radiation dose of underground workers and the general radiation background.

Keywords: restructuring, radon, uranium, thorium, monitoring of radioactivity.

Introduction. Sustainable socio-economic development of modern society is impossible without an assessment of the technogenic impact on the environment. Nowadays, the peculiarities of development of various regions of Ukraine are the course of anthropogenic processes that lead to environmental pollution. Particular attention needs to be paid to the study of the regions where the coal industry is developed.

During the period of coal mining and coal processing in the territory of the Lviv-Volyn coal basin, the geoecological environment has undergone significant changes. This is primarily due to the change in the natural landscape, the impact of coal-processing waste on the environment, as well as the change in the geochemical indicators of the environment as a result of additional inflow of chemical and mineral compounds into it [1, 2].

One of the main sources of ecological danger for the region are dumps of mine rocks. Thus, during the extraction of coal from the rock mass that enters the surface, more than 75% of the raw material goes into the waste. In this regard, an important issue when developing environmental measures to minimize the impact of dumps mine rock to the environment is a reliable assessment of their toxicity [3].

Novovolynsk mining area belongs to the Lviv-Volyn coal basin, which is located on the border of the Lviv and Volyn regions of Ukraine and covers the right and left banks of the Bug. The total geological coal reserves are estimated at 2 billion tons, while the balance reserves are 1.4 billion tons [4]. In the landscape of the investigated area the arable land occupies more than 60% of the territory, in the north the surface is hilly, with a height of 244-270 m, which contains many ravines and beams. On its territory 28 mine dumps are formed (figure 1).

Along with weathering, which is widespread in the outer part of shaft waste heaps, because within them there are favorable conditions for oxidation and subsequent burning. The leading role in this belongs to the activities of microorganisms. The study of the conditions for the development of microorganisms in the zones of oxidation of sulfide deposits shows their stability at temperatures from 2 to 70 ° C, and pH of the medium - from 1 to 8. In this, the development of bacteria occurs in conditions of high humidity of the rock mass. In support of these findings, the fact that within the boundary parts of the mine waste dumps there are local focal ignition and there is a selection of vaporous sulfate acid [5-7].

The oxidation and burning of the waste heaps described above is accompanied by a significant evolution of water vapor, which is a mineral-forming medium for most of the minerals: sulfates, hydrocarbons, carbonates, phosphates, arsenates. In addition, oxidation produces carbon dioxide, nitrogen




Figure 1 – Satellite image mines on the territory of Novovolynsk mining area (Ukraine).
Legend: yellow tag producing mines, red tag recultivated or under recultivation

oxide (IV), which forms nitric acid with water. In the absence of oxygen in the burning cells in the vapor-gas emissions contain hydrogen sulfide, hydrocarbons, ammonia, carbon monoxide (II). When leaving the surface of the rock dump form raids, crystalline or spherulite aggregates of new minerals, which predominate sulphates, sulfides and carbonates. The other part of the oxidized compounds evaporates into the atmosphere, filling it with harmful substances [9-11].

Modern mining operations are accompanied by an intense change in natural energy and mass transfer, as huge deposits of coal, rocks and underground water reach the surface of the earth causing the development of many negative phenomena that leads to environmental degradation of the region. For the Novovolynsk mining area, a significant transformation of the hydrogeology conditions, the change in the balance and regime of groundwater, the subsidence of the earth's surface, the formation of highly mineralized acid waters are characteristic [12, 13].

Purpose, tasks and methods of research. The purpose of this investigation is measurement of radiation background of mining waste heaps by MKS-05 "TERRA" dosimeter-radiometer. The permissible dose of background radiation is 0.3 $\mu\text{Sv/h}$.

According to the purpose the following tasks are set: currently there are only few investigations made on coal mines, although they are extremely important for monitoring the health of mine personnel, as well as for the analysis of the radon level. The change of radon content may signal a fire breaking-out in the unworked coal.

The change of radon content may signal a fire breaking-out in the unworked coal. Presently 3 mines are operating on the territory of the Novovolynsk Mining Area, one is being built and 7 mines are being reclaimed or recultivated.

Radiation safety on these coal mines is associated with natural radionuclides in coal and associated rock (γ -rays). The main contribution to the radiation dose of underground workers and the general radiation background is made by radon products, as well as radionuclides of uranium and thorium series, and the radioactive isotope of potassium - 40, which are present in the form of aerosols in mine atmosphere. As is commonly known, gamma rays has a high penetrating power and therefore creates an external irradiation of the body of miners. Gamma-radiation intensity is directly proportional to the content of γ -emitting radionuclides in the walls of mining workings [14-16].

The greatest amount of radon emission is observed in areas where rocks contain high concentrations of uranium. Migration of radon is facilitated by long term deformation of rocks, vertical fault zones and porosity of rocks. It is believed that the greatest intensity of migration of radon from rocks can be expected in conditions of combination of geological factors such as the presence of a rock enriched with uranium; intense deformation of sub-vertical rocks that don't contain quartz, carbonate or clay, and a soil cover consisting of gravel or sandy eluvium.

Results and their discussion. The radiation situation in the coal mines of the Novovolynsk mining area depends on the intensity of its ventilation. Most coal mines are intensively ventilated (the time of air exchange is more than 2500 seconds), the average content of uranium and thorium in coal and rocks rarely exceeds 40 Bq/kg^{-1} . If such mines adhere a standard for dust contamination (10 mg/m^{-3}), then the average level of total radionuclides exposure on the lungs is within the range of 0.5– 0.7 exposure limit for miners of non-uranium mines and the radiation state is quite favorable. The annual dose for these categories of workers is 5 mSv/year .

Mining conditions in coal mines, as a rule, differ significantly from the conditions for the ore deposits. Coal mines are characterized by a narrower range of the content of radium – 226 (Ra^{226}) and thorium – 232 (Th^{232}), coal and enclosing rocks, a small number of horizons that are in operation, shallowness of coal beds and the release of methane. Taking into account these differences, one can make the following assumptions about the radon emission features in the coal mines of the Novovolynsk mining area:

1. radon emission per unit volume or per unit surface of mine working is more or less uniform throughout the mine;
2. high intensity of radon emission may occur in the places with significant amount of methane released, as well as in mine workings, adjacent to the abandoned place;
3. on mines with a exhaust ventilation, higher radon emission should be expected, especially at a shallow workings;
4. radon emission intensity will be higher compared to the wingway due to the radon filtration release from the coal bed between them.

During complex studies in the region it is determined that the most dangerous for the environment are the workings in coal beds with radioactivity of 0.01-1.3 mSv/year (an average of 0.06 mSv/year), and for field workings of 0.05-0.8 mSv/year (an average of 0.12 mSv/year). The significance of such doses can be estimated by comparing them with the average external radiation dose obtained during the year by the staff working in the premises on the surface (0.23 mSv), with the average external radiation dose by the natural background of 0.8 mSv/year [17, 18].

It can be expected that the annual average external dose of staff in a coal mine will be 2.4 times less than the dose received during the same period by the workers on the surface and 6.12 times less than the annual dose due to the average value of the natural radiation background on the surface. From the foregoing, it follows that external gamma radiation is not a significant radiation hazard and that systematic monitoring and accounting of external doses of underground workers is required only in mines where the average content of natural radionuclides exceeds the content of radium (Ra^{226}) - 200 Bq/kg^{-1} , and thorium (Th^{232}) - 150 Bq/kg^{-1} . Measurement of the exposure-dose rate of photon-ionizing radiation in coal mines of the investigated area was carried out only in the producing mines.

As a result of the measurements of photon-ionizing radiation in the cities of Lviv-Volyn coal basin and in the coal dumps, it was established that:

1. The exposure-dose rate of photon-ionizing radiation in the Novovolynsky mining area is higher than in other cities of the basin.
2. The results of radioecological investigations have shown that the concentration of cesium - 137 in coal mines is $18\text{-}55 \text{ kBq/m}^2$ ($0.5\text{-}1.5 \text{ Ci/km}^2$). The usual concentrations of cesium - 137 for this area are

0.1-0.2 Ci/km². Thus, the level of exposure dose of mining objects in the area exceeds the background in 1.2-1.6 times. The average index of radioactive contamination of ¹³⁷Cs is higher than the background in 1.3-1.7 times, and ⁹⁰Sr - in 2.0-5.0 and this causes their high concentrations in food in the area. In mines, the average content of natural radionuclides is: Ra²²⁶ - 3240 Bq/kg, Pb²¹⁰ - 930 Bq/kg, Po²¹⁰ - 1700 Bq/kg, Th²³² - 1700 Bq/kg, Th²²⁸ - 1100 Bq/kg, Pa²³⁰ - 1300 B/kg.

3. The content of radon in the air of coal mines reaches 0.3-6.0 Bq/m³ (background content), high values of radon content are observed in the places of the former settling basins of the mine (on the surface of 22-35 Bq/m³, and at a depth of 0.3 m to 180 Bq/m³), and in the places of sediment ponds in the mine field, the radon content reaches several hundred Bq/m³ (MPC per radon of 100 Bq/m³ for mine production facilities) (figure 2).




Figure 2 – Graphic representation of the radioactivity level (²²⁶Ra and Th²³²) on the producing coal mines of the Novovolynsk mining area

²²⁶Ra, Th²³², specific activity of rocks does not exceed 4900 Bq/kg. High radioactivity is observed in loamy-sludge sediments of sediment ponds of coal mines. Here, the rate of gamma radiation dose from the surface is 640-720 mR/g, at the depth this index is 750 mR/g. The density of beta-rays from the surface - 80 cpm/cm², and alpha-rays 4 cpm/cm². It was established that in other mines of the area, the gamma-rays exposure rate does not exceed the values of 21-25 μR/g. The total specific activity at more than 90% is determined by the presence of ²²⁶Ra and is equal to 3490-13000 Bq/kg.

Conclusions. It should be emphasized that the control of the concentration (volume activity) of radon in the atmosphere, which is necessary for determining the sources of its emission, the calculation of the needs of the mine in the air and the rational distribution of the latter. In the mine roadway mines of Novovolynsk mining area, the assessment of radioactive contamination of residential and industrial premises, measurements of individual expositions, plays a special role in ensuring radiation safety of the area. Ways of radioactive wastes burial are developed in the special literature and based on the requirements of "Norms of radiation safety of Ukraine". Now the main goal of radioactive waste burial is to reduce the total dose of all radiation sources to a rate that does not exceed the maximum allowable dose for the environment and population of the city (region). Therefore, this topic is worth special attention and further monitoring.

П. В. Босак, В. В. Попович

Львов мемлекеттік тіршілік қауіпсіздігі университеті, Львов, Украина

НОВОВОЛЫН ТАУ-КЕН ӨНЕРКӘСІБІ АУДАНЫ КӨМІР ШАХТАЛАРЫНЫҢ РАДИАЦИЯЛЫҚ ЭКОЛОГИЯЛЫҚ МОНИТОРИНГІ

Аннотация. Соңғы кездегі тау-кен өнеркәсібін қайта құрылымдау қоршаған ортаға және халыққа зиянды әсер етуде. Львовск көмір өндіруші кәсіпорындарының жұмысы- Волын көмір бассейні мен тау-кен өнеркәсібін қайта құрылымдау техногендік жоғары табиғи радиоактивтілігі бар қалдықтардың жиналуына әкелді. Радиациялық қауіпсіздік бұл көмір шахталарында көмірдегі және байланысты жыныстардағы табиғи радионуклидтермен (γ -сәулелер) байланысты. Радон өнімдері, сондай-ақ бірқатар уран, торий радионуклидтері және калий-40 радиоактивті изотопы, -аэрозоль түрінде пайда болған шахталық ауадағы радионуклидтер аясында пайда болады. Львовско-Волын көмір бассейнінің мәселелері қоршаған ортаны Нововолин тау-кен өнеркәсібі ауданында көмір шахталарын жабу, жұмыс істеп тұрған шахталардың экологиялық және радиациялық қауіпсіздігін арттыру кезінде сақтау жолдарын зерттеу қажеттілігінен туындады.

Түйін сөздер: қайта құрылымдау, радон, уран, торий, радиоактивтілік мониторингі.

П. В. Босак, В. В. Попович

Львовский государственный университет безопасности жизнедеятельности, Львов, Украина

РАДИАЦИОННО ЭКОЛОГИЧЕСКИЙ МОНИТОРИНГ УГОЛЬНЫХ ШАХТ НОВОВОЛЫНСКОГО ГОРНОПРОМЫШЛЕННОГО РАЙОНА

Аннотация. Недавняя реструктуризация горнодобывающей промышленности оказывает значительное пагубное воздействие на окружающую среду и население. Работа угледобывающих предприятий Львовско-Волынского угольного бассейна и реструктуризация горнодобывающей промышленности привели к накоплению отходов с техногенно повышенной природной радиоактивностью. Радиационная безопасность на этих угольных шахтах связана с естественными радионуклидами в угле и связанных породах (γ -лучи). Продукты радона, а также радионуклиды ряда урана, тория и радиоактивный изотоп калия-40, присутствующие в форме аэрозолей, образуются на фоне радионуклидов в шахтном воздухе. Проблемы Львовско-Волынского угольного бассейна обусловили необходимость изучения путей сохранения окружающей среды при закрытии угольных шахт, повышения экологической и радиационной безопасности действующих шахт Нововолинского горнопромышленного района.

Ключевые слова: реструктуризация, радон, уран, торий, мониторинг радиоактивности.

Information about authors:

Bosak Pavlo, lecturer, Department of ecological safety, Lviv State University of Life Safety, Lviv, Ukraine; bosakp@meta.ua; <https://orcid.org/0000-0002-0303-544X>

Popovych Vasyl, Doctor of Technical Sciences, Associate Professor, Head of the Department of ecological safety, Lviv State University of Life Safety, Lviv, Ukraine; popovych2007@ukr.net; [http:// orcid.org/0000-0003-2857-0147](http://orcid.org/0000-0003-2857-0147)

REFERENCES

- [1] Popovych V., Kuzmenko O., Voloshchysyn A., Petlovanyi M. (2018). Influence of man-made edaphotopes of the spoil heap on biota. E3S Web of Conferences. Vol. 60. 00010. <https://doi.org/10.1051/e3sconf/20186000010>
- [2] Karabyn V., Shtain B., Popovych V. (2018). Thermal regimes of spontaneous firing coal washing waste sites // News of the National academy of sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. Vol. 3, N 429. P. 64-74. ISSN 2518-170X (Online), ISSN 2224-5278 (Print).
- [3] Popovych V., Stepova K., Prydatko O. (2018). Environmental hazard of Novoyavorivsk municipal landfill. MATEC Web of Conferences 247, 00025. FESE 2018. <https://doi.org/10.1051/mateconf/201824700025>
- [4] Petlovanyi M., Kuzmenko O., Lozynskyi V., Popovych V., Sai K., Saik P. (2019). Review of man-made mineral formations accumulation and prospects of their developing in mining industrial regions in Ukraine // Mining of Mineral Deposits. 13(1). P. 24-38. <https://doi.org/10.33271/mining13.01.024>

- [5] Popovich V. (2016). Phytomeliorative recovery in reduction of multi-element anomalies influence of devastated landscapes // Biological Bulletin of Bogdan Chmelniyskiy Melitopol State Pedagogical University. 6(1). P. 94-114. <https://doi.org/10.15421/201606>
- [6] Baibatsha A.B., Peng Suping, Satibekova S.B. (2019) Estimation of the physical-mechanical properties of the rocks on the degree of coal metamorphism // News of the National academy of sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. Vol. 1, N 433. P. 187-194. ISSN 2518-170X (Online), ISSN 2224-5278 (Print). <https://doi.org/10.32014/2019.2518-170X.23>
- [7] Bosak P. (2019). Spontaneous combustion of coal mine dumps in the Novovolynsk mining industrial area // Matteries of the International Scientific and Practical Conference Current state and prospects of development Landscape architecture. Garden-park household, urboecology and phytomelioration.
- [8] Pavlychenko A.V., Kovalenko A.A. (2014). Investigation of the ecological consequences of the location of coal mining enterprises in the environment // Field development: Collection of scientific works, 8. P. 497-507.
- [9] Udalov I.V., Reshetov I.K., Yanchev V.K. (2006). The Influence of Mines Restructuring on the Ecological-Radiological Condition of Groundwater // Ecology of the Environment and Life Safety. 3 (33). P. 22-28.
- [10] Mukhamedzhanov M.A., Sagin Jai, Kazanbaeva L.M., Rakhmetov I.K. (2018) Influence of anthropogenic factors on hydrogeochemical conditions of underground drinking waters of Kazakhstan // News of the National academy of sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. Vol. 5, N 431. P. 6-8. ISSN 2518-170X (Online), ISSN 2224-5278 (Print). <https://doi.org/10.32014/2018.2518-170X.1>
- [11] Pavlenko T.O. (2015). Assessment of the content of Natural Radionuclides in the industrial residues of the Enterprises // Environment and Health, 1. P. 21-24.
- [12] Ivanov E., Kovalchuk I., Tereshchuk O. (2009) Geoecology of the Novovolynsky mining area. Lutsk, in Ukrainian, 208.
- [13] Tereshchuk O. (2007). Influence of Mining Industry Dumps on the Environment of the Novovolynsky Mining Industrial Area // Visnyk of Lviv University. Ser: Geographical. Vol. 34. P. 279-285.
- [14] Kostenko V., Zavyalova O., Chepak O., Pokalyuk V. (2018). Mitigating the adverse environmental impact resulting from closing down of mining enterprises // Mining of Mineral Deposits. 12(3). P. 105-112. <https://doi.org/10.15407/mining12.03.105>
- [15] Afeni T.B., Ibitolu F. (2018). Assessment of environmental impact of gemstone mining in Ijero-Ekiti, Nigeria // Mining of Mineral Deposits. 12(1). P. 1-11. <https://doi.org/10.15407/mining12.01.001>
- [16] Basic sanitary rules of radiation safety of Ukraine (OSPU), (2001): DSP 6.074.120-01, approved by the Order of the Ministry of Health of Ukraine of 02.02.2005 № 54, registered with the Ministry of Justice of Ukraine on May 20, 2005, No. 522/10832. P. 83.
- [17] Popovych V. (2009). Measurement of the equivalent dose rate of photon ionizing radiation in the Novovolynsk mining area of Ukraine // GIAB (Genome in a Bottle), 12. P. 99-101.
- [18] Chetveryk M., Bubnova O., Babii K., Shevchenko O., Moldabaev S. (2018). Review of geomechanical problems of accumulation and reduction of mining industry wastes, and ways of their solution // Mining of Mineral Deposits. 12(4). P. 63-72. <https://doi.org/10.15407/mining12.04.063>

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://www.geolog-technical.kz/index.php/en/>

Верстка Д. Н. Калкабековой

Подписано в печать 14.10.2019.

Формат 70x881/8. Бумага офсетная. Печать – ризограф.
15,0 п.л. Тираж 300. Заказ 5.