

ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казакский национальный исследовательский
технический университет им. К. И. Сатпаева

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Kazakh national research technical university
named after K. I. Satpayev

**SERIES
OF GEOLOGY AND TECHNICAL SCIENCES**

5 (437)

SEPTEMBER – OCTOBER 2019

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

Б а с р е д а к т о р ы
э. ғ. д., профессор, ҚР ҰҒА академигі

И.К. Бейсембетов

Бас редакторының орынбасары

Жолтаев Г.Ж. проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

Абаканов Т.Д. проф. (Қазақстан)
Абишева З.С. проф., академик (Қазақстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Әзірбайжан)
Бакиров А.Б. проф., (Қырғыстан)
Беспаев Х.А. проф. (Қазақстан)
Бишимбаев В.К. проф., академик (Қазақстан)
Буктуков Н.С. проф., академик (Қазақстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Тәжікстан)
Грэвис Р.М. проф. (АҚШ)
Ерғалиев Г.К. проф., академик (Қазақстан)
Жуков Н.М. проф. (Қазақстан)
Қожахметов С.М. проф., академик (Қазақстан)
Конторович А.Э. проф., академик (Ресей)
Курскеев А.К. проф., академик (Қазақстан)
Курчавов А.М. проф., (Ресей)
Медеу А.Р. проф., академик (Қазақстан)
Мұхамеджанов М.А. проф., корр.-мүшесі (Қазақстан)
Нигматова С.А. проф. (Қазақстан)
Оздоев С.М. проф., академик (Қазақстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Қазақстан)
Сейтов Н.С. проф., корр.-мүшесі (Қазақстан)
Сейтмуратова Э.Ю. проф., корр.-мүшесі (Қазақстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (АҚШ)
Штейнер М. проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология мен техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.geolog-technical.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыра көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д. э. н., профессор, академик НАН РК

И. К. Бейсембетов

Заместитель главного редактора

Жолтаев Г.Ж. проф., доктор геол.-мин. наук

Р е д а к ц и о н н а я к о л л е г и я:

Абаканов Т.Д. проф. (Казахстан)
Абишева З.С. проф., академик (Казахстан)
Агабеков В.Е. академик (Беларусь)
Алиев Т. проф., академик (Азербайджан)
Бакиров А.Б. проф., (Кыргызстан)
Беспаяев Х.А. проф. (Казахстан)
Бишимбаев В.К. проф., академик (Казахстан)
Буктуков Н.С. проф., академик (Казахстан)
Булат А.Ф. проф., академик (Украина)
Ганиев И.Н. проф., академик (Таджикистан)
Грэвис Р.М. проф. (США)
Ергалиев Г.К. проф., академик (Казахстан)
Жуков Н.М. проф. (Казахстан)
Кожаметов С.М. проф., академик (Казахстан)
Конторович А.Э. проф., академик (Россия)
Курскеев А.К. проф., академик (Казахстан)
Курчавов А.М. проф., (Россия)
Медеу А.Р. проф., академик (Казахстан)
Мухамеджанов М.А. проф., чл.-корр. (Казахстан)
Нигматова С.А. проф. (Казахстан)
Оздоев С.М. проф., академик (Казахстан)
Постолатий В. проф., академик (Молдова)
Ракишев Б.Р. проф., академик (Казахстан)
Сейтов Н.С. проф., чл.-корр. (Казахстан)
Сейтмуратова Э.Ю. проф., чл.-корр. (Казахстан)
Степанец В.Г. проф., (Германия)
Хамфери Дж.Д. проф. (США)
Штейнер М. проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief

doctor of Economics, professor, academician of NAS RK

I. K. Beisembetov

Deputy editor in chief

Zholtayev G.Zh. prof., dr. geol-min. sc.

Editorial board:

Abakanov T.D. prof. (Kazakhstan)
Abisheva Z.S. prof., academician (Kazakhstan)
Agabekov V.Ye. academician (Belarus)
Aliyev T. prof., academician (Azerbaijan)
Bakirov A.B. prof., (Kyrgyzstan)
Bespayev Kh.A. prof. (Kazakhstan)
Bishimbayev V.K. prof., academician (Kazakhstan)
Buktukov N.S. prof., academician (Kazakhstan)
Bulat A.F. prof., academician (Ukraine)
Ganiyev I.N. prof., academician (Tadjikistan)
Gravis R.M. prof. (USA)
Yergaliev G.K. prof., academician (Kazakhstan)
Zhukov N.M. prof. (Kazakhstan)
Kozhakhmetov S.M. prof., academician (Kazakhstan)
Kontorovich A.Ye. prof., academician (Russia)
Kurskeyev A.K. prof., academician (Kazakhstan)
Kurchavov A.M. prof., (Russia)
Medeu A.R. prof., academician (Kazakhstan)
Muhamedzhanov M.A. prof., corr. member. (Kazakhstan)
Nigmatova S.A. prof. (Kazakhstan)
Ozdoyev S.M. prof., academician (Kazakhstan)
Postolatii V. prof., academician (Moldova)
Rakishev B.R. prof., academician (Kazakhstan)
Seitov N.S. prof., corr. member. (Kazakhstan)
Seitmuratova Ye.U. prof., corr. member. (Kazakhstan)
Stepanets V.G. prof., (Germany)
Humphery G.D. prof. (USA)
Steiner M. prof. (Germany)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/geology-technical.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Editorial address: Institute of Geological Sciences named after K.I. Satpayev
69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 5, Number 437 (2019), 207 – 214

<https://doi.org/10.32014/2019.2518-170X.144>

UDC 622.692.4.-52;539.3:624.044(035.3)

Waldemar Wojcik¹, Zh. M. Alimzhanova², T. T. Velyamov², A. M. Akhmetova²¹The Lublin University of Technology, Poland,²Al-Farabi Kazakh National University, Almaty, Kazakhstan**ABOUT ONE MODEL OF PUMPING OIL MIXTURE
OF DIFFERENT VISCOSITIES THROUGH A SINGLE PIPELINE
IN AN UNSTEADY THERMAL FIELD**

Abstract. The paper discusses the calculation of the flow of oil mixture of different viscosity with decreasing temperature, produced under the action of the classification of loads with I-III types. Flows of the volume of oil mixture of different viscosity can be reduced as much as possible by desalination and separation of impurities.

Keywords: viscous oil, pumped liquid, pipeline, flow rate, differential equation, flow calculation.

Introduction. The study of the prospects of development of the oil refining industry on the example of the Western Kazakhstan oil features allows to determine one of the urgent problems of refining – a high percentage of paraffin-containing and high-sulfur oils. The presence of such impurities indicates a large percentage of high-viscosity oils, which in turn poses the task of analyzing the flow of oil through the pipeline, taking into account the increased viscosity of the medium. **The purpose of the study:** development of the most effective analysis of the model of pumping oil mixtures of different viscosity through a single pipeline in an unsteady thermal field, which allows the refining process to be facilitated with the most economical energy consumption. The considered model allows, in order to be economical and to benefit the region's ecology, to use certain conditions where it is advisable to pump any oil of different viscosity through a single pipeline in order to minimize the volume of the mixture depending on the flow regime of each of them under assumptions.

Methods. For analysis purposes, the following **methodological assumptions** are introduced:

- Mixing at the interface of pumped liquids is negligible, although the number of collisions between elements in the allocated volume is large, compared with the number of collisions of elements with a limiting surface volume, depending on the energy desiccation, flow velocity, distance from solid walls, the geometric shape of the filler cross section, the velocity of the free jet placed in the flow with a longitudinal direction.

- The pressure at the end section of the pipeline remains constant throughout the change of liquids, heavy liquid flows out along the lower tinner forming, the light rises along the upper forming at an unsteady temperature effect in the pipeline system.

- The splitting of the flow velocity allows to obtain a correct viscous solution in one main passage in the direction of flow, where the viscous friction stress is due to the molecular momentum transfer, and the viscosity coefficient of the mechanical system depends on the friction stress itself.

- There are some laminar sublayers between movements in the boundary layer and in the pipe, as a result of which the methods of warm and hydraulic pressure of the oil mixture and the transfer phenomenon make it possible to find the limiting amount of heat and mass according to the Euler integral theorem.

$$k_{in} - k_{out} = \sum(q_k + p_k),$$

where k_{in} – amount of inflowing liquids; k_{out} – amount of outflowing liquids; q_k – impulse of active forces; p_k – impulse of reactive forces.

Results. Under the above assumptions of the flow of petroleum liquids of different viscosities through a single pipeline under unsteady temperature field $80\text{ }^{\circ}\text{C} \geq T \geq 30\text{ }^{\circ}\text{C}$ can be represented as a mechanical-physical-mathematical model [1-3]:

$$\frac{\partial^2}{\partial x^2} \left[\varepsilon(x) \frac{\partial^2 w}{\partial x^2} \right] = q_k / D \lambda^2 \frac{c\rho}{k} c(w) \frac{\partial w}{\partial t}, \quad (1)$$

where $\varepsilon(x)$ is the coefficient of liquid of the cross-sectional area of the tubular structure, depending on the temperature; k – coefficient of thermal conductivity,

$$q_k / D = \lambda_k \frac{N}{Q} \gamma^2 \frac{1}{1 + \lambda_k \gamma^2} \left(\frac{h}{R} \right)^{5/2} \left(\frac{R}{2} \right) -$$

active external load (impulse) $c(w) = \beta$ – heat capacity per unit volume; k – coefficient of thermal conductivity; c – heat capacity; ρ – density. $W(x,t)$ – displacement function in OZ axis direction and

$$W(x,t) = W(x)T(t), \quad (2)$$

then

$$\frac{d^2}{dx^2} \left[\varepsilon(x) \frac{\partial^2 w}{\partial x^2} \right] \cdot T(t) = \frac{q_k}{D} \frac{c\rho}{k} \beta W(x) \frac{dT}{dt}, \quad (3)$$

where

$$\frac{\frac{d^2}{dx^2} \left[\varepsilon(x) \frac{\partial^2 w}{\partial x^2} \right]}{\frac{q_k}{D} \frac{c\rho}{k} \beta W(x)} = \frac{1}{T} \frac{dT}{dt}; \quad (4)$$

$$\frac{d^2}{dx^2} \left[\varepsilon(x) \frac{\partial^2 w}{\partial x^2} \right] = -\lambda^2 \frac{q_k}{D} \frac{c\rho}{k} \beta W(x); \quad (5)$$

$$\left. \begin{aligned} \frac{dT}{dt} + \lambda^2 T = 0, \frac{d^2 T}{dt^2} + CO_4^2 T = \frac{Q}{a_0} \\ Q = \int_0^l q_k(x,t) W(x) dx, \lambda^2 = \frac{n\pi h}{L} \end{aligned} \right\} \quad (6)$$

The ordinary differential equation (6) is easily solved, the expression of potential, kinetic energy is written and the Lagrange equation is involved, and the ordinary differential equation (5) is the Euler equation.

$$\left[\varepsilon(x) \frac{d^4 W}{dx^4} + 2\varepsilon'(x) \frac{d^3 W}{dx^3} + 2\varepsilon''(x) \frac{d^2 W}{dx^2} \right] + aW = 0, \quad (7)$$

where $a = \frac{q_k}{D} \lambda^2 \beta \frac{c\rho}{k}$.

In particular:

$$\varepsilon(x) = Dx^4. \quad (8)$$

Then

$$\left[x \frac{d^4 W}{dx^4} + 8x^3 \frac{d^3 W}{dx^3} + 12x^2 \frac{d^2 W}{dx^2} \right] + aW = 0. \quad (9)$$

The following cases are possible:

A) for $0 < a < 1$, for example $a = \frac{3}{4}$, then $(a = \frac{q_k}{D} \lambda^2 \beta \frac{c\rho}{k})$

$$W(x) = x^{-1/2} (C_1 x^{m_1} + C_2 x^{m_2} + C_3 x^{m_3} + C_4 x^{m_4}), \quad (10)$$

where

$$m_{1,2} = \frac{5}{4} + \sqrt{1-a}. \quad (11)$$

B) for $a = 1$, then

$$W(x) = x^{-1/2+m_1} (C_1 + C_2 \ln x) + x^{-1/2+m_2} (C_3 + C_4 \ln x), \quad (12)$$

where

$$m_{1,2} = \pm \frac{1}{2} + \sqrt{5}. \quad (13)$$

C) for $a > 1$, for example $a = 5$, $1 < x < 4$ $\beta = \frac{1}{2} \sqrt{\frac{1}{2}(\sqrt{89}-5)}$, $\alpha = \frac{1}{2} \sqrt{\frac{1}{2}(\sqrt{89}+5)}$

$$W(x) = x^{-1/2} [(C_1 x^\alpha + C_2 x^{-\alpha}) \cos(\beta \ln x) + (C_3 x^\alpha + C_4 x^{-\alpha})], \quad (14)$$

where $\alpha = \sqrt{2} \cos(\frac{\varepsilon}{2})$, $\beta = \sqrt{2} \sin(\frac{\varepsilon}{2})$, $r = a + \frac{9}{16}$;

$$\sin \varepsilon = \frac{\sqrt{a-1}}{r}, \cos \varepsilon = \frac{5}{4r}. \quad (15)$$

Since we have considered the tubular structure under the action of an external active force, it is necessary to further consider the nonhomogeneous equation of the form

$$\frac{d^2}{dx^2} \left[x^4 \frac{d^2 W}{dx^2} \right] + om = x^2 - 2x + 2. \quad (16)$$

A particular solution of which is

$$W^*(x) = \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a}. \quad (17)$$

Then, on the basis of formulas (10) – (15), we have:

Case A).

$$W(x) = x^{-1/2} (C_1 x^{m_1} + C_2 x^{m_2} + C_3 x^{m_3} + C_4 x^{m_4}) + \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a}, \quad (18)$$

where $0 < a < 1$, $m_{1,2} = \frac{5}{4} \pm \sqrt{1-a}$; $a = \frac{q_k}{D} \lambda^2 \beta \frac{c\rho}{k}$.

The general solution of the differential equation (6) we write in the form

$$T(t) = T_0 e^{-\lambda^2 t}, \quad (19)$$

where $T(0) = T_0$.

Consequently:

$$W(x) = T_0 \left[x^{-\frac{1}{2}} (C_1 x^{m_1} + C_2 x^{m_2} + C_3 x^{m_3} + C_4 x^{m_4}) + \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a} \right] e^{-\lambda^2 t}. \quad (20)$$

Case B)

$$W(x) = x^{-\frac{1}{2}+m_1} (C_1 + C_2 \ln x) + x^{-\frac{1}{2}+m_2} (C_3 + C_4 \ln x) + \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a}, \quad (21)$$

where $a = 1; m_{1,2} = \pm \frac{1}{2} \sqrt{5}$.

The general solution of the differential equation (6) we will write in the form:

$$T(t) = T_0 e^{-\lambda^2 t}$$

then

$$W(x) = T_0 \left[x^{-\frac{1}{2}+m_1} (C_1 + C_2 \ln x) + x^{-\frac{1}{2}+m_2} (C_3 + C_4 \ln x) + \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a} \right] e^{-\lambda^2 t} \quad (22)$$

$$\lambda^2 = \frac{n\pi h}{L}, T_0 = \{1, 2, 3, 4, 5\}.$$

Case C) similarly:

$$W(x) = T_0 \left\{ x^{-\frac{1}{2}} [C_1 x^\alpha + C_2 x^{-\alpha}] \cos(\beta \ln x) + [C_3 x^\alpha + C_4 x^{-\alpha}] \sin(\beta \ln x) \right\} + \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a} \Big\} e^{-\lambda^2 t} \quad (23)$$

where $\alpha = \sqrt{r} \cos(\varepsilon/2), \beta = \sqrt{r} \sin(\varepsilon/2); r^2 = a + \frac{9}{16}$;

$$\sin \varepsilon = \frac{\sqrt{a-1}}{r}; \cos \varepsilon = \frac{5}{4r}. \quad (24)$$

Static deflection is determined from natural oscillations

$$\frac{d^2}{dx^2} \left[\varepsilon(x) \frac{d^2 W}{dx^2} \right] = 0. \quad (25)$$

A particular solution of which is

$$W(x) = c_1 + c_2 x + \int_a^x \frac{x-t}{\varepsilon(t)} (c_3 + c_4 t) dt, \quad (26)$$

or

$$W(x) = c_1 + c_2 x + c_3 \varphi(x) + c_4 \psi(x), \quad (27)$$

where

$$W(x) = \int_a^b \frac{|x-t|}{\varepsilon(t)} dt, \quad \varphi(x) = \int_a^b \frac{|x-t|^t}{\varepsilon(t)} dt. \quad (28)$$

On an interval $[a,b]$, on which $\varepsilon(x) \neq 0$ and twice continuously differentiable.

Fundamental solution

$$g_1(x, \xi) = \int_a^b \frac{|x-t||\xi-t|}{4\varepsilon(t)} dt;$$

$$g_2(x, \xi) = \frac{|x-\xi|}{|x-\xi|} \int_{\xi}^x \frac{(x-t)(t-\xi)}{2\xi(t)} dt. \quad (29)$$

In the case of transverse vibrations of the tubular structure, the following right conditions are encountered:

$$A) \quad W(x) \Big|_{x=0}^{x=L} = 0; \quad \frac{dW}{dx} \Big|_{x=0}^{x=L} = 0; \quad (30)$$

stringently

$$B) \quad W(x) \Big|_{x=0}^{x=L} = 0; \quad \frac{d^2W}{dx^2} \Big|_{x=0}^{x=L} = 0; \quad (31)$$

$$C) \quad \frac{d^2W}{dx^2} \Big|_{x=0}^{x=L} = 0; \quad \frac{d^3W}{dx^3} \Big|_{x=0}^{x=L} = 0; \quad (32)$$

free boundary conditions.

Possible mixed boundary conditions.

We introduce the notations

$$D) \quad \alpha = \int_a^b \frac{dt}{\varepsilon(t)}; \quad \beta = \int_a^b \frac{tdt}{\varepsilon(t)}; \quad \gamma = \int_a^b \frac{t^2 dt}{\varepsilon(t)}; \quad (33)$$

Then, in the accepted notation for the Green function of various boundary value problems, we have:

$$I) \quad \Gamma^{I,1} = g_1(x, \xi) + \frac{1}{4(\alpha\gamma - \beta^2)} \{ \varphi(x)[\beta\varphi(\xi) - \gamma\varphi(x)] + \varphi(x)[\beta\varphi(\xi) - \alpha\varphi(\xi)] \}, \quad (35)$$

where $\alpha\gamma - \beta^2 \neq 0$.

$$II) \quad 4\Gamma^{II,II} = 4g_1(x, \xi) + \gamma + (\beta - 2\gamma)\xi - \varphi(\xi) + [\beta - 2\gamma + (\alpha - 4\beta + 4\gamma)\xi + 2\varphi(\xi) - \varphi(\xi)]x - \xi\varphi(x) + (2\xi - 1)\varphi(x) \quad (35)$$

for $a = 0, b = 1; 0 \leq t \leq 1$.

III) $\Gamma^{III,III}$ – does not exist. In these cases, it is possible to construct generalized Green's functions, since the boundary value problems have a nonzero solution $c_1 + c_2x$.

$$IV) \quad N\Gamma^{I,II} = Ng_1(x, \xi) + (x - b)[(\xi - b)(2\gamma - \beta^2) + (\gamma - b\beta)\varphi(x) + (b\alpha - \beta)\varphi(x)] - \varphi(x)[(\xi - b)(b\beta - \gamma) + b^2\varphi(\xi) - b\varphi(\xi)] + \varphi(x)[(\xi - b)(b\alpha - \beta) + b\varphi(\xi) - \varphi(\xi)] \quad (36)$$

where $N = 4(b^2\alpha - 2b\beta + \alpha) \neq 0$.

$$V) \quad 4\Gamma^{I,III} = 4g_1(x, \xi) + \gamma - \beta\xi - \varphi(\xi) + [\alpha\xi - \beta + \varphi(\xi)]x + \xi\varphi(x) - \varphi(x). \quad (37)$$

VI) $\Gamma^{II,III}$ – does not exist, since it has a nonzero solution. We can construct a generalized Green's function $c(x - \alpha)$.

Graphs 1–3 show the flow of the oil mixture with different viscosities when changing the shear modulus $\mu(T)$, the Poisson's ratio $\nu(T)$ and the linear expansion coefficient $\alpha(T)$ for the elastic-viscous region according to figures 1, 2.




Figure 1 – Dependence of the shear modulus, the Poisson's ratios and the linear expansion on temperature







Figure 2 – The temperature distribution over pipe thickness



Graph 1 – The flow of oil mixture of different viscosities with decreasing temperature from 80 °C to 60 °C, when $a = \frac{3}{4}$



Graph 2 – The flow of oil mixture of different viscosities with decreasing temperature from 60 °C to 30°C, when $a = 1$



Graph 3 – The flow of oil mixture of different viscosities with decreasing temperature from 29 °C to 23 °C, when $a = 5$

Conclusion. As a result of the study, the following calculations have been analyzed and obtained:

- The calculation of the flow of the oil mixture of different viscosities with a decrease in temperature from 80 °C to 60 °C is performed under the classification of loads of 1-type
- The calculation of the flow of the oil mixture of different viscosities with a decrease in temperature from 60 °C to 30°C is performed under the classification of loads of 2-type
- The calculation of the flow of the oil mixture of different viscosities with a decrease in temperature from 29 °C to 23 °C is performed under the classification of loads of 3-type.

The dependencies have been determined, i.e. depending on the flow regime, the volume of the oil mixture of different viscosities can be reduced as much as possible by desalination and separation of impurities, heavy sediments and stratification, under the influence of combined power factors on the type of classification of loads of the 1st –III types. In this case, depending on the power factors, the original equation is reduced to an equation of the Riccati and Weber type, and in some cases to the Bessel and Euler equations.

Waldemar Wojcik¹, Ж. М. Алимжанова², Т. Т. Велямов², А. М. Ахметова²

¹Люблин технологиялық университеті, Польша,

²Әл-Фараби атындағы Қазақ ұлттық университетіб Алматы, Қазақстан

ӘР ТҮРЛІ ТҰТҚЫРЛЫҚТАҒЫ МҰНАЙ ҚОСПАЛАРЫНЫҢ АҒЫНЫН ЕСЕПТЕУ

Жұмыста I–III-типтегі жүктемелердің жіктелуінің әсерінен өндірілетін температураның төмендеуімен әр түрлі тұтқырлықтағы мұнай қоспаларының ағынын есептеу қарастырылған. Әр түрлі тұтқырлықтағы мұнай қоспасының көлемін ағынды тұзсыздандыру және қоспаларды бөлу арқылы азайтуға болады.

Waldemar Wojcik¹, Ж. М. Алимжанова², Т. Т. Велямов², А. М. Ахметова²

¹Люблинский технологический университет, Польша,

²Казахский Национальный университет им. аль-Фараби, Алматы, Казахстан

**РАСЧЕТ ТЕЧЕНИЯ НЕФТЯНОЙ СМЕСИ РАЗНОЙ ВЯЗКОСТИ
ПРИ УМЕНЬШЕНИИ ТЕМПЕРАТУРЫ**

Аннотация. В работе рассматривается расчет течения нефтяной смеси разной вязкости при уменьшении температуры, производимые под действием классификации нагрузок с I–III-видов. Течения объема нефтяной смеси разной вязкости можно максимально снизить путем опреснения и разделения примеси.

Information about authors:

Wojcik Waldemar, PhD of informatics and electronics, professor, The Lublin University of Technology, Poland; <https://orcid.org/0000-0002-0843-8053>

Alimzhanova Zh. M., Ph.D., Associate Professor of the Department "Information Systems", al-Farabi Kazakh National University, Almaty, Kazakhstan; zhannamen@mail.ru; <https://orcid.org/0000-0001-6282-5356>

Velyamov T. T., PhD, Associate Professor of the Department "Artificial Intelligence and BigData", al-Farabi Kazakh National University, Almaty, Kazakhstan; fea_vel@mail.ru; <https://orcid.org/0000-0003-0301-083X>

Akhmetova A. M., PhD, Department "Artificial Intelligence and BigData", al-Farabi Kazakh National University, Almaty, Kazakhstan; ardak_66@mail.ru; <https://orcid.org/0000-0003-2678-3296>

REFERENCES

[1] Bozhanov Y.T., Buganova S.N., Otarbayev Zh.O. Mechanical and mathematical modeling of oil products transporting viscousoil by hot pumping // “Shekarasyz ғылым мен inzhenerlik bilim” atty halýkaralýk forumnyñ eñbekteri. Vol. 1. Almaty: KazNTU, 2009.

[2] Bozhanov Y.T., Sugirov D.U., Erzhanov K.Sh. Mathematical model of a turbulizer with cutouts in the heat exchanger, installed in a rectangular channel // KazGASA Bulletin. 2004. N 2 (scientific journal).

[3] Glushkov A.A. Transportation of high-viscosity oil through the trunk pipeline using heat pumps. Ufa: USOTU, 2009.

[4] Bozhanov Y.T., Tulesheva G.A., Bozhaev N.A., Khairullin E.M. Similar-calculated modulus of heavy oil movement under the action of axial critical force, when the cross-sectional shape is a type of hyperbolic cooling towers // KazNRU Bulletin. 2015. N 5. P. 372-377.

[5] Bozhanov Y.T., Tulesheva G.A., Bozhaev N.A. Similar-calculated modulus of heavy oil movement under the action of axial critical force, when the oval type cross-sectional shape // KazNRU Bulletin. 2015. P. 372-377.

[6] Kalimoldayev M.N., Pak I.T., Baipakbayeva S.T., Mun G.A., Shalytkova D.B., Suleimenov I.E. Methodological basis for the development strategy of artificial intelligence systems in the republic of Kazakhstan in the message of the president of the Republic of Kazakhstan // News of the National academy of sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. 2018. Vol. 6(432). P. 47-54.

[7] Samigulina G.A., Nyusupov A.T., Shayakhmetova A.S. Analytical review of software for multi-agent systems and their applications // News of the National academy of sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. 2018. Vol. 3(429). P. 173-181.

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-170X (Online), ISSN 2224-5278 (Print)

<http://www.geolog-technical.kz/index.php/en/>

Верстка Д. Н. Калкабековой

Подписано в печать 14.10.2019.
Формат 70x881/8. Бумага офсетная. Печать – ризограф.
15,0 п.л. Тираж 300. Заказ 5.