

ISSN 2518-170X (Online),  
ISSN 2224-5278 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ  
Satbayev University

# Х А Б А Р Л А Р Ы

---

---

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Satbayev University

## NEWS

OF THE ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN  
Satbayev University

**SERIES**  
**OF GEOLOGY AND TECHNICAL SCIENCES**

**2 (440)**

**MARCH – APRIL 2020**

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, KAZAKHSTAN

---

*NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.*

*Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.*

*НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.*

Б а с р е д а к т о р ы  
э. ғ. д., профессор, ҚР ҰҒА академигі

**И.К. Бейсембетов**

Бас редакторының орынбасары

**Жолтаев Г.Ж.** проф., геол.-мин. ғ. докторы

Р е д а к ц и я а л қ а с ы:

**Абаканов Т.Д.** проф. (Қазақстан)  
**Абишева З.С.** проф., академик (Қазақстан)  
**Агабеков В.Е.** академик (Беларусь)  
**Алиев Т.** проф., академик (Әзірбайжан)  
**Бакиров А.Б.** проф., (Қырғызстан)  
**Беспәев Х.А.** проф. (Қазақстан)  
**Бишимбаев В.К.** проф., академик (Қазақстан)  
**Буктуков Н.С.** проф., академик (Қазақстан)  
**Булат А.Ф.** проф., академик (Украина)  
**Ганиев И.Н.** проф., академик (Тәжікстан)  
**Грэвис Р.М.** проф. (АҚШ)  
**Ерғалиев Г.К.** проф., академик (Қазақстан)  
**Жуков Н.М.** проф. (Қазақстан)  
**Қожахметов С.М.** проф., академик (Қазақстан)  
**Конторович А.Э.** проф., академик (Ресей)  
**Курскеев А.К.** проф., академик (Қазақстан)  
**Курчавов А.М.** проф., (Ресей)  
**Медеу А.Р.** проф., академик (Қазақстан)  
**Мұхамеджанов М.А.** проф., корр.-мүшесі (Қазақстан)  
**Нигматова С.А.** проф. (Қазақстан)  
**Оздоев С.М.** проф., академик (Қазақстан)  
**Постолатий В.** проф., академик (Молдова)  
**Ракишев Б.Р.** проф., академик (Қазақстан)  
**Сейтов Н.С.** проф., корр.-мүшесі (Қазақстан)  
**Сейтмуратова Э.Ю.** проф., корр.-мүшесі (Қазақстан)  
**Степанец В.Г.** проф., (Германия)  
**Хамфери Дж.Д.** проф. (АҚШ)  
**Штейнер М.** проф. (Германия)

«ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы».

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде  
30.04.2010 ж. берілген №10892-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,  
<http://www.geolog-technical.kz/index.php/en/>

---

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2020

Редакцияның Қазақстан, 050010, Алматы қ., Қабанбай батыр көш., 69а.

мекенжайы: Қ. И. Сәтбаев атындағы геология ғылымдар институты, 334 бөлме. Тел.: 291-59-38.

Типографияның мекенжайы: «NurNaz GRACE», Алматы қ., Рысқұлов көш., 103.

Г л а в н ы й р е д а к т о р  
д. э. н., профессор, академик НАН РК

**И. К. Бейсембетов**

Заместитель главного редактора

**Жолтаев Г.Ж.** проф., доктор геол.-мин. наук

Р е д а к ц и о н н а я к о л л е г и я:

**Абаканов Т.Д.** проф. (Казахстан)  
**Абишева З.С.** проф., академик (Казахстан)  
**Агабеков В.Е.** академик (Беларусь)  
**Алиев Т.** проф., академик (Азербайджан)  
**Бакиров А.Б.** проф., (Кыргызстан)  
**Беспаяев Х.А.** проф. (Казахстан)  
**Бишимбаев В.К.** проф., академик (Казахстан)  
**Буктуков Н.С.** проф., академик (Казахстан)  
**Булат А.Ф.** проф., академик (Украина)  
**Ганиев И.Н.** проф., академик (Таджикистан)  
**Грэвис Р.М.** проф. (США)  
**Ергалиев Г.К.** проф., академик (Казахстан)  
**Жуков Н.М.** проф. (Казахстан)  
**Кожаметов С.М.** проф., академик (Казахстан)  
**Конторович А.Э.** проф., академик (Россия)  
**Курскеев А.К.** проф., академик (Казахстан)  
**Курчавов А.М.** проф., (Россия)  
**Медеу А.Р.** проф., академик (Казахстан)  
**Мухамеджанов М.А.** проф., чл.-корр. (Казахстан)  
**Нигматова С.А.** проф. (Казахстан)  
**Оздоев С.М.** проф., академик (Казахстан)  
**Постолатий В.** проф., академик (Молдова)  
**Ракишев Б.Р.** проф., академик (Казахстан)  
**Сейтов Н.С.** проф., чл.-корр. (Казахстан)  
**Сейтмуратова Э.Ю.** проф., чл.-корр. (Казахстан)  
**Степанец В.Г.** проф., (Германия)  
**Хамфери Дж.Д.** проф. (США)  
**Штейнер М.** проф. (Германия)

«Известия НАН РК. Серия геологии и технических наук».

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10892-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,  
<http://www.geolog-technical.kz/index.php/en/>

---

© Национальная академия наук Республики Казахстан, 2020

Адрес редакции: Казахстан, 050010, г. Алматы, ул. Кабанбай батыра, 69а.

Институт геологических наук им. К. И. Сатпаева, комната 334. Тел.: 291-59-38.

Адрес типографии: «NurNaz GRACE», г. Алматы, ул. Рыскулова, 103.

E d i t o r i n c h i e f

doctor of Economics, professor, academician of NAS RK

**I. K. Beisembetov**

Deputy editor in chief

**Zholtayev G.Zh.** prof., dr. geol-min. sc.

E d i t o r i a l b o a r d:

**Abakanov T.D.** prof. (Kazakhstan)  
**Abisheva Z.S.** prof., academician (Kazakhstan)  
**Agabekov V.Ye.** academician (Belarus)  
**Aliyev T.** prof., academician (Azerbaijan)  
**Bakirov A.B.** prof., (Kyrgyzstan)  
**Bespayev Kh.A.** prof. (Kazakhstan)  
**Bishimbayev V.K.** prof., academician (Kazakhstan)  
**Buktukov N.S.** prof., academician (Kazakhstan)  
**Bulat A.F.** prof., academician (Ukraine)  
**Ganiyev I.N.** prof., academician (Tadjikistan)  
**Gravis R.M.** prof. (USA)  
**Yergaliev G.K.** prof., academician (Kazakhstan)  
**Zhukov N.M.** prof. (Kazakhstan)  
**Kozhakhmetov S.M.** prof., academician (Kazakhstan)  
**Kontorovich A.Ye.** prof., academician (Russia)  
**Kurskeyev A.K.** prof., academician (Kazakhstan)  
**Kurchavov A.M.** prof., (Russia)  
**Medeu A.R.** prof., academician (Kazakhstan)  
**Muhamedzhanov M.A.** prof., corr. member. (Kazakhstan)  
**Nigmatova S.A.** prof. (Kazakhstan)  
**Ozdoyev S.M.** prof., academician (Kazakhstan)  
**Postolatii V.** prof., academician (Moldova)  
**Rakishev B.R.** prof., academician (Kazakhstan)  
**Seitov N.S.** prof., corr. member. (Kazakhstan)  
**Seitmuratova Ye.U.** prof., corr. member. (Kazakhstan)  
**Stepanets V.G.** prof., (Germany)  
**Humphery G.D.** prof. (USA)  
**Steiner M.** prof. (Germany)

**News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.**

**ISSN 2518-170X (Online),**

**ISSN 2224-5278 (Print)**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 10892-Ж, issued 30.04.2010.

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,

<http://www.geolog-technical.kz/index.php/en/>

---

© National Academy of Sciences of the Republic of Kazakhstan, 2020

Editorial address: Institute of Geological Sciences named after K.I. Satpayev

69a, Kabanbai batyr str., of. 334, Almaty, 050010, Kazakhstan, tel.: 291-59-38.

Address of printing house: «NurNaz GRACE», 103, Ryskulov str, Almaty.

**NEWS**

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

**SERIES OF GEOLOGY AND TECHNICAL SCIENCES**

ISSN 2224-5278

Volume 2, Number 440 (2020), 48 – 54

<https://doi.org/10.32014/2020.2518-170X.30>

UDC 669.162 16:581.52

**Pavlo Bosak<sup>1</sup>, Vasyl Popovych<sup>1</sup>, Kateryna Stepova<sup>1</sup>, Roman Dudyn<sup>2</sup>**

<sup>1</sup>Lviv State University of Life Safety, Lviv, Ukraine;

<sup>2</sup>National Forestry University of Ukraine, Lviv, Ukraine.

E-mail: bosakp@meta.ua

## **ENVIRONMENTAL IMPACT AND TOXICOLOGICAL PROPERTIES OF MINE DUMPS OF THE LVIV-VOLYN COAL BASIN**

**Abstract.** To date, the environmental status of mining areas is characterized as critical. The prerequisites for this are the formation of artificial landscapes (waste heaps, mine wastewater, etc.), high concentration of mining enterprises in mineral deposits, inefficiency of measures to maintain mining facilities in a safe state, low level of continuous monitoring of environmental change. The uncontrolled impact of mining areas leads to a general exacerbation of the environmental problems of the region as a whole, as well as to the depletion of surface and groundwater and the contamination of surrounding metals by heavy metals due to their migration from the mine heaps.

The article discusses the features of the Lviv-Volyn coal basin as a background for industrial development of Western Ukraine. The characteristics of the dumps of the closed up mine of the basin has been carried out. The toxicological composition of the dumps of the Novovolynska mine has been investigated and their environmental impact has been defined. Waste dumps of mine rocks of Lviv-Volyn area have high acidity, considerable content of various salts and sulfate ions. This high mineralization is caused by the movement to the water-collection points and the interaction of such water with rock dumps besides, and its way waste water is enriched with products of rocks destruction and coal.

**Key words:** coal, Lviv-Volyn coal basin, environment, mine dumps, toxicological indicators.

**Introduction.** Sustainable socio-economic development of modern society is impossible without assessment of man-made impact on the environment. Nowadays, developmental challenges in different Ukrainian regions are caused by anthropogenic processes that lead to environmental pollution. Particular attention should be paid to the investigation of the regions in which the coal industry is developed [3].

During the period of coal mining and coal processing operations in the territory of Lviv-Volyn coal basin the geo-ecological environment has undergone significant changes. This is primarily due to the change in the natural landscape, the impact of the coal processing waste on the environment, as well as the change of geochemical indicators caused by the additional discharge of chemical and mineral compounds.

One of the main sources of environmental hazards for the region is mine dumps. Thus, when coal is extracted from the rock mass, which is brought to the surface, up to 75% of the raw material goes to waste [5]. Mine rocks accumulate in waste dumps, sludge pits, ash dumps etc. The refore a reliable assessment of toxicity of mine dumps is an important issue while designing environmental measures for minimizing their impact on the environment.

**Purpose, tasks and methods of research.** Problems related to the impact of mine dumps on all components of environment have been studied in Ukraine and abroad for a long time. The papers of Ukrainian authors, in which environmental issues of mining were considered in the context of environmental issues, contain analysis of the critical geo-ecological situation in specific regions and methodological approaches for assessment of their urgency as well as the recommendations for their solution. At the same time, the environmental issues of the Lviv-Volyn coal basin and the assessment of mining waste impact remain relevant. The object of the paper is determination of environmental impact and toxicological properties of mine dumps of the Lviv-Volyn coal basin (figure 1).




Figure 1 – Cartographic map of coal mine dumps #2 Novovolynska, #4 Novovolynska, #9 Novovolynska, #5 Velykomostivska, # 1 Chervonohradska

**Results and their discussion.** The Lviv-Volyn coal basin is located in Western Ukraine. It covers the territory of the northwestern part of Lviv and southwestern part of Volyn region. The northern border of the basin is defined by the line of Volodymyr-Volynskiy – Torchyn, and the eastern border by the Torchyn-Olesko line. The coal here lies almost horizontally at a depth of more than 315-550 m [7]. The geographical location of the Lviv-Volyn basin is generally favorable for its economic development. It caused the intensive coal mining. In the second half of the twentieth century a powerful cross-sector fuel-power complex was created. The main component in the functional structure of the basin is the coal-energy production cycle, which includes the coal industry and related coal consumption sectors (electricity, transport) and production services (production of building materials, building and construction, repair of mining equipment). Basing on the coal and electricity industries, mechanical engineering, chemical, food and consumer industries have also developed, an extensive industrial and social infrastructure has been created, an area of intensive peri-urban agriculture has been formed [6].

In the early 90's the coal industry of the Lviv-Volyn coal basin included 21 mines and a central processing plant. In the Lviv part of the coal basin there were 12 coal mines (in Hirnyk - 2, in Sosnovka - 3, in Chervonograd - 7 mines). What is more the central Chervonograd processing plant was built in Sosnovka. In the Volyn part of the basin there were 9 mines (2 in the village of Blagodatny (Zhovtneve) and 7 in the Novovolynsk district). However, due to the economic crisis, the situation in the coal industry of the Lviv-Volyn basin has deteriorated significantly. Due to the fact that coal production has decreased significantly, the number of employees in the industry has decreased, renovation of production facilities has stopped, and the process of unprofitable mining sites closure has begun.

Only since 2002 the slow revival of the Lviv-Volyn coal basin did begin. Unprofitable mines were abandoned, and coal companies were reorganized into state-owned enterprises. Today, the Lviv-Volyn

Basin coal basin industry includes two state-owned enterprises, Lvivvugillya and Volynvugillya, comprising 9 and 4 coal mines respectively. The main consumers are Burshtyn, Dobrotvir, Ladizhin and Kalush CHPPs, the regional fuel department of the western regions of Ukraine, some commercial organizations and people [4].

As some mines within the Lviv-Volyn coal basin were closed, the problem of their technogenic risk remained unresolved. The factors of man-made pressure on the environment of the basin are: flooding of mines, blockages and landslides of mine shafts, subsidence of the surface, high radiation background of waste dumps and terrain, the release of toxic elements, compounds and products of combustion into water reservoirs, soils, air [2].

At the present time, considerable attention is paid to the environmental safety of the mine waste dumps, as a large number of people living near these man-made objects suffer from smog, products of self-ignition and smoldering of the rock, disfigurement of a landscape, etc. The main technogenic impact of mine complexes is so-called technogenic landscapes - dumps of waste rock - waste heaps, which cause a number of problems. They pollute almost all elements of the environment: air, ground water, land runoff, soil, plants. In this regard, we decided to investigate the toxicological composition of the dumps of mine # 9 "Novovolynska" and their on environmental impact [9].

Mine # 9 "Novovolynska" belongs to the State Enterprise "Volynvuhillya" and is located on the territory of Ivanychi region of Volyn region. Coal has been produced here since 1963. The flat dump is located 150 m north of the industrial site. Its height is approximately 30 m. 5.5 million tons of waste covers the area of over 120 000 m<sup>2</sup>. Samples were taken at a depth of 15-20 cm from the surface of the dump. Investigation of the toxicological properties of waste heaps of mine # 9 "Novovolynska". The results are in tables 1 and 2.

Table 1 – Characteristics of waste dumps of closed mines

| Dump | Mine               | City, district           | Shape of the dump | Dump state burning, not burning) | The organization to which the dump was handed over                                     |
|------|--------------------|--------------------------|-------------------|----------------------------------|--|
| 1    | # 1 Chervonohradka | Chervonohrad             | frustum of a cone | not burning                      | The rock was taken out, the land was handed over to the Chervonograd land fund in 2000 |
| 1    | #5 Velykomostivska | Volsvyn, Sokal region    | conical           | not burning                      | Handed over to the Volsvyn (Sokal region) land fund in 2005                            |
| 2    |                    |                          | flat              | not burning                      |  |
| 3    |                    |                          | flat              | not burning                      |  |
| 1    | #2 Novovolynska    | Novovolynsk              | conical           | not burning                      | Handed over to the Novovolynsk land fund   |
| 2    |                    |                          | flat              | not burning                      |  |
| 1    | #4 Novovolynska    | Novovolynsk              | conical           | not burning                      | Under recultivation  |
| 2    |                    |                          | conical           | not burning                      |  |
| 1    | #9 Novovolynska    | Hrydiv, Ivanychiv region | conical           | not burning                      | Handed over to the Hrydiv (Ivanychi region) land fund in 2006                          |
| 2    |                    |                          | flat              | not burning                      |  |
| 3    |                    |                          | flat              | not burning                      |  |
| 4    |                    |                          | flat              | not burning                      |  |

Table 2 – Toxicological properties of waste rock of mine # 9 "Novovolynska"

| Index   | Unburnt rock | Raw rock | Southern slope | Western slope |
|---|--------------|----------|----------------|---------------|
| pH  | 3,63-4,81    | 5,59     | 7,18           | 8,4           |
| Hydrolytic acidity mg-eq./100g of soil          | 10,6         | 0,21     | 0,22           | 0,29          |
| Total absorbed bases (Ca+Mg), eq./100g. of soil | 13,5         | 30,1     | 48,1           | 51,4          |
| Humus, %  | 2,21-6,94    | 9,52     | 7,53           | 0,49          |
| Nitrogen, mg/kg                                 | 49,8-59,9    | 29       | 14,2           | 16,9          |
| P <sub>2</sub> O <sub>5</sub> , mg/kg           | 13           | 214      | 11             | 28            |
| K <sub>2</sub> O, mg/kg                         | 64           | 201      | 79             | 42            |



Investigation of the toxicological properties of the waste rock of mine # 9 "Novovolynska" have shown that the unburned rock is acidic: the pH of salt extract varies within 3,63-4,81. The hydrolytic acidity is quite high - 10.6 mg/100g of soil and more. The soil on the slopes has an alkaline reaction and a much lower hydrolytic acidity (0,22-0,29). The total absorbed bases (Mg and Ca) is minimal in the dump rock and averages 16.29 mg/100g of soil. It is higher on the slopes - 48.1 mg/100g of soil. The humus index of unburned rock ranges from 2,21-6,94%. The humus content differs in the samples taken on the western and southern slopes (0,49% and 7,53%). The highest humus content is in the raw rock – 9,52% [1,12].

Technical unburned rock is characterized by a very low content of exchange nitrogen 49,8 mg / kg. Much less N<sub>2</sub> is present in soil on the slopes of the dump 14.2 mg/kg. The highest content of phosphorus and potassium is found in raw rock. The mineral and chemical composition of the dump rock affects both the geochemical environment of the region and the health of the population, as some trace elements accumulated in the dumps lead to poisoning of flora and fauna and humans, since their content exceeds the MPC [8]. The content of heavy metals in the waste dump is as follows (figure 2 and 3).




Figure 2 –Total content of heavy metals in the dump rock, mg/kg




Figure 3 – Content of active forms of heavy metals in dump rock, mg/kg

The distribution of lead in the dump is uneven. Higher concentrations of lead are found in the waste rock, although the concentrations exceeding MPC are detected both on the slope of the dump and in the rock itself. The average total zinc content in rocks and slopes reaches 0.3% of MPC. Most of the active zinc can be found on the slopes of the dump. Its content doesn't exceed the acceptable limits.

The best aggregates for copper accumulation are unburnt rocks. The highest content of active copper is defined in the technical soil of the slopes, while on the southern slope its content exceeds of the MPC by more than 4 times. The slopes of the dump are characterized by a high content of cobalt that exceeds the content in the rock by 4 times. The maximum concentration of the total cadmium is detected on the slopes of the dump, the minimum - in the dump rock. In general, its content does not exceed the MPC in the soil 3.0 mg/kg. The maximum concentration of active cadmium is also detected on the slopes of the dump, and the minimum - in the waste rock. In general, its content does not exceed the MPC in the soil 0.7 mg/kg [10,14].

As a result, we should note that the accumulation of waste dumps of mine rocks causes the following technogenic changes in the area around "Novovolynska" mine # 9:

- accumulation of loose and unstable waste rock containing corrosive chemical substances;
- change of the groundwater balance and depletion of aquifers due to disturbance of natural circulation;
- lands loss due to flooding and pollution;
- pollution of the atmosphere, soil and groundwater, especially by heavy metals; artificial formation of an uncharacteristic microclimate around the mine.

**Conclusions.** The investigation revealed significant differences in the toxicological composition of mine waste dumps in different locations. Unburnt rock is the most acidic in comparison to the raw one and to the soil on the slopes of the dump. Raw rocks are rich in phosphorus and potassium and are also characterized by a high humus content [11,13]. The best accumulators are the slopes of the dump.

Accumulation of toxic constituents in technological dumps creates a significant man-made danger. To prevent the emergence of hazardous manifestations of sewage to the ecological situation in the study area, it is necessary to use natural resources rationally, to timely carry out demineralization and reclamation, phytomelioration of disturbed lands and use a method based on phytotechnology – a hydrophytic structure of the type of bio-plateau, which performs the destruction, transformation and accumulation of nitrogen-containing substances, heavy metals and other toxic substances, ensuring the biological purification of water from pollutants.

**П. В. Босак<sup>1</sup>, В. В. Попович<sup>1</sup>, Е. В. Степовая<sup>1</sup>, Р. Б. Дудин<sup>2</sup>**

<sup>1</sup>Львов мемлекеттік тіршілік қауіпсіздігі университеті, Украина;

<sup>2</sup>Украина ұлттық орман шаруашылығы университеті, Львов, Украина

#### **ШАХТА ТАМШЫЛАРЫНЫҢ ТОКСИКОЛОГИЯЛЫҚ СИПАТТАРЫ ЛЬВОВ-ВОЛЫН ТАС КӨМІРІ ЖӘНЕ ОЛАРДЫҢ ҚОРШАҒАН ОРТАҒА ӘСЕР ЕТУІ**

**П. В. Босак<sup>1</sup>, В. В. Попович<sup>1</sup>, Е. В. Степовая<sup>1</sup>, Р. Б. Дудин<sup>2</sup>**

<sup>1</sup>Львовский государственный университет безопасности жизнедеятельности, Украина;

<sup>2</sup>Национальный лесотехнический университет Украины, Львов, Украина

#### **ТОКСИКОЛОГИЧЕСКИЕ СВОЙСТВА ОТВАЛОВ ШАХТНЫХ ПОРОД ЛЬВОВСКО-ВОЛЫНСКОГО КАМЕННОУГОЛЬНОГО БАССЕЙНА И ИХ ВЛИЯНИЕ НА ОКРУЖАЮЩУЮ СРЕДУ**

**Аннотация.** На сегодняшний день экологическое состояние горнопромышленных районов характеризуется как критическое. Предпосылками этого является образование искусственных ландшафтов (отвалы шахтных пород, сточные шахтные воды), высокая концентрация горных предприятий в местах залежей полезных ископаемых, неэффективность мер поддержки горно-технологических объектов, низкий уровень

постоянного мониторинга за изменением экологического состояния окружающей среды. Неконтролируемое влияние горнопромышленных районов приводит как к общему обострению экологических проблем региона в целом, так и к истощению поверхностных и подземных вод и загрязнению тяжелыми металлами прилегающих территорий в результате их миграции с пород шахтных терриконов.

Согласно физико-географическим признакам площадь Нововольнского горнопромышленного района относится к Малому Полесью. С начала добычи каменного угля экологическое состояние Нововольнского горнопромышленного региона значительно ухудшилось. Благоприятными условиями для этого стало образование искусственных породных насыпей, техногенных форм отвалов, накопление шахтных отходов. Нововольнский горнопромышленный район находится под влиянием воздушных масс, поступающих с Атлантического океана и юго-западных континентальных масс Европы. Такое географическое положение сформировало океаническо-континентальный климат, который характеризуется неустойчивыми погодными условиями, высокой относительной влажностью, большим количеством осадков. Ежегодно действующие шахты города Нововольнска выбрасывают на поверхность более 100 тыс. тонн отвальной породы. На породных отвалах накоплено более 30 млн. тонн шахтной породы. Разработка угольных месторождений сопровождается весомыми изменениями геологической среды, обусловленными перемещениями большого количества массивов горных пород. В состав отвальной породы входит много минеральных и химических веществ, что в некоторых случаях приводит к самовозгоранию. Процесс самовозгорания шахтных терриконов региона наблюдается в виде: торможения процесса рекультивации вследствие выгорания саженцев древесных пород; возникновения завалов, оползней; повышения температуры окружающей среды; вредных выбросов пыли и газов в атмосферу; высокой концентрации опасных химических соединений в окружающей среде и т.д. Во время обдувания ветром терриконов и отвалов шахтных пород воздух загрязняется пылью и газами. Водяные потоки сносят рыхлые породы в гидрографическую сеть, загрязняя балки и речные долины, заиливая пруды, реки, озера. Это приводит к устранению из природных мест обитания многих видов растений и животных.

В статье рассматриваются особенности Львовско-Волынского угольного бассейна как предпосылки промышленного развития Западной Украины. Осуществлено характеристику породных отвалов ликвидированных шахт бассейна, а также изучен токсикологический состав отвалов Нововольнской шахты и определено их влияние на окружающую среду. Отвалы шахтных пород Львовско-Волынского каменноугольного бассейна имеют высокую кислотность, значительное содержание различных солей и сульфат-ионов. Эта высокая минерализация обусловлена движением к водосборным пунктам и взаимодействием такой воды с отводами горных пород, а также ее сточные воды обогащаются продуктами разрушения горных пород и угля. Исследования породных отвалов является актуальным, поскольку даёт возможность оценить насколько токсичным является собственно террикон и какую опасность он может представлять для окружающей среды. С тех пор как в городе Нововольнске начали добывать уголь, экологическое состояние региона значительно ухудшилось. Причиной этого стало образование искусственных породных насыпей, техногенных форм отвалов, накопления шахтных отходов, ненадлежащий мониторинг нарушенных земель.

**Ключевые слова:** уголь, Львовско-Волынский угольный бассейн, окружающая среда, отвалы, токсикологические свойства.

#### **Information about authors:**

Bosak Pavlo, lecturer, Department of ecological safety, Lviv State University of Life Safety, Lviv, Ukraine; bosakp@meta.ua; <https://orcid.org/0000-0002-0303-544X>

Popovych Vasyl, Doctor of Technical Sciences, Associate Professor, Head of the Department of ecological safety, Lviv State University of Life Safety, Lviv, Ukraine; [popovych2007@ukr.net](mailto:popovych2007@ukr.net); [http:// orcid.org/0000-0003-2857-0147](http://orcid.org/0000-0003-2857-0147)

Stepova Kateryna, Assistant Professor Environmental Safety Department, Lviv State University of Life Safety, Lviv, Ukraine; [katyastepova@gmail.com](mailto:katyastepova@gmail.com); <https://orcid.org/0000-0002-2082-9524>

Dydun Roman, Assistant Professor Department of landscape architecture, landscape gardening and urban ecology, National Forestry University of Ukraine, Lviv, Ukraine; [drb2008@ukr.net](mailto:drb2008@ukr.net); <https://orcid.org/0000-0003-4539-7489>

**REFERENCES**

- [1] Alekseev Y. Heavy metals in soils and plants. St. Petersburg, Agropromizdat, 1997.
- [2] Bosak P., Popovych V. Radiation-ecological monitoring of coal mines of Novovolinsk mining area. News of the academy of sciences of the republic of Kazakhstan. Series of geology and technical sciences. 2019. Vol. 5. N 437. P. 132-137. <https://doi.org/10.32014/2018.2518-170X.134> ISSN 2518-170X (Online), ISSN 2224-5278 (Print).
- [3] Bosak P. Physico-chemical properties of wastewater from technological waste dumps of Novovolinsk mining district, Visnyk of Lviv State University of Life Safety. 2018. P. 117-124.
- [4] Ivanov E. Landscape-geographical study of the territories affected by the coal industry. Geography and Modern Times, 3, 2010.
- [5] Kroik G. Environmental assessment of mine rocks of the Western Donbass as a source of environmental pollution. Collected scientific works of UkrDGRI, 3, 2013.
- [6] Manko A. Problems of the Lviv-Volyn coal basin. Socio-geographical problems of development of productive forces of Ukraine. Materials of Ukrainian Research Practice Conf, Kyiv, VGL Horizons, 2012 (in Ukr.).
- [7] Manko A. Lviv-Volyn coal basin: problems and prospects. Modern problems and trends of geographical science. Materials of international. Research Practice Conf. in Lviv. University, 2009 (in Ukr.).
- [8] Panov B. Technogenic mineralization and geochemical peculiarities of rocks of mine heaps. Problems of ecology, 4, 2010 (in Ukr.).
- [9] Popovych V., Stepova K., Voloshchyshyn A., Bosak P.: Physico-Chemical Properties of Soils in Lviv Volyn Coal Basin Area. E3S Web Conference. IVth International Innovative Mining Symposium. Vol. 105, 02002, 2019.
- [10] Popovych V., Kuzmenko O., Voloshchyshyn A., Petlovanyi M.: Influence of man-made edaphotopes of the spoil heap on biota. E3S Web of Conferences. Vol. 60. 00010, 2018.
- [11] Popovich V.: Reclamation of waste heaps of liquidated mines of Lviv-Volyn coal basin. Scientific Bulletin of NLTU Ukraine, 27 (3), 2017.
- [12] Chetveryk, M., Bubnova, O., Babii, K., Shevchenko, O., & Moldabaev, S. (2018). Review of geomechanical problems of accumulation and reduction of mining industry wastes, and ways of their solution. Mining of Mineral Deposits, 12(4), 63-72. <https://doi.org/10.15407/mining12.04.063>
- [13] Mukhamedzhanov M.A., Sagin Jai, Kazanbaeva L.M., Rakhmetov I.K. (2018) Influence of anthropogenic factors on hydrogeochemical conditions of underground drinking waters of Kazakhstan. News of the National Academy of Sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. Vol. 5, N 431 (2018), P. 6-8. <https://doi.org/10.32014/2018.2518-170X.81> ISSN 2518-170X (Online), ISSN 2224-5278 (Print).
- [14] Tsheshkovskaya Ye.A., Golubeva E.I., Ibrayev M.K., Oralova A.T., Tsoy N.K., Issabayeva M.B. Technogenic impact of mining industry on environment in Karaganda region of Republic of Kazakhstan. Series of Geology and Technical Sciences. Vol. 6, N 438 (2019), P. 85-95. ISSN 2518-170X (Online), ISSN 2224-5278 (Print). <https://doi.org/10.32014/2019.2518-170X.159>

---

---

**Publication Ethics and Publication Malpractice  
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

**ISSN 2518-170X (Online), ISSN 2224-5278 (Print)**

<http://www.geolog-technical.kz/index.php/en/>

Редакторы *Д. С. Аленов, М. С. Ахметова, Т. А. Апендиев*  
Верстка *Д. А. Абрахимовой*

Подписано в печать 13.04.2020.  
Формат 70x881/8. Бумага офсетная. Печать – ризограф.  
13 п.л. Тираж 300. Заказ 2.